HYPERTONIC SALINE SOLUTION 7.2%- hypertonic saline solution 7.2% injection, solution
Vedco

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

EQUI-PHAR EQUINE 7 HSS

INDICATIONS:

For use in replacement therapy of sodium, chloride and water which may become depleted in many diseases.

CAUTION:

This product contains no preservatives. Use entire contents when first opened. Discard any unused solution.

DOSAGE AND ADMINISTRATION:

Warm to body temperature and administer slowly by intravenous or subcutaneous injection. The amount and rate of administration must be judged by the veterinarian in relation to the condition being treated and the clinical response of the animal, being careful to avoid overhydration.

CAUTION:

Federal law (U.S.A.) restricts this drug to use by or on the order of a licensed veterinarian.

FOR VETERINARY USE ONLY

COMPOSITION:

Each 100 mL of sterile aqueous solution contains:
Sodium Chloride..... 7.2 g

Milliequivalents per liter **Cations** Sodium..... 1232 mEq/L **Anions** Chloride..... 1232 mEq/L

Total osmolarity is 2464 milliosmoles per liter.

Store between 15°C-30°C (59°F-86°F).

TAKE TIME OBSERVE LABEL DIRECTIONS

For
Animal
Use Only

KEEP OUT OF
REACH OF CHILDREN

MADE IN U.S.A.

Iss. 03-01

18-806-60

Distributed By
VEDCO, INC.
St. Joseph, MO 64507

NDC 50989-638-17

STERILE HYPERTONIC

7.2% SALINE SOLUTION

NET CONTENTS: 1000 mL

Lot No.

Exp. Date

FOR VETERINARY USE ONLY

COMPOSITION: Each 100 mL of sterile aqueous solution contains:
Sodium Chloride ..... 7.2 g

Milliequivalents per liter:
Cations:
Sodium ..... 1232 mEq/L
Anions:
Chloride ..... 1232 mEq/L

Total osmolarity is 2464 milliosmoles per liter.

KEEP OUT OF REACH OF CHILDREN

Store between 15°C-30°C (59°F-86°F).

MADE IN U.S.A. Iss. 03-01
18-806-60

TAKE TIME OBSERVE LABEL DIRECTIONS

Distributed By
VEDCO, INC.
St. Joseph, MO 64507



INDICATIONS: For use in replacement therapy of sodium, chloride and water which may become depleted in many diseases.

DOSAGE AND ADMINISTRATION: Warm to body temperature and administer slowly by intravenous or subcutaneous injection. The amount and rate of administration must be judged by the veterinarian in relation to the condition being treated and the clinical response of the animal, being careful to avoid overhydration.

WARNING: This product contains no preservatives. Use entire contents when first opened. Discard any unused solution.

Lot No. Exp. Date

3 50989 63817 7

HYPERTONIC SALINE SOLUTION 7.2%

hypertonic saline solution 7.2% injection, solution

Product Information			
Product Type	PRESCRIPTION ANIMAL DRUG	**Item Code (Source)**	NDC:50989-638
Route of Administration	INTRAVENOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
Sodium Chloride (UNII: 451W47IQ8X) (Sodium Cation - UNII:LYR4M0NH37)	Sodium Chloride	7.2 g in 100 mL

Packaging				
#	**Item Code**	**Package Description**	**Marketing Start Date**	**Marketing End Date**
1	NDC:50989-638-17	1000 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/03/2017	

Labeler - Vedco (021634266)

Registrant - Vedco (021634266)

Establishment

Name	Address	ID/FEI	Business Operations
Nova-Tech, Inc.		196078976	manufacture, api manufacture

Revised: 3/2018 Vedco