

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN GOLDEN MEDIUM 14- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN GOLDEN DARK 25- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN WARM DEEP 27- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN LIGHT 08- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN FAIR IVORY 02- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN MEDIUM BEIGE 12- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN GOLDEN BEIGE 13- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN NEUTRAL DARK 24- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN MEDIUM TAN 18- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN MEDIUM DARK 23- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN GOLDEN DEEP 28- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN NEUTRAL DEEP 29- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN GOLDEN FAIR 04- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN DEEPEST DEEP 30- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN SOFT MEDIUM 11- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN NEUTRAL IVORY 06- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN GOLDEN IVORY 07- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN GOLDEN TAN 20- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN TAN NUDE 17- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN FAIR 01- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN FAIRLY LIGHT 03- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN FAIRLY MEDIUM 05- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN LIGHT BEIGE 09- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN MEDIUM 10- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN NEUTRAL MEDIUM 15- titanium dioxide liquid**

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM  
SPF 20 SUNSCREEN GOLDEN NUDE 16- titanium dioxide liquid  
BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM  
SPF 20 SUNSCREEN TAN 19- titanium dioxide liquid  
BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM  
SPF 20 SUNSCREEN NEUTRAL TAN 21- titanium dioxide liquid  
BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM  
SPF 20 SUNSCREEN WARM TAN 22- titanium dioxide liquid  
BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM  
SPF 20 SUNSCREEN WARM DARK 26- titanium dioxide liquid  
Orveon Global US, LLC**

-----  
**bareMinerals ORIGINAL Liquid Mineral Foundation Broad Spectrum SPF 20  
Sunscreen**

### ***Drug Facts***

#### ***Active ingredients***

#### ***Purpose***

Active Ingredient Purpose

Titanium Dioxide 2.49% Sunscreen

#### ***Uses***

Helps prevent sunburn.

If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

#### ***Warnings***

**For external use only**

#### **Do not use**

- on damaged or broken skin.

#### **When using this product**

- keep out of eyes. Rinse with water to remove.

#### **Stop use and ask a doctor if**

- rash occurs.

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### ***Directions***

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

### ***Inactive ingredients***

water, ethylhexyl olivate, polyglyceryl-3 diisostearate, amylopectin, propanediol, dipeptide-15, squalane, sea salt, disteardimonium hectorite, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauroyl lysine, glycerin, trisodium edta, hydroxyethylcellulose, phenoxyethanol. may contain: iron oxides, titanium dioxide.

Protect this product from excessive heat and direct sun.

### **Principal Display Panel - 30 mL / 1 fl. oz. - FAIR 01**


bareMinerals

ORIGINAL

Liquid Mineral Foundation

Broad Spectrum SPF 20 Sunscreen

30 mL / 1 fl. oz.



**Drug Facts**

**Active ingredient** 3.175 **Purpose**  
Titanium dioxide 2.49% Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure.
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - Children under 6 months: Ask a doctor

**Other information**

Protect this product from excessive heat and direct sun

**Inactive ingredients:** water, ethylhexyl olivate, polyglyceryl-3 disisclearate, amylopectin, propanediol, dipalmitate-15, squalene, sea salt, disestermonium hecrotite, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauryl lysine, glycerin, trisodium edta, hydroxyethylcellulose, phenoxethanol, may contain: iron oxides, titanium dioxide.

**Questions or comments?**  
Call toll free 1-888-796-4747

MADE IN USA  
BAREMINERALS®  
NEW YORK, NY 10017 DIST.

FSC  
100%  
Recycled  
PFC-COMM00

0.794

2.381

CRUELTY-FREE  
VEGAN  
PARABEN-FREE  
PHTHALATE-FREE  
FORMALDEHYDE-FREE  
CHEMICAL SUNSCREEN-FREE  
TRICLOSAN-FREE  
TRICLOCARBAN-FREE  
PROPYLENE GLYCOL-FREE  
MINERAL OIL-FREE  
COAL TAR-FREE  
MICROBEAD-FREE  
SYNTHETIC FRAGRANCE-FREE  
TALC-FREE  
GLUTEN-FREE

37.5

0.794

DERMATOLOGIST-TESTED  
NON-COMEDOGENIC

0.397<sup>R</sup>

0.794

bareMinerals

PDP

ORIGINAL

LIQUID MINERAL  
FOUNDATION

Broad Spectrum  
SPF 20 Sunscreen

30 ml / 1 fl. oz.

0.397<sup>R</sup>

0.794

CLEAN WITHOUT  
COMPROMISING  
PERFORMANCE

Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.

36.706

**Principal Display Panel - 30 mL / 1 fl. oz. - FAIR IVORY 02**

bareMinerals  
ORIGINAL

Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.



|   |   |   |   |
|---|---|---|---|
| <p><b>Drug Facts</b></p> <p><b>Active ingredient</b> 3.175% Titanium dioxide<br/> <b>Purpose</b> Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>helps prevent sunburn</li> <li>if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p><b>Do not use</b> on damaged or broken skin</p> <p><b>When using this product</b> keep out of eyes. Rinse with water to remove.</p> <p><b>Stop use and ask a doctor</b> if rash occurs</p> <p><b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>For sunscreen use:             <ul style="list-style-type: none"> <li>apply liberally 15 minutes before sun exposure.</li> <li>use a water resistant sunscreen if swimming or sweating</li> <li>reapply at least every 2 hours</li> </ul> </li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:             <ul style="list-style-type: none"> <li>limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>wear long-sleeve shirts, pants, hats, and sunglasses</li> <li>Children under 6 months: Ask a doctor</li> </ul> </li> </ul> <p><b>Other information</b></p> <p>Protect this product from excessive heat and direct sun</p> <p><b>Inactive ingredients:</b> water, ethylhexyl olivate, polyglyceryl-3 distostearate, amylopectin, propanediol, dipentide-15, squalene, sea salt, distardimonium hecibrite, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauroyl lysine, glycerin, trisodium edta, hydroxyethylcellulose, phenoxethanol. may contain: iron oxides, titanium dioxide.</p> <p><b>Questions or comments?</b><br/>       Call toll free 1-888-795-4747</p> <p>MADE IN USA<br/>       BAREMINERALS®<br/>       NEW YORK, NY 10017 DIST.</p> <p>FSC<br/>       100%<br/>       Wood<br/>       PFC® C000000</p> | <p>0.794</p> <p>2.381</p> <p>CRUELTY-FREE<br/>       VEGAN<br/>       PARABEN-FREE<br/>       PHTHALATE-FREE<br/>       FORMALDEHYDE-FREE<br/>       CHEMICAL SUNSCREEN-FREE<br/>       TRICLOSAN-FREE<br/>       TRICLOCARBAN-FREE<br/>       PROPYLENE GLYCOL-FREE<br/>       MINERAL OIL-FREE<br/>       COAL TAR-FREE<br/>       MICROBEAD-FREE<br/>       SYNTHETIC FRAGRANCE-FREE<br/>       TALC-FREE<br/>       GLUTEN-FREE</p> <p>37.5</p> <p>0.794</p> <p>DERMATOLOGIST-TESTED<br/>       NON-COMEDOGENIC</p> | <p>0.397<sup>R</sup></p> <p>0.794</p> <p>bareMinerals</p> <p>PDP</p> <p>ORIGINAL</p> <p>LIQUID MINERAL FOUNDATION</p> <p>Broad Spectrum SPF 20 Sunscreen</p> <p>30 ml / 1 fl. oz.</p> | <p>0.794</p> <p>CLEAN WITHOUT COMPROMISING PERFORMANCE</p> <p>Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.</p> <p>36.706</p> <p>0.397<sup>R</sup></p> |
|---|---|---|---|

**Principal Display Panel - 30 mL / 1 fl. oz - FAIRLY LIGHT 03**

bareMinerals


ORIGINAL

Liquid Mineral Foundation

Broad Spectrum SPF 20 Sunscreen

30 mL / 1 fl. oz.





**Principal Display Panel - 30 mL / 1 fl. oz. - GOLDEN FAIR 04**

bareMinerals  
 ORIGINAL  
 Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.



|  |  |  |   |
|--|--|--|---|
| <p><b>Drug Facts</b></p> <p><b>Active ingredient</b> 3.175 <b>Purpose</b><br/>Titanium dioxide 2.49% Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>helps prevent sunburn</li> <li>if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p><b>Do not use</b> on damaged or broken skin</p> <p><b>When using this product</b> keep out of eyes. Rinse with water to remove.</p> <p><b>Stop use and ask a doctor</b> if rash occurs</p> <p><b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>For sunscreen use:             <ul style="list-style-type: none"> <li>apply liberally 15 minutes before sun exposure.</li> <li>use a water resistant sunscreen if swimming or sweating</li> <li>reapply at least every 2 hours</li> </ul> </li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:             <ul style="list-style-type: none"> <li>limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>wear long-sleeve shirts, pants, hats, and sunglasses</li> <li>Children under 6 months: Ask a doctor</li> </ul> </li> </ul> <p><b>Other information</b></p> <p>Protect this product from excessive heat and direct sun</p> <p><b>Inactive ingredients:</b> water, ethylhexyl olivate, polyglyceryl-3 diisostearate, amylopectin, propanediol, dipptide-15, squalene, sea salt, distardimonium hectorite, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauroyl lysine, glycerin, triiodium edta, hydroxyethylcellulose, phenoxethanol. may contain: iron oxides, titanium dioxide.</p> <p><b>Questions or comments?</b><br/>Call toll free 1-888-796-4747</p> <p>MADE IN USA<br/>BAREMINERALS®<br/>NEW YORK, NY 10017 DIST.</p> <p>FSC<br/>100%<br/>Wood<br/>PFC® C000000</p> | <p>0.794</p> <p>2.381</p> <p>CRUELTY-FREE<br/>VEGAN<br/>PARABEN-FREE<br/>PHTHALATE-FREE<br/>FORMALDEHYDE-FREE<br/>CHEMICAL SUNSCREEN-FREE<br/>TRICLOSAN-FREE<br/>TRICLOCARBAN-FREE<br/>PROPYLENE GLYCOL-FREE<br/>MINERAL OIL-FREE<br/>COAL TAR-FREE<br/>MICROBEAD-FREE<br/>SYNTHETIC FRAGRANCE-FREE<br/>TALC-FREE<br/>GLUTEN-FREE</p> <p>37.5</p> <p>0.794</p> <p>DERMATOLOGIST-TESTED<br/>NON-COMEDOGENIC</p> | <p>0.397<sup>R</sup></p> <p>0.794</p> <p>3.175</p> <p>bareMinerals</p> <p>PDP</p> <p>ORIGINAL</p> <p>LIQUID MINERAL<br/>FOUNDATION</p> <p>Broad Spectrum<br/>SPF 20 Sunscreen</p> <p>30 ml / 1 fl. oz.</p> | <p>0.794</p> <p>CLEAN WITHOUT<br/>COMPROMISING<br/>PERFORMANCE</p> <p>Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.</p> <p>36.706</p> <p>0.397<sup>R</sup></p> |
|--|--|--|---|

Principal Display Panel - 30 mL / 1 fl. oz. - FAIRLY MEDIUM 05  
bareMinerals



ORIGINAL  
Liquid Mineral Foundation  
Broad Spectrum SPF 20 Sunscreen  
30 mL / 1 fl. oz.



|  |  |   |   |
|--|--|---|---|
| <p><b>Drug Facts</b></p> <p><b>Active ingredient</b> 3.175% Titanium dioxide 2.49% Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>helps prevent sunburn</li> <li>if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p><b>Do not use</b> on damaged or broken skin</p> <p><b>When using this product</b> keep out of eyes. Rinse with water to remove.</p> <p><b>Stop use and ask a doctor</b> if rash occurs</p> <p><b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>For sunscreen use:             <ul style="list-style-type: none"> <li>apply liberally 15 minutes before sun exposure.</li> <li>use a water resistant sunscreen if swimming or sweating</li> <li>reapply at least every 2 hours</li> </ul> </li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:             <ul style="list-style-type: none"> <li>limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>wear long-sleeve shirts, pants, hats, and sunglasses</li> <li>Children under 6 months: Ask a doctor</li> </ul> </li> </ul> <p><b>Other information</b></p> <p>Protect this product from excessive heat and direct sun</p> <p><b>Inactive ingredients:</b> water, ethylhexyl olivate, polyglyceryl-3 diisostearate, amylopectin, propanediol, dipptide-15, squalene, sea salt, distardimonium hectorite, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauryl lysine, glycerin, triiodium edta, hydroxyethylcellulose, phenoxylethanol. may contain: iron oxides, titanium dioxide.</p> <p><b>Questions or comments?</b><br/>Call toll free 1-888-796-4747</p> <p>MADE IN USA.<br/>BAREMINERALS®<br/>NEW YORK, NY 10017 DIST.</p> <p>FSC<br/>100% Wood<br/>PFC® C000000</p> | <p>0.794</p> <p>2.381</p> <p>CRUELTY-FREE<br/>VEGAN<br/>PARABEN-FREE<br/>PHTHALATE-FREE<br/>FORMALDEHYDE-FREE<br/>CHEMICAL SUNSCREEN-FREE<br/>TRICLOSAN-FREE<br/>TRICLOCARBAN-FREE<br/>PROPYLENE GLYCOL-FREE<br/>MINERAL OIL-FREE<br/>COAL TAR-FREE<br/>MICROBEAD-FREE<br/>SYNTHETIC FRAGRANCE-FREE<br/>TALC-FREE<br/>GLUTEN-FREE</p> <p>37.5</p> <p>0.794</p> <p>DERMATOLOGIST-TESTED<br/>NON-COMEDOGENIC</p> | <p>0.397<sup>R</sup></p> <p>0.794</p> <p>bareMinerals</p> <p>PDP</p> <p>ORIGINAL</p> <p>LIQUID MINERAL FOUNDATION</p> <p>Broad Spectrum SPF 20 Sunscreen</p> <p>30 ml / 1 fl. oz.</p> | <p>0.794</p> <p>CLEAN WITHOUT COMPROMISING PERFORMANCE</p> <p>Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.</p> <p>36.706</p> <p>0.397<sup>R</sup></p> |
|  | <p>PRE-BREAK</p> <p>WS1</p>  | <p>PRE-BREAK</p>  | <p>PRE-BREAK</p> <p>WS2</p>   |

**Principal Display Panel - 30 mL / 1 fl. oz. - SOFT MEDIUM 11**

bareMinerals


ORIGINAL

Liquid Mineral Foundation

Broad Spectrum SPF 20 Sunscreen

30 mL / 1 fl. oz.





**Principal Display Panel - 30 mL / 1 fl. oz. - NEUTRAL IVORY 06**

bareMinerals  
 ORIGINAL  
 Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.



**Drug Facts**

**Active ingredient** 3.175 **Purpose**  
Titanium dioxide 2.49% Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure.
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - Children under 6 months: Ask a doctor

**Other information**

Protect this product from excessive heat and direct sun

**Inactive ingredients:** water, ethylhexyl olivate, polyglyceryl-3 disisclearate, amylopectin, propanediol, dipalmitate-15, squalene, sea salt, disesterimonium hecortria, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauryl lysine, glycerin, trisodium edta, hydroxyethylcellulose, phenoxethanol. may contain: iron oxides, titanium dioxide.

**Questions or comments?**  
Call toll free 1-888-796-4747

MADE IN USA  
BAREMINERALS®  
NEW YORK, NY 10017 DIST.

FSC  
100%  
Recycled  
PFC-COMM000

0.794

2.381

CRUELTY-FREE  
VEGAN  
PARABEN-FREE  
PHTHALATE-FREE  
FORMALDEHYDE-FREE  
CHEMICAL SUNSCREEN-FREE  
TRICLOSAN-FREE  
TRICLOCARBAN-FREE  
PROPYLENE GLYCOL-FREE  
MINERAL OIL-FREE  
COAL TAR-FREE  
MICROBEAD-FREE  
SYNTHETIC FRAGRANCE-FREE  
TALC-FREE  
GLUTEN-FREE

37.5

0.794

DERMATOLOGIST-TESTED  
NON-COMEDOGENIC

0.397<sup>R</sup>

0.794

0.794

3.175

PRE-BREAK

WS 2

**bareMinerals**

**PDP**

**ORIGINAL**

**LIQUID MINERAL  
FOUNDATION**

Broad Spectrum  
SPF 20 Sunscreen

36.706

0.397<sup>R</sup>

CLEAN WITHOUT  
COMPROMISING  
PERFORMANCE

Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.

Principal Display Panel - 30 mL / 1 fl. oz. - LIGHT 08

bareMinerals  
ORIGINAL

Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.



|   |   |  |   |
|---|---|--|---|
| <p><b>Drug Facts</b></p> <p><b>Active ingredient</b> 3.175% Titanium dioxide 2.49% Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>helps prevent sunburn</li> <li>if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p><b>Do not use</b> on damaged or broken skin</p> <p><b>When using this product</b> keep out of eyes. Rinse with water to remove.</p> <p><b>Stop use and ask a doctor</b> if rash occurs</p> <p><b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>For sunscreen use:             <ul style="list-style-type: none"> <li>apply liberally 15 minutes before sun exposure.</li> <li>use a water resistant sunscreen if swimming or sweating</li> <li>reapply at least every 2 hours</li> </ul> </li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:             <ul style="list-style-type: none"> <li>limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>wear long-sleeve shirts, pants, hats, and sunglasses</li> <li>Children under 6 months: Ask a doctor</li> </ul> </li> </ul> <p><b>Other information</b></p> <p>Protect this product from excessive heat and direct sun</p> <p><b>Inactive ingredients:</b> water, ethylhexyl olivate, polyglyceryl-3 diisostearate, amylopectin, propenadiol, dipptide-15, squalene, sea salt, distardimonium hecbronite, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauryl lysine, glycerin, tri sodium edta, hydroxyethylcellulose, phenoxethanol. may contain: iron oxides, titanium dioxide.</p> <p><b>Questions or comments?</b><br/>       Call toll free 1-888-795-4747</p> <p>MADE IN USA.<br/>       BAREMINERALS®<br/>       NEW YORK, NY 10017 DIST.</p> <p>FSC<br/>       100% Wood<br/>       PFC® C000000</p> | <p>0.794</p> <p>2.381</p> <p>CRUELTY-FREE<br/>       VEGAN<br/>       PARABEN-FREE<br/>       PHTHALATE-FREE<br/>       FORMALDEHYDE-FREE<br/>       CHEMICAL SUNSCREEN-FREE<br/>       TRICLOSAN-FREE<br/>       TRICLOCARBAN-FREE<br/>       PROPYLENE GLYCOL-FREE<br/>       MINERAL OIL-FREE<br/>       COAL TAR-FREE<br/>       MICROBEAD-FREE<br/>       SYNTHETIC FRAGRANCE-FREE<br/>       TALC-FREE<br/>       GLUTEN-FREE</p> <p>37.5</p> <p>0.794</p> <p>DERMATOLOGIST-TESTED<br/>       NON-COMEDOGENIC</p> | <p>0.397<sup>R</sup></p> <p>0.794</p> <p>bareMinerals</p> <p>PDP</p> <p>PRE-BREAK</p> <p>ORIGINAL</p> <p>LIQUID MINERAL FOUNDATION</p> <p>Broad Spectrum SPF 20 Sunscreen</p> <p>30 ml / 1 fl. oz.</p> | <p>0.794</p> <p>CLEAN WITHOUT COMPROMISING PERFORMANCE</p> <p>Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.</p> <p>36.706</p> <p>0.397<sup>R</sup></p> |
|---|---|--|---|

**Principal Display Panel - 30 mL / 1 fl. oz. - GOLDEN IVORY 07**

bareMinerals


ORIGINAL

Liquid Mineral Foundation

Broad Spectrum SPF 20 Sunscreen


30 mL / 1 fl. oz.





**Principal Display Panel - 30 mL / 1 fl. oz. - LIGHT BEIGE 09**

bareMinerals  
 ORIGINAL  
 Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.



|  |  |   |   |
|--|--|---|---|
| <p><b>Drug Facts</b></p> <p><b>Active ingredient</b> 3.175 <b>Purpose</b><br/>Titanium dioxide 2.49% Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>helps prevent sunburn</li> <li>if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p><b>Do not use</b> on damaged or broken skin</p> <p><b>When using this product</b> keep out of eyes. Rinse with water to remove.</p> <p><b>Stop use and ask a doctor</b> if rash occurs</p> <p><b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>For sunscreen use:             <ul style="list-style-type: none"> <li>apply liberally 15 minutes before sun exposure.</li> <li>use a water resistant sunscreen if swimming or sweating</li> <li>reapply at least every 2 hours</li> </ul> </li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:             <ul style="list-style-type: none"> <li>limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>wear long-sleeve shirts, pants, hats, and sunglasses</li> <li>Children under 6 months: Ask a doctor</li> </ul> </li> </ul> <p><b>Other information</b></p> <p>Protect this product from excessive heat and direct sun</p> <p><b>Inactive ingredients:</b> water, ethylhexyl olivate, polyglyceryl-3 diisostearate, amylopectin, propanediol, dipalmitate-15, squalene, sea salt, distardimonium hectorite, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauryl lysine, glycerin, triiodium edta, hydroxyethylcellulose, phenoxethanol. may contain: iron oxides, titanium dioxide.</p> <p><b>Questions or comments?</b><br/>Call toll free 1-888-796-4747</p> <p>MADE IN USA<br/>BAREMINERALS®<br/>NEW YORK, NY 10017 DIST.</p> <p>FSC<br/>100%<br/>Wood<br/>PFC® C000000</p> | <p>0.794</p> <p>2.381</p> <p>CRUELTY-FREE<br/>VEGAN<br/>PARABEN-FREE<br/>PHTHALATE-FREE<br/>FORMALDEHYDE-FREE<br/>CHEMICAL SUNSCREEN-FREE<br/>TRICLOSAN-FREE<br/>TRICLOCARBAN-FREE<br/>PROPYLENE GLYCOL-FREE<br/>MINERAL OIL-FREE<br/>COAL TAR-FREE<br/>MICROBEAD-FREE<br/>SYNTHETIC FRAGRANCE-FREE<br/>TALC-FREE<br/>GLUTEN-FREE</p> <p>37.5</p> <p>0.794</p> <p>DERMATOLOGIST-TESTED<br/>NON-COMEDOGENIC</p> | <p>0.397<sup>R</sup></p> <p>0.794</p> <p>bareMinerals</p> <p>PDP</p> <p>ORIGINAL</p> <p>LIQUID MINERAL<br/>FOUNDATION</p> <p>Broad Spectrum<br/>SPF 20 Sunscreen</p> <p>30 ml / 1 fl. oz.</p> | <p>0.794</p> <p>CLEAN WITHOUT<br/>COMPROMISING<br/>PERFORMANCE</p> <p>Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.</p> <p>36.706</p> <p>0.397<sup>R</sup></p> |
|--|--|---|---|

**Principal Display Panel - 30 mL / 1 fl. oz. - MEDIUM BEIGE 12**

bareMinerals



ORIGINAL  
Liquid Mineral Foundation  
Broad Spectrum SPF 20 Sunscreen  
30 mL / 1 fl. oz.



|   |  |  |   |
|---|--|--|---|
| <p><b>Drug Facts</b></p> <p><b>Active ingredient</b> 3.175 <b>Purpose</b><br/>Titanium dioxide 2.49% Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>helps prevent sunburn</li> <li>if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p><b>Do not use</b> on damaged or broken skin</p> <p><b>When using this product</b> keep out of eyes. Rinse with water to remove.</p> <p><b>Stop use and ask a doctor</b> if rash occurs</p> <p><b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>For sunscreen use:             <ul style="list-style-type: none"> <li>apply liberally 15 minutes before sun exposure.</li> <li>use a water resistant sunscreen if swimming or sweating</li> <li>reapply at least every 2 hours</li> </ul> </li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:             <ul style="list-style-type: none"> <li>limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>wear long-sleeve shirts, pants, hats, and sunglasses</li> <li>Children under 6 months: Ask a doctor</li> </ul> </li> </ul> <p><b>Other information</b></p> <p>Protect this product from excessive heat and direct sun</p> <p><b>Inactive ingredients:</b> water, ethylhexyl olivate, polyglyceryl-3 disisclearate, amylopectin, propanediol, dipentide-15, squalene, sea salt, disodiummonium hexaborate, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauryl lysine, glycerin, trisodium edta, hydroxyethylcellulose, phenoxethanol. may contain: iron oxides, titanium dioxide.</p> <p><b>Questions or comments?</b><br/>Call toll free 1-888-796-4747</p> <p>MADE IN USA.<br/>BAREMINERALS®<br/>NEW YORK, NY 10017 DIST.</p> <p>FSC<br/>100%<br/>Recycled<br/>PFC-COMM008</p> | <p>0.794</p> <p>2.381</p> <p>CRUELTY-FREE<br/>VEGAN<br/>PARABEN-FREE<br/>PHTHALATE-FREE<br/>FORMALDEHYDE-FREE<br/>CHEMICAL SUNSCREEN-FREE<br/>TRICLOSAN-FREE<br/>TRICLOCARBAN-FREE<br/>PROPYLENE GLYCOL-FREE<br/>MINERAL OIL-FREE<br/>COAL TAR-FREE<br/>MICROBEAD-FREE<br/>SYNTHETIC FRAGRANCE-FREE<br/>TALC-FREE<br/>GLUTEN-FREE</p> <p>37.5</p> <p>0.794</p> <p>DERMATOLOGIST-TESTED<br/>NON-COMEDOGENIC</p> | <p>0.397<sup>R</sup></p> <p>0.794</p> <p>bareMinerals</p> <p>PDP</p> <p>PRE-BREAK</p> <p>ORIGINAL</p> <p>LIQUID MINERAL<br/>FOUNDATION</p> <p>Broad Spectrum<br/>SPF 20 Sunscreen</p> <p>30 ml / 1 fl. oz.</p> | <p>0.794</p> <p>CLEAN WITHOUT<br/>COMPROMISING<br/>PERFORMANCE</p> <p>Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.</p> <p>36.706</p> <p>0.397<sup>R</sup></p> |
|---|--|--|---|

**Principal Display Panel - 30 mL / 1 fl. oz. - GOLDEN BEIGE 13**

bareMinerals


ORIGINAL

Liquid Mineral Foundation

Broad Spectrum SPF 20 Sunscreen


30 mL / 1 fl. oz.





**Principal Display Panel - 30 mL / 1 fl. oz. - GOLDEN MEDIUM 14**


bareMinerals  
 ORIGINAL  
 Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.



**Principal Display Panel - 30 mL / 1 fl. oz. - MEDIUM 10**

bareMinerals  
ORIGINAL

Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.



|   |   |   |   |
|---|---|---|---|
| <p><b>Drug Facts</b></p> <p><b>Active ingredient</b> 3.175% Titanium dioxide 2.49% Purpose Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>helps prevent sunburn</li> <li>if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p><b>Do not use</b> on damaged or broken skin</p> <p><b>When using this product</b> keep out of eyes. Rinse with water to remove.</p> <p><b>Stop use and ask a doctor</b> if rash occurs</p> <p><b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>For sunscreen use:             <ul style="list-style-type: none"> <li>apply liberally 15 minutes before sun exposure.</li> <li>use a water resistant sunscreen if swimming or sweating</li> <li>reapply at least every 2 hours</li> </ul> </li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:             <ul style="list-style-type: none"> <li>limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>wear long-sleeve shirts, pants, hats, and sunglasses</li> <li>Children under 6 months: Ask a doctor</li> </ul> </li> </ul> <p><b>Other information</b></p> <p>Protect this product from excessive heat and direct sun</p> <p><b>Inactive ingredients:</b> water, ethylhexyl olivate, polyglyceryl-3 distossearate, amylopectin, propanediol, dipentide-15, squalene, sea salt, disodiumironium hexaborate, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauryl lysine, glycerin, trisodium edta, hydroxyethylcellulose, phenoxethanol. may contain: iron oxides, titanium dioxide.</p> <p><b>Questions or comments?</b><br/>         Call toll free 1-888-796-4747</p> <p>MADE IN USA<br/>         BAREMINERALS®<br/>         NEW YORK, NY 10017 DIST.</p> <p>FSC<br/>         100%<br/>         Wood<br/>         C000000</p> | <p>0.794</p> <p>2.381</p> <p>CRUELTY-FREE<br/>           VEGAN<br/>           PARABEN-FREE<br/>           PHTHALATE-FREE<br/>           FORMALDEHYDE-FREE<br/>           CHEMICAL SUNSCREEN-FREE<br/>           TRICLOSAN-FREE<br/>           TRICLOCARBAN-FREE<br/>           PROPYLENE GLYCOL-FREE<br/>           MINERAL OIL-FREE<br/>           COAL TAR-FREE<br/>           MICROBEAD-FREE<br/>           SYNTHETIC FRAGRANCE-FREE<br/>           TALC-FREE<br/>           GLUTEN-FREE</p> <p>37.5</p> <p>0.794</p> <p>DERMATOLOGIST-TESTED<br/>           NON-COMEDOGENIC</p> | <p>0.397<sup>R</sup></p> <p>0.794</p> <p>bareMinerals</p> <p>PDP</p> <p>PRE-BREAK</p> | <p>0.794</p> <p>CLEAN WITHOUT<br/>           COMPROMISING<br/>           PERFORMANCE</p> <p>Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.</p> <p>36.706</p> <p>0.397<sup>R</sup></p> |
|---|---|---|---|

**Principal Display Panel - 30 mL / 1 fl. oz. - NEUTRAL MEDIUM 15**


bareMinerals


ORIGINAL

Liquid Mineral Foundation

Broad Spectrum SPF 20 Sunscreen

30 mL / 1 fl. oz.






**Principal Display Panel - 30 mL / 1 fl. oz. - GOLDEN TAN 20**

bareMinerals  
 ORIGINAL  
 Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.






**Principal Display Panel - 30 mL / 1 fl. oz. - GOLDEN NUDE 16**

bareMinerals  
 ORIGINAL  
 Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.





Principal Display Panel - 30 mL / 1 fl. oz. - MEDIUM TAN 18

bareMinerals  
 ORIGINAL

Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.



|  |   |   |   |
|--|---|---|---|
| <p><b>Drug Facts</b></p> <p><b>Active ingredient</b> 3.175% Titanium dioxide 2.49% Sunscreen</p> <p><b>Purpose</b></p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>helps prevent sunburn</li> <li>if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p><b>Do not use</b> on damaged or broken skin</p> <p><b>When using this product</b> Keep out of eyes. Rinse with water to remove.</p> <p><b>Stop use and ask a doctor</b> if rash occurs</p> <p><b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>For sunscreen use:             <ul style="list-style-type: none"> <li>apply liberally 15 minutes before sun exposure.</li> <li>use a water resistant sunscreen if swimming or sweating</li> <li>reapply at least every 2 hours</li> </ul> </li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:             <ul style="list-style-type: none"> <li>limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>wear long-sleeve shirts, pants, hats, and sunglasses</li> <li>Children under 6 months: Ask a doctor</li> </ul> </li> </ul> <p><b>Other information</b></p> <p>Protect this product from excessive heat and direct sun</p> <p><b>Inactive ingredients:</b> water, ethylhexyl olivate, polyglyceryl-3 diisostearate, amylopectin, propanediol, dipentide-15, squalene, sea salt, distardimonium hectorite, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauryl lysine, glycerin, triacidum edta, hydroxyethylcellulose, phenoxethanol. may contain: iron oxides, titanium dioxide.</p> <p><b>Questions or comments?</b><br/>         Call toll free 1-888-796-4747</p> <p>MADE IN USA.<br/>         BAREMINERALS®<br/>         NEW YORK, NY 10017 DIST.</p> <p>FSC<br/>         100% Wood<br/>         PFC® C000000</p> | <p>0.794</p> <p>2.381</p> <p>CRUELTY-FREE<br/>         VEGAN<br/>         PARABEN-FREE<br/>         PHTHALATE-FREE<br/>         FORMALDEHYDE-FREE<br/>         CHEMICAL SUNSCREEN-FREE<br/>         TRICLOSAN-FREE<br/>         TRICLOCARBAN-FREE<br/>         PROPYLENE GLYCOL-FREE<br/>         MINERAL OIL-FREE<br/>         COAL TAR-FREE<br/>         MICROBEAD-FREE<br/>         SYNTHETIC FRAGRANCE-FREE<br/>         TALC-FREE<br/>         GLUTEN-FREE</p> <p>37.5</p> <p>0.794</p> <p>DERMATOLOGIST-TESTED<br/>         NON-COMEDOGENIC</p> | <p>0.397<sup>R</sup></p> <p>0.794</p> <p>bareMinerals</p> <p>PDP</p> <p>ORIGINAL</p> <p>LIQUID MINERAL FOUNDATION</p> <p>Broad Spectrum SPF 20 Sunscreen</p> <p>30 ml / 1 fl. oz.</p> | <p>0.794</p> <p>CLEAN WITHOUT COMPROMISING PERFORMANCE</p> <p>Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.</p> <p>36.706</p> <p>0.397<sup>R</sup></p> |
|  | <p>PRE-BREAK</p> <p>WS1</p>   | <p>PRE-BREAK</p>  | <p>PRE-BREAK</p> <p>WS2</p>   |

Principal Display Panel - 30 mL / 1 fl. oz. - TAN NUDE 17

bareMinerals

ORIGINAL  
 Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.



|  |   |   |   |
|--|---|---|---|
| <p><b>Drug Facts</b></p> <p><b>Active ingredient</b> 3.175% Titanium dioxide 2.49% Sunscreen</p> <p><b>Purpose</b> Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>helps prevent sunburn</li> <li>if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p><b>Do not use</b> on damaged or broken skin</p> <p><b>When using this product</b> keep out of eyes. Rinse with water to remove.</p> <p><b>Stop use and ask a doctor</b> if rash occurs</p> <p><b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>For sunscreen use:             <ul style="list-style-type: none"> <li>apply liberally 15 minutes before sun exposure.</li> <li>use a water resistant sunscreen if swimming or sweating</li> <li>reapply at least every 2 hours</li> </ul> </li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:             <ul style="list-style-type: none"> <li>limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>wear long-sleeve shirts, pants, hats, and sunglasses</li> <li>Children under 6 months: Ask a doctor</li> </ul> </li> </ul> <p><b>Other information</b></p> <p>Protect this product from excessive heat and direct sun</p> <p><b>Inactive ingredients:</b> water, ethylhexyl olivate, polyglyceryl-3 diisostearate, amylopectin, propanediol, dipalmitate-15, squalene, sea salt, disazirmonium hexatriacontane, punjula ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauryl lysine, glycerin, trisodium edta, hydroxyethylcellulose, phenoxethanol. may contain: iron oxides, titanium dioxide.</p> <p><b>Questions or comments?</b><br/>       Call toll free 1-888-795-4747</p> <p>MADE IN USA<br/>       BAREMINERALS®<br/>       NEW YORK, NY 10017 DIST.</p> <p>FSC<br/>       100%<br/>       PAPER<br/>       P30-C00000</p> | <p>0.794</p> <p>2.381</p> <p>CRUELTY-FREE<br/>       VEGAN<br/>       PARABEN-FREE<br/>       PHTHALATE-FREE<br/>       FORMALDEHYDE-FREE<br/>       CHEMICAL SUNSCREEN-FREE<br/>       TRICLOSAN-FREE<br/>       TRICLOCARBAN-FREE<br/>       PROPYLENE GLYCOL-FREE<br/>       MINERAL OIL-FREE<br/>       COAL TAR-FREE<br/>       MICROBEAD-FREE<br/>       SYNTHETIC FRAGRANCE-FREE<br/>       TALC-FREE<br/>       GLUTEN-FREE</p> <p>37.5</p> <p>0.794</p> <p>DERMATOLOGIST-TESTED<br/>       NON-COMEDOGENIC</p> | <p>0.397<sup>R</sup></p> <p>0.794</p> <p>bareMinerals</p> <p>PDP</p> <p>ORIGINAL</p> <p>LIQUID MINERAL<br/>       FOUNDATION</p> <p>Broad Spectrum<br/>       SPF 20 Sunscreen</p> <p>30 ml / 1 fl. oz.</p> | <p>0.794</p> <p>CLEAN WITHOUT<br/>       COMPROMISING<br/>       PERFORMANCE</p> <p>Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.</p> <p>36.706</p> <p>0.397<sup>R</sup></p> |
|--|---|---|---|

**Principal Display Panel - 30 mL / 1 fl. oz. - TAN 19**

bareMinerals  
 ORIGINAL  
 Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.



**Drug Facts**  
**Active ingredient** 3.175% Titanium dioxide 2.49% Sunscreen  
**Purpose** Sunscreen  
**Uses**  
 • helps prevent sunburn  
 • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun  
**Warnings**  
**For external use only**  
**Do not use** on damaged or broken skin  
**When using this product** keep out of eyes. Rinse with water to remove.  
**Stop use and ask a doctor** if rash occurs  
**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 • For sunscreen use:  
 • apply liberally 15 minutes before sun exposure.  
 • use a water resistant sunscreen if swimming or sweating  
 • reapply at least every 2 hours  
**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:  
 • limit time in the sun, especially from 10 a.m. – 2 p.m.  
 • wear long-sleeve shirts, pants, hats, and sunglasses  
 • Children under 6 months: Ask a doctor  
**Other information**  
 Protect this product from excessive heat and direct sun  
**Inactive ingredients:** water, ethylhexyl olivate, polyglyceryl-3 distearate, amylopectin, propanediol, dipentide-15, squalene, sea salt, disodiumironium hexaborate, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauroyl lysine, glycerin, trisodium edta, hydroxyethylcellulose, phenoxylethanol, may contain: iron oxides, titanium dioxide.  
**Questions or comments?**  
 Call toll free 1-888-796-4747

**FREE**  
 CRUELTY-FREE  
 VEGAN  
 PARABEN-FREE  
 PHTHALATE-FREE  
 FORMALDEHYDE-FREE  
 CHEMICAL SUNSCREEN-FREE  
 TRICLOSAN-FREE  
 TRICLOCARBAN-FREE  
 PROPYLENE GLYCOL-FREE  
 MINERAL OIL-FREE  
 COAL TAR-FREE  
 MICROBEAD-FREE  
 SYNTHETIC FRAGRANCE-FREE  
 TALC-FREE  
 GLUTEN-FREE

**CLEAN WITHOUT COMPROMISING PERFORMANCE**  
 Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.

**MADE IN USA**  
 BAREMINERALS®  
 NEW YORK, NY 10017 DIST.

**FSC**  
 100% Wood  
 PFC® C000000

**DERMATOLOGIST-TESTED  
 NON-COMEDOGENIC**

**30 ml / 1 fl. oz.**

**Dimensions:**  
 0.794 (width)  
 2.381 (height)  
 0.397<sup>R</sup> (radius)  
 0.794 (width)  
 0.794 (width)  
 3.175 (width)  
 0.794 (width)  
 37.5 (width)  
 0.794 (width)  
 0.794 (width)  
 0.397<sup>R</sup> (radius)  
 36.706 (width)

**Principal Display Panel - 30 mL / 1 fl. oz. - NEUTRAL TAN 21**

bareMinerals


ORIGINAL

Liquid Mineral Foundation

Broad Spectrum SPF 20 Sunscreen

30 mL / 1 fl. oz.






**Principal Display Panel - 30 mL / 1 fl. oz. - WARM TAN 22**

bareMinerals  
 ORIGINAL  
 Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.





**Principal Display Panel - 30 mL / 1 fl. oz. - NEUTRAL DARK 24**

bareMinerals  
ORIGINAL  
Liquid Mineral Foundation  
Broad Spectrum SPF 20 Sunscreen  
30 mL / 1 fl. oz.



|  |  |  |   |
|--|--|--|---|
| <p><b>Drug Facts</b></p> <p><b>Active ingredient</b> 3.175 <b>Purpose</b><br/>Titanium dioxide 2.49% Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>helps prevent sunburn</li> <li>if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p><b>Do not use</b> on damaged or broken skin</p> <p><b>When using this product</b> keep out of eyes. Rinse with water to remove.</p> <p><b>Stop use and ask a doctor</b> if rash occurs</p> <p><b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>For sunscreen use: <ul style="list-style-type: none"> <li>apply liberally 15 minutes before sun exposure.</li> <li>use a water resistant sunscreen if swimming or sweating</li> <li>reapply at least every 2 hours</li> </ul> </li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> <li>limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>wear long-sleeve shirts, pants, hats, and sunglasses</li> <li>Children under 6 months: Ask a doctor</li> </ul> </li> </ul> <p><b>Other information</b></p> <p>Protect this product from excessive heat and direct sun</p> <p><b>Inactive ingredients:</b> water, ethylhexyl olivate, polyglyeryl-3 disiscelate, amylopectin, propanediol, dipelptide-15, squalene, sea salt, distardimonium hectorite, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauroyl lysine, glycerin, trisodium edta, hydroxyethylcellulose, phenoxylethanol, may contain: iron oxides, titanium dioxide.</p> <p><b>Questions or comments?</b><br/>Call toll free 1-888-796-4747</p> <p>MADE IN USA.<br/>BAREMINERALS®<br/>NEW YORK, NY 10017 DIST.</p> <p>FSC<br/>100%<br/>Wood<br/>PFC® C000000</p> | <p>0.794</p> <p>2.381</p> <p>CRUELTY-FREE<br/>VEGAN<br/>PARABEN-FREE<br/>PHTHALATE-FREE<br/>FORMALDEHYDE-FREE<br/>CHEMICAL SUNSCREEN-FREE<br/>TRICLOSAN-FREE<br/>TRICLOCARBAN-FREE<br/>PROPYLENE GLYCOL-FREE<br/>MINERAL OIL-FREE<br/>COAL TAR-FREE<br/>MICROBEAD-FREE<br/>SYNTHETIC FRAGRANCE-FREE<br/>TALC-FREE<br/>GLUTEN-FREE</p> <p>37.5</p> <p>0.794</p> <p>DERMATOLOGIST-TESTED<br/>NON-COMEDOGENIC</p> | <p>0.397<sup>R</sup></p> <p>0.794</p> <p>bareMinerals</p> <p>3.175</p> <p>PDP</p> <p>ORIGINAL</p> <p>LIQUID MINERAL<br/>FOUNDATION</p> <p>Broad Spectrum<br/>SPF 20 Sunscreen</p> <p>30 ml / 1 fl. oz.</p> | <p>0.794</p> <p>CLEAN WITHOUT<br/>COMPROMISING<br/>PERFORMANCE</p> <p>Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.</p> <p>36.706</p> <p>0.397<sup>R</sup></p> |
|--|--|--|---|

Principal Display Panel - 30 mL / 1 fl. oz. - GOLDEN DARK 25

bareMinerals  
 ORIGINAL  
 Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.





**Drug Facts**

**Active ingredient** 3.175 **Purpose**  
Titanium dioxide 2.49% Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure.
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - Children under 6 months: Ask a doctor

**Other information**

Protect this product from excessive heat and direct sun

**Inactive ingredients:** water, ethylhexyl olivate, polyglyceryl-3 distearylsearate, amylopectin, propenadiol, dipeptide-15, squalene, sea salt, distardimonium hectorite, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauryl lysine, glycerin, triiodium edta, hydroxyethylcellulose, phenoxylethanol. may contain: iron oxides, titanium dioxide.

**Questions or comments?**  
Call toll free 1-888-796-4747

MADE IN USA.  
BAREMINERALS®  
NEW YORK, NY 10017 DIST.

0.794

2.381

CRUELTY-FREE  
VEGAN  
PARABEN-FREE  
PHTHALATE-FREE  
FORMALDEHYDE-FREE  
CHEMICAL SUNSCREEN-FREE  
TRICLOSAN-FREE  
TRICLOCARBAN-FREE  
PROPYLENE GLYCOL-FREE  
MINERAL OIL-FREE  
COAL TAR-FREE  
MICROBEAD-FREE  
SYNTHETIC FRAGRANCE-FREE  
TALC-FREE  
GLUTEN-FREE

3.175

37.5

0.794

DERMATOLOGIST-TESTED  
NON-COMEDOGENIC

0.397<sup>R</sup>

0.794

**bareMinerals**

**PDP**

**ORIGINAL**

**LIQUID MINERAL  
FOUNDATION**

Broad Spectrum  
SPF 20 Sunscreen

30 ml / 1 fl. oz.

0.397<sup>R</sup>

0.794

**CLEAN WITHOUT  
COMPROMISING  
PERFORMANCE**


Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.

36.706

**Principal Display Panel - 30 mL / 1 fl. oz. - WARM DARK 26**

bareMinerals  
ORIGINAL  
Liquid Mineral Foundation  
Broad Spectrum SPF 20 Sunscreen

30 mL / 1 fl. oz.



**Principal Display Panel - 30 mL / 1 fl. oz. - MEDIUM DARK 23**

bareMinerals  
 ORIGINAL  
 Liquid Mineral Foundation

Broad Spectrum SPF 20 Sunscreen  
30 mL / 1 fl. oz.



**Drug Facts**  
**Active ingredient** 3.175% Titanium dioxide 2.49%  
**Purpose** Sunscreen

**Uses**  
 • helps prevent sunburn  
 • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
**For external use only**  
**Do not use** on damaged or broken skin  
**When using this product** Keep out of eyes. Rinse with water to remove.  
**Stop use and ask a doctor** if rash occurs  
**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 • For sunscreen use:  
 • apply liberally 15 minutes before sun exposure.  
 • use a water resistant sunscreen if swimming or sweating  
 • reapply at least every 2 hours  
**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:  
 • limit time in the sun, especially from 10 a.m. – 2 p.m.  
 • wear long-sleeve shirts, pants, hats, and sunglasses  
 • Children under 6 months: Ask a doctor

**Other information**  
 Protect this product from excessive heat and direct sun

**Inactive ingredients:** water, ethylhexyl olivate, polyglyceryl-3 disostearate, amylopectin, propenadiol, dipeptide-15, squalene, sea salt, disearidmonium hectorite, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauroyl lysine, glycerin, trisodium edta, hydroxyethylcellulose, phenoxyethanol, may contain: iron oxides, titanium dioxide.

**Questions or comments?**  
 Call toll free 1-888-796-4747

MADE IN USA  
 BAREMINERALS®  
 NEW YORK, NY 10017 DIST.

**0.794** (top left)

**0.794** (top right)

**0.794** (middle left)

**0.794** (middle right)

**0.794** (bottom left)

**0.794** (bottom right)

**2.381** (left side)

**37.5** (middle left)

**36.706** (middle right)

**0.397<sup>R</sup>** (top right)

**0.397<sup>R</sup>** (bottom right)

**3.175** (center)

**0.794** (center)

**0.397<sup>R</sup>** (center)

**PRE-BREAK** (vertical text on left and right)

**WS 1** (vertical text on left)

**WS 2** (vertical text on right)

**CRUELTY-FREE**  
**VEGAN**  
**PARABEN-FREE**  
**PHTHALATE-FREE**  
**FORMALDEHYDE-FREE**  
**CHEMICAL SUNSCREEN-FREE**  
**TRICLOSAN-FREE**  
**TRICLOCARBAN-FREE**  
**PROPYLENE GLYCOL-FREE**  
**MINERAL OIL-FREE**  
**COAL TAR-FREE**  
**MICROBEAD-FREE**  
**SYNTHETIC FRAGRANCE-FREE**  
**TALC-FREE**  
**GLUTEN-FREE**

**bareMinerals**  
**PDP**

**CLEAN WITHOUT COMPROMISING PERFORMANCE**  
 Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.

**ORIGINAL**  
**LIQUID MINERAL FOUNDATION**  
 Broad Spectrum SPF 20 Sunscreen  
 30 ml / 1 fl. oz.

**DERMATOLOGIST-TESTED**  
**NON-COMEDOGENIC**

**FSC 100% Wood PFC® C090000**

Principal Display Panel - 30 mL / 1 fl. oz. - WARM DEEP 27

bareMinerals  
ORIGINAL


Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.



**Principal Display Panel - 30 mL / 1 fl. oz. - DEEPEST DEEP 30**

bareMinerals

ORIGINAL  
Liquid Mineral Foundation  
Broad Spectrum SPF 20 Sunscreen  
30 mL / 1 fl. oz.



Principal Display Panel - 30 mL / 1 fl. oz. - GOLDEN DEEP 28


bareMinerals  
 ORIGINAL  
 Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.



|  |  |   |   |
|--|--|---|---|
| <p><b>Drug Facts</b></p> <p><b>Active ingredient</b> 3.175 <b>Purpose</b><br/>Titanium dioxide 2.49% Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>• helps prevent sunburn</li> <li>• if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b><br/><b>For external use only</b></p> <p><b>Do not use</b> on damaged or broken skin</p> <p><b>When using this product</b> keep out of eyes. Rinse with water to remove.</p> <p><b>Stop use and ask a doctor</b> if rash occurs</p> <p><b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>• For sunscreen use:             <ul style="list-style-type: none"> <li>• apply liberally 15 minutes before sun exposure.</li> <li>• use a water resistant sunscreen if swimming or sweating</li> <li>• reapply at least every 2 hours</li> </ul> </li> <li>• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:             <ul style="list-style-type: none"> <li>• limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>• wear long-sleeve shirts, pants, hats, and sunglasses</li> <li>• Children under 6 months: Ask a doctor</li> </ul> </li> </ul> <p><b>Other information</b><br/>Protect this product from excessive heat and direct sun</p> <p><b>Inactive ingredients:</b> water, ethylhexyl olivate, polyglyceryl-3 distostearate, amylopectin, propanediol, dipentide-15, squalene, sea salt, disodiummonium hectorite, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauryl lysine, glycerin, trisodium edta, hydroxyethylcellulose, phenoxyethanol. may contain: iron oxides, titanium dioxide.</p> <p><b>Questions or comments?</b><br/>Call toll free 1-888-796-4747</p> <p>MADE IN USA.<br/>BAREMINERALS®<br/>NEW YORK, NY 10017 DIST.</p> | <p>0.794</p> <p>2.381</p> <p>CRUELTY-FREE<br/>VEGAN<br/>PARABEN-FREE<br/>PHTHALATE-FREE<br/>FORMALDEHYDE-FREE<br/>CHEMICAL SUNSCREEN-FREE<br/>TRICLOSAN-FREE<br/>TRICLOCARBAN-FREE<br/>PROPYLENE GLYCOL-FREE<br/>MINERAL OIL-FREE<br/>COAL TAR-FREE<br/>MICROBEAD-FREE<br/>SYNTHETIC FRAGRANCE-FREE<br/>TALC-FREE<br/>GLUTEN-FREE</p> <p>37.5</p> <p>0.794</p> <p>DERMATOLOGIST-TESTED<br/>NON-COMEDOGENIC</p> | <p>0.397<sup>R</sup></p> <p>0.794</p> <p>bareMinerals</p> <p>PDP</p> <p>ORIGINAL</p> <p>LIQUID MINERAL<br/>FOUNDATION</p> <p>Broad Spectrum<br/>SPF 20 Sunscreen</p> <p>30 ml / 1 fl. oz.</p> | <p>0.794</p> <p>CLEAN WITHOUT<br/>COMPROMISING<br/>PERFORMANCE</p> <p>Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.</p> <p>36.706</p> <p>0.397<sup>R</sup></p> |
|--|--|---|---|

# Principal Display Panel - 30 mL / 1 fl. oz. - NEUTRAL DEEP 29

bareMinerals  
 ORIGINAL  
 Liquid Mineral Foundation  
 Broad Spectrum SPF 20 Sunscreen  
 30 mL / 1 fl. oz.



**Drug Facts**

**Active ingredient** 3.175% Titanium dioxide 2.49% Sunscreen

**Purpose** Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure.
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - Children under 6 months: Ask a doctor

**Other information**

Protect this product from excessive heat and direct sun

**Inactive ingredients:** water, ethylhexyl olivate, polyglyceryl-3 diisostearate, amylopectin, propenadiol, dipptide-15, squalene, sea salt, distardimonium hecbronite, opuntia ficus-indica stem extract, magnesium stearate, aluminum hydroxide, stearic acid, lauroyl lysine, glycerin, triiodium edta, hydroxyethylcellulose, phenoxylethanol, may contain: iron oxides, titanium dioxide.

**Questions or comments?**  
 Call toll free 1-888-795-4747

MADE IN USA.  
 BAREMINERALS®  
 NEW YORK, NY 10017 DIST.

FSC  
 100%  
 Wood  
 PFC® C000000

**Dimensions and Annotations:**

- Top width: 0.794
- Top height: 0.397<sup>R</sup>
- Right side width: 0.794
- Right side height: 0.794
- Bottom width: 0.794
- Bottom height: 0.397<sup>R</sup>
- Left side width: 0.794
- Left side height: 0.794
- Internal width: 2.381
- Internal height: 3.175
- Internal width (bottom): 37.5
- Internal height (right): 36.706
- Vertical labels: PRE-BREAK (left and right), WS 1 (left), WS 2 (right)

**Product Text:**

CRUELTY-FREE  
 VEGAN  
 PARABEN-FREE  
 PHTHALATE-FREE  
 FORMALDEHYDE-FREE  
 CHEMICAL SUNSCREEN-FREE  
 TRICLOSAN-FREE  
 TRICLOCARBAN-FREE  
 PROPYLENE GLYCOL-FREE  
 MINERAL OIL-FREE  
 COAL TAR-FREE  
 MICROBEAD-FREE  
 SYNTHETIC FRAGRANCE-FREE  
 TALC-FREE  
 GLUTEN-FREE

**bareMinerals**

**PDP**

**ORIGINAL**

**LIQUID MINERAL FOUNDATION**

Broad Spectrum SPF 20 Sunscreen

30 ml / 1 fl. oz.

**CLEAN WITHOUT COMPROMISING PERFORMANCE**

Light-as-air liquid foundation with a boosted mineral formula blurs imperfections, leaves skin looking naturally airbrushed, and reduces the look of pores and redness over time. Medium coverage formula is made with just 19 clean ingredients. When it comes to healthy-looking skin, less does more.

# BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN GOLDEN MEDIUM 14

titanium dioxide liquid

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-041 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

## Active Ingredient/Active Moiety

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b>  |
|---|--------------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE         | 0.747 mg in 1 mL |

## Inactive Ingredients

| <b>Ingredient Name</b>  | <b>Strength</b> |
|---|-----------------|
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |                 |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)  |                 |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |                 |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |                 |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |                 |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |                 |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |                 |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |                 |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |                 |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |                 |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |                 |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |                 |
| <b>WATER</b> (UNII: 059QF0KO0R)   |                 |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |                 |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |                 |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |                 |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |                 |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |                 |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |                 |

## Packaging

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>                         | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|--|-----------------------------|---------------------------|
| 1        | NDC:98132-041-10 | 1 in 1 BOX   | 12/23/2022                  |                           |
| 1        |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                             |                           |



## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN GOLDEN DARK 25

titanium dioxide liquid

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-052 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)   |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |          |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |          |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |          |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |          |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)  |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |          |
| <b>PHENOXYETHANOL</b> (UNII: H1E492ZZ3T)  |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IU0)   |          |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |          |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |          |

### Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
|---|-----------|---------------------|----------------------|--------------------|

|   |                  |  |            |  |
|---|------------------|--|------------|--|
| 1 | NDC:98132-052-10 | 1 in 1 BOX   | 12/23/2022 |  |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |            |  |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN WARM DEEP 27

titanium dioxide liquid

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-054 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)  |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)  |          |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)  |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)  |          |
| <b>SEA SALT</b> (UNII: 87GE52P74G)   |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |          |
| <b>AMYOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |          |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)   |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)   |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)  |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)   |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)  |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IU0)  |          |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)   |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)  |          |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                    |          |

## Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-054-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

# BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN LIGHT 08

titanium dioxide liquid

## Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-035 |
| Route of Administration | TOPICAL        |                    |               |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

## Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)        |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)                  |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                        |          |
| <b>PHENOXYETHANOL</b> (UNII: H1E492ZZ3T)                      |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)                   |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)                            |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)           |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)                  |          |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)                      |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                            |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)                   |          |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D) |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                               |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)                         |          |

|   |  |
|---|--|
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |  |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |  |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |  |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |  |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |  |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-035-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN FAIR IVORY 02

titanium dioxide liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-029 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8) |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)           |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                 |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)               |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)            |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)                     |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)    |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)           |          |

|   |
|---|
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |
| <b>WATER</b> (UNII: 059QF0K00R)   |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-029-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN MEDIUM BEIGE 12

titanium dioxide liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-039 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8) |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)           |          |

|   |
|---|
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |
| <b>WATER</b> (UNII: 059QF0KO0R)   |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-039-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN GOLDEN BEIGE 13

titanium dioxide liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-040 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

## Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)  |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |          |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |          |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |          |
| <b>WATER</b> (UNII: 059QF0KO0R)   |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |          |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |          |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |          |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |          |

## Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-040-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN NEUTRAL DARK 24

titanium dioxide liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-051 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b>  |
|---|--------------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE         | 0.747 mg in 1 mL |

**Inactive Ingredients**

| <b>Ingredient Name</b>  | <b>Strength</b> |
|---|-----------------|
| <b>WATER</b> (UNII: 059QF0KO0R)   |                 |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |                 |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |                 |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |                 |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |                 |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |                 |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |                 |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |                 |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)  |                 |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |                 |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |                 |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |                 |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |                 |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |                 |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |                 |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |                 |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |                 |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |                 |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |                 |

**Packaging**

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>                         | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|--|-----------------------------|---------------------------|
| 1        | NDC:98132-051-10 | 1 in 1 BOX   | 12/23/2022                  |                           |
| 1        |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                             |                           |

**Marketing Information**

| <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug        | M020  | 12/23/2022                  |                           |

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN MEDIUM TAN 18**

titanium dioxide liquid



## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-045 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

## Active Ingredient/Active Moiety

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b>  |
|---|--------------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE         | 0.747 mg in 1 mL |

## Inactive Ingredients

| <b>Ingredient Name</b>   | <b>Strength</b> |
|--|-----------------|
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                    |                 |
| <b>WATER</b> (UNII: 059QF0KO0R)  |                 |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)  |                 |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)  |                 |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)  |                 |
| <b>SEA SALT</b> (UNII: 87GE52P74G)   |                 |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |                 |
| <b>AMYOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |                 |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)   |                 |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)   |                 |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |                 |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |                 |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)  |                 |
| <b>SQUALANE</b> (UNII: GW89575KF9)   |                 |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)  |                 |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)   |                 |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)   |                 |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |                 |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)  |                 |

## Packaging

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>                         | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|--|-----------------------------|---------------------------|
| 1        | NDC:98132-045-10 | 1 in 1 BOX   | 12/23/2022                  |                           |
| 1        |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                             |                           |

## Marketing Information

| <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug        | M020  | 12/23/2022                  |                           |

# BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN MEDIUM DARK 23

titanium dioxide liquid

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-050 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

## Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)   |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |          |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |          |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |          |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |          |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)  |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |          |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |          |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |          |

## Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-050-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN GOLDEN DEEP 28

titanium dioxide liquid

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-055 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)   |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |          |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |          |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |          |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |          |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)  |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |          |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |          |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |          |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-055-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN NEUTRAL DEEP 29

titanium dioxide liquid

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-056 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)   |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |          |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |          |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |          |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |          |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)  |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |          |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |          |

EDETATE TRISODIUM (UNII: 420IP921MB)

HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)

## Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-056-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

# BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN GOLDEN FAIR 04

titanium dioxide liquid

## Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-031 |
| Route of Administration | TOPICAL        |                    |               |

## Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength         |
|--|-------------------|------------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |          |
| MAGNESIUM STEARATE (UNII: 70097M6I30)                  |          |
| STEARIC ACID (UNII: 4ELV7Z65AP)                        |          |
| PHENOXYETHANOL (UNII: HIE492ZZ3T)                      |          |
| ETHYLHEXYL OLEATE (UNII: R34927QY59)                   |          |
| SQUALANE (UNII: GW89575KF9)                            |          |
| OPUNTIA FICUS-INDICA STEM (UNII: MUD8892KHL)           |          |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)                  |          |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |          |
| GLYCERIN (UNII: PDC6A3C0OX)                            |          |
| EDETATE TRISODIUM (UNII: 420IP921MB)                   |          |
| HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D) |          |

|   |
|---|
| <b>WATER</b> (UNII: 059QF0KO0R)   |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |

| Packaging |                  |  |                      |                    |
|-----------|------------------|--|----------------------|--------------------|
| #         | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
| 1         | NDC:98132-031-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1         |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

| Marketing Information |  |                      |                    |
|-----------------------|--|----------------------|--------------------|
| Marketing Category    | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug    | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN DEEPEST DEEP 30

titanium dioxide liquid

| Product Information            |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-057 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

| Active Ingredient/Active Moiety   |                   |                  |
|---|-------------------|------------------|
| Ingredient Name   | Basis of Strength | Strength         |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

| Inactive Ingredients                                |          |
|---|----------|
| Ingredient Name                                     | Strength |
| <b>WATER</b> (UNII: 059QF0KO0R)                     |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)               |          |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)                 |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L) |          |
| <b>SEA SALT</b> (UNII: 87GE52P74G)                  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)          |          |

|   |  |
|---|--|
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |  |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |  |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)  |  |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |  |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |  |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |  |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |  |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |  |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |  |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |  |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |  |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |  |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |  |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-057-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN SOFT MEDIUM 11

titanium dioxide liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-038 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
|-----------------|----------|

|  |
|--|
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)   |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)   |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)  |
| <b>SQUALANE</b> (UNII: GW89575KF9)   |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)  |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)   |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)   |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)  |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                    |
| <b>WATER</b> (UNII: 059QF0KO0R)  |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)  |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)  |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)  |
| <b>SEA SALT</b> (UNII: 87GE52P74G)   |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |
| <b>AMYOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-038-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN NEUTRAL IVORY 06

titanium dioxide liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-033 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|



|   |                  |                  |
|---|------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 0.747 mg in 1 mL |
|---|------------------|------------------|

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)  |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |          |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |          |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |          |
| <b>WATER</b> (UNII: 059QF0KO0R)   |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |          |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |          |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |          |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |          |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-033-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN GOLDEN IVORY 07

titanium dioxide liquid

### Product Information

|                     |                |                           |               |
|---------------------|----------------|---------------------------|---------------|
| <b>Product Type</b> | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-034 |
|---------------------|----------------|---------------------------|---------------|

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength         |
|--|-------------------|------------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)   |          |
| MAGNESIUM STEARATE (UNII: 70097M6I30)   |          |
| STEARIC ACID (UNII: 4ELV7Z65AP)   |          |
| PHENOXYETHANOL (UNII: HIE492ZZ3T)   |          |
| ETHYLHEXYL OLEATE (UNII: R34927QY59)  |          |
| SQUALANE (UNII: GW89575KF9)   |          |
| OPUNTIA FICUS-INDICA STEM (UNII: MUD8892KHL)  |          |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)   |          |
| LAUROYL LYSINE (UNII: 113171Q70B)   |          |
| GLYCERIN (UNII: PDC6A3C0OX)   |          |
| EDETATE TRISODIUM (UNII: 420IP921MB)  |          |
| HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)                                    |          |
| WATER (UNII: 059QF0KO0R)  |          |
| PROPANEDIOL (UNII: 5965N8W85T)  |          |
| DIGLYCINE (UNII: 10525P22U0)  |          |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)  |          |
| SEA SALT (UNII: 87GE52P74G)   |          |
| FERRIC OXIDE RED (UNII: 1K09F3G675)   |          |
| AMYOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED) (UNII: 48X4Z23U8J) |          |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-034-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD**

# SPECTRUM SPF 20 SUNSCREEN GOLDEN TAN 20

titanium dioxide liquid

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-047 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

## Active Ingredient/Active Moiety

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b>  |
|---|--------------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE         | 0.747 mg in 1 mL |

## Inactive Ingredients

| <b>Ingredient Name</b>  | <b>Strength</b> |
|---|-----------------|
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |                 |
| <b>WATER</b> (UNII: 059QF0KO0R)   |                 |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |                 |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |                 |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |                 |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |                 |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |                 |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |                 |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |                 |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)  |                 |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |                 |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |                 |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |                 |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |                 |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |                 |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |                 |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |                 |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |                 |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |                 |

## Packaging

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>                         | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|--|-----------------------------|---------------------------|
| 1        | NDC:98132-047-10 | 1 in 1 BOX   | 12/23/2022                  |                           |
| 1        |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                             |                           |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN TAN NUDE 17

titanium dioxide liquid

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-044 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |          |
| <b>WATER</b> (UNII: 059QF0KO0R)   |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |          |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |          |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |          |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |          |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)  |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |          |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |          |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:98132-044-10 | 1 in 1 BOX          | 12/23/2022           |                    |

|   |  |  |  |
|---|--|--|--|
| 1 | 30 mL in 1 TUBE; Type 0: Not a Combination Product |  |  |
|---|--|--|--|

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN FAIR 01

titanium dioxide liquid

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-028 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength         |
|--|-------------------|------------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)   |          |
| MAGNESIUM STEARATE (UNII: 70097M6I30)   |          |
| STEARIC ACID (UNII: 4ELV7Z65AP)   |          |
| PHENOXYETHANOL (UNII: HIE492ZZ3T)   |          |
| ETHYLHEXYL OLEATE (UNII: R34927QY59)  |          |
| SQUALANE (UNII: GW89575KF9)   |          |
| OPUNTIA FICUS-INDICA STEM (UNII: MUD8892KHL)  |          |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)   |          |
| LAUROYL LYSINE (UNII: 113171Q70B)   |          |
| GLYCERIN (UNII: PDC6A3C0OX)   |          |
| EDETATE TRISODIUM (UNII: 420IP921MB)  |          |
| HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)                                    |          |
| WATER (UNII: 059QF0KO0R)  |          |
| PROPANEDIOL (UNII: 5965N8W85T)  |          |
| DIGLYCINE (UNII: 10525P22U0)  |          |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)  |          |
| SEA SALT (UNII: 87GE52P74G)   |          |
| FERRIC OXIDE RED (UNII: 1K09F3G675)   |          |
| AMYOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED) (UNII: 48X4Z23U8J) |          |

## Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-028-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

# BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN FAIRLY LIGHT 03

titanium dioxide liquid

## Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-030 |
| Route of Administration | TOPICAL        |                    |               |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

## Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)        |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)                  |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                        |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)                      |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)                   |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)                            |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)           |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)                  |          |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)                      |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                            |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)                   |          |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D) |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                               |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)                         |          |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)                           |          |

**DISTEARDIMONIUM HECTORITE** (UNII: X687XDK09L)

**SEA SALT** (UNII: 87GE52P74G)

**FERRIC OXIDE RED** (UNII: 1K09F3G675)

**AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)** (UNII: 48X4Z23U8J)

## Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-030-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN FAIRLY MEDIUM 05

titanium dioxide liquid

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-032 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8) |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)           |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                 |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)               |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)            |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)                     |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)    |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)           |          |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)               |          |

|   |
|---|
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |
| <b>WATER</b> (UNII: 059QF0K00R)   |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-032-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN LIGHT BEIGE 09

titanium dioxide liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-036 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D) |          |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)        |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)                  |          |



|   |
|---|
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |
| <b>WATER</b> (UNII: 059QF0KO0R)   |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-036-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN MEDIUM 10

titanium dioxide liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-037 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

| Inactive Ingredients  |          |
|---|----------|
| Ingredient Name   | Strength |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)  |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |          |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |          |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |          |
| <b>WATER</b> (UNII: 059QF0KO0R)   |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |          |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |          |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |          |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |          |

| Packaging |                  |  |                      |                    |
|-----------|------------------|--|----------------------|--------------------|
| #         | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
| 1         | NDC:98132-037-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1         |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

| Marketing Information |  |                      |                    |
|-----------------------|--|----------------------|--------------------|
| Marketing Category    | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug    | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN NEUTRAL MEDIUM 15

titanium dioxide liquid

| Product Information     |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-042 |
| Route of Administration | TOPICAL        |                    |               |

**Active Ingredient/Active Moiety**

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

**Inactive Ingredients**

| Ingredient Name  | Strength |
|--|----------|
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)   |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)   |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)  |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)   |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)  |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)   |          |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)   |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)  |          |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                    |          |
| <b>WATER</b> (UNII: 059QF0KO0R)  |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)  |          |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)  |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)  |          |
| <b>SEA SALT</b> (UNII: 87GE52P74G)   |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |          |
| <b>AMYOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |          |

**Packaging**

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-042-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

**BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN GOLDEN NUDE 16**

titanium dioxide liquid

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-043 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

## Active Ingredient/Active Moiety

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b>  |
|---|--------------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE         | 0.747 mg in 1 mL |

## Inactive Ingredients

| <b>Ingredient Name</b>  | <b>Strength</b> |
|---|-----------------|
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |                 |
| <b>WATER</b> (UNII: 059QF0KO0R)   |                 |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |                 |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |                 |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |                 |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |                 |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |                 |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |                 |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |                 |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)  |                 |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |                 |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |                 |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |                 |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |                 |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |                 |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |                 |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |                 |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |                 |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |                 |

## Packaging

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>                         | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|--|-----------------------------|---------------------------|
| 1        | NDC:98132-043-10 | 1 in 1 BOX   | 12/23/2022                  |                           |
| 1        |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                             |                           |

## Marketing Information

| <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug        | M020  | 12/23/2022                  |                           |

# BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN TAN 19

titanium dioxide liquid

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:98132-046 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

## Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |          |
| <b>WATER</b> (UNII: 059QF0KO0R)   |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |          |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |          |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |          |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |          |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)  |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |          |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |          |

## Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-046-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN NEUTRAL TAN 21

titanium dioxide liquid

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-048 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                                     |          |
| <b>WATER</b> (UNII: 059QF0KO0R)   |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |          |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |          |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |          |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |          |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)  |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)  |          |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)   |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)  |          |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)  |          |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)   |          |

### Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
|---|-----------|---------------------|----------------------|--------------------|

|   |                  |  |            |  |
|---|------------------|--|------------|--|
| 1 | NDC:98132-048-10 | 1 in 1 BOX   | 12/23/2022 |  |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |            |  |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN WARM TAN 22

titanium dioxide liquid

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-049 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength         |
|--|-------------------|------------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)                                     |          |
| WATER (UNII: 059QF0KO0R)   |          |
| PROPANEDIOL (UNII: 5965N8W85T)   |          |
| DIGLYCINE (UNII: 10525P22U0)   |          |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)   |          |
| SEA SALT (UNII: 87GE52P74G)  |          |
| FERRIC OXIDE RED (UNII: 1K09F3G675)  |          |
| AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED) (UNII: 48X4Z23U8J) |          |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)  |          |
| MAGNESIUM STEARATE (UNII: 70097M6I30)  |          |
| STEARIC ACID (UNII: 4ELV7Z65AP)  |          |
| PHENOXYETHANOL (UNII: HIE492ZZ3T)  |          |
| ETHYLHEXYL OLEATE (UNII: R34927QY59)   |          |
| SQUALANE (UNII: GW89575KF9)  |          |
| OPUNTIA FICUS-INDICA STEM (UNII: MUD8892KHL)   |          |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)  |          |
| LAUROYL LYSINE (UNII: 113171Q70B)  |          |
| GLYCERIN (UNII: PDC6A3C0OX)  |          |

EDETATE TRISODIUM (UNII: 420IP921MB)

## Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-049-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

## BAREMINERALS ORIGINAL LIQUID MINERAL FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN WARM DARK 26

titanium dioxide liquid

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-053 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.747 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)   |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |          |
| <b>DIGLYCINE</b> (UNII: 10525P22U0)   |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)   |          |
| <b>SEA SALT</b> (UNII: 87GE52P74G)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)  |          |
| <b>AMYLOPECTIN (4,5-DIHYDROXY-1,3-DIMETHYLIMIDAZOLIDIN-2-ONE CROSS LINKED)</b> (UNII: 48X4Z23U8J) |          |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)  |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)  |          |
| <b>ETHYLHEXYL OLEATE</b> (UNII: R34927QY59)   |          |



|   |  |
|---|--|
| <b>SQUALANE</b> (UNII: GW89575KF9)                            |  |
| <b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)           |  |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)                  |  |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)                      |  |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                            |  |
| <b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)                   |  |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D) |  |

**Packaging**

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:98132-053-10 | 1 in 1 BOX   | 12/23/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 12/23/2022           |                    |

**Labeler** - Orveon Global US, LLC (118344494)

Revised: 10/2023

Orveon Global US, LLC