

CICATRICURE FACIAL DAY WITH SPF- avobenzone, octinoxate, octisalate, octocrylene, and oxybenzone cream
Genomma Lab USA

Cicatricure® Facial Day Cream With SPF

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Avobenzone 3%	Sunscreen
Octinoxate 7.5%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 2.7%	Sunscreen
Oxybenzone 4%	Sunscreen

Uses

- helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use

- apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating.

Sun Protection Measures

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF factor of 15 or higher and other skin protection measures including:

- limit time in the sun, especially from 10am to 2pm
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Other information

- protect from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Water, Glycerin, Dimethicone, Ethylhexyl Methoxycrylene, Neopentyl Glycol Diheptanoate, Glyceryl Stearate, Butylene Glycol, Isostearyl Neopentanoate, Polymethyl Methacrylate, PPG-2 Isoceteth-20 Acetate, Retinyl Palmitate, Bisabolol, Tocopheryl Acetate, Sorbitan Oleate, Cetearyl Alcohol, Bakuchiol, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Myristoyl Nonapeptide-3, Tocopherol, Retinol, Sodium Lactate, Sodium Hyaluronate, Dimethicone Crosspolymer, Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Isohexadecane, Polysorbate 80, Behenyl Alcohol, Caprylic/Capric Triglyceride, Sodium Ascorbate, Carbomer, Polysorbate 20, Phenoxyethanol, Caprylyl Glycol, Chlorphenesin, Ethylhexylglycerin, Fragrance, Pentyleneglycol, Xanthan Gum, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Dimethyl Isosorbide, Hydroxypinacolone Retinoate, Potassium Sorbate, Sodium Hydroxide.

Questions?

Call toll free **1-877-99-GENOM (43666)** Monday to Friday, 8am to 6pm, Central time

Distributed by:
Genomma Lab USA Inc.
Houston, TX 77027

PRINCIPAL DISPLAY PANEL - 42 g Tube Carton

WITH SUNSCREEN

Cicatricure®

SPF 30

ANTI-WRINKLE

FACIAL DAY CREAM

3 TECHNOLOGIES COMBINED

- Reduces the appearance of wrinkles
- Moisturizes and improves skin's appearance
- Protects from damaging UV Rays

FACE & NECK

DAILY USE

Net Wt. 1.5 OZ (42 g)

Dramatization

WITH SUNSCREEN/ CON FILTRO SOLAR

Cicatricure®

SPF 30 ANTI-WRINKLE

FACIAL DAY CREAM

CREMA FACIAL DE DÍA ANTIARRUGAS

3 TECHNOLOGIES COMBINED
TECNOLOGÍAS COMBINADAS

❶ Reduces the appearance of wrinkles
Disminuye visiblemente la apariencia de arrugas

3

❷ Moisturizes and improves
skin's appearance
Humecta y mejora la
apariencia de la piel.

❸ Protects from damaging UV Rays
Protege contra los dañinos rayos UV

FACE & NECK

CARA Y CUELLO

FPS 30

DAILY USE

USO DIARIO

Net Wt. 1.5 OZ (42 g)

Wrinkles can appear due to the passage of time, the effect of environmental factors (pollution, dust and UV-radiation) and the lack of hydration in the skin.

Las arrugas pueden aparecer debido al paso del tiempo, efectos medioambientales (contaminación, polvo y radiación UV) y a la falta de hidratación en la piel.

Are you making any of these common skin mistakes?

¿Estás cometiendo alguno de estos errores comunes en la piel?

Lack of skin protection from the sun contributes to early appearance of spots and wrinkles.

La falta de protección de la piel contra el sol contribuye a la aparición temprana de manchas y arrugas.

Using skin care products without technology to improve signs of aging may not be sufficient to reduce the appearance of wrinkles.

Usar productos para el cuidado de la piel que no cuentan con tecnología para mejorar los signos del envejecimiento puede no ser suficiente para reducir la aparición de arrugas.

Not cleansing your face before using a cream may not provide optimal results for your skin.

No limpiar el rostro antes de usar la crema facial puede no proporcionar resultados óptimos para la piel.



Demarcación
Demarcación

Lot No./Lote No.:





Cicatricure®

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Octinoxate 7.5%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 2.7%	Sunscreen
Oxybenzone 4%	Sunscreen

Uses

- helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use: • apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF factor of 15 or higher and other skin protection measures including: • limit time in the sun, especially from 10am to 2pm • wear long-sleeved shirts, pants, hats and sunglasses • children under 6 months of age: ask a doctor

Other information

- protect from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Water, Glycerin, Dimethicone, Ethylhexyl Methoxycrylate, Neopentyl Glycol Diheptanoate, Glyceryl Stearate, Butylene Glycol, Isostearyl Neopentanoate, Polymethyl Methacrylate, PPG-2 Isoceteth-20 Acetate, Retinyl Palmitate, Bisabolol, Tocopheryl Acetate, Sorbitan Oleate, Cetearyl Alcohol, Bakuchiol, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Myristoyl Nonapeptide-3, Tocopherol, Retinol, Sodium Lactate, Sodium Hyaluronate, Dimethicone Crosspolymer, Acrylamide/Sodium Acryloyldimethylsulfate Copolymer, Isohexadecane, Polysorbate 80, Behenyl

Datos del medicamento

Principios activos	Propósito
Avobenzone 3 %	Filtro solar
Octinoxato 7,5 %	Filtro solar
Octisalato 5 %	Filtro solar
Octocrileno 2,7 %	Filtro solar
Oxibenzona 4 %	Filtro solar

Usos

- ayuda a prevenir las quemaduras solares

Precauciones

Para uso externo únicamente

No aplicar sobre la piel dañada o herida

Al usar este producto evitar el contacto con la zona de los ojos. Enjuagar con agua para retirar

Suspender el uso y consultar al médico si aparecen sarpullidos

Mantener fuera del alcance de los niños. Si se traga, buscar ayuda médica o comunicarse con un centro de toxicología de inmediato.

Instrucciones

Para usar como filtro solar: • aplicar de forma uniforme y abundante 15 minutos antes de exponerse al sol • repetir la aplicación cada 2 horas • usar un filtro solar resistente al agua en caso de nadar o transpirar. **Medidas de protección contra el sol:** Pasar tiempo al sol aumenta el riesgo de cáncer de piel y envejecimiento prematuro. Para disminuir este riesgo, use regularmente un filtro solar con factor FPS 15 de amplio espectro o mayor y otras medidas de protección de la piel, por ejemplo: • limitar la exposición al sol, especialmente desde las 10:00 a.m. hasta las 2:00 p. m. • usar camisas de manga larga, pantalones, sombrero y anteojos de sol • bebés menores de 6 meses: consultar al médico

Otra información

- proteger del calor excesivo y los rayos directos del sol
- puede manchar algunas telas

Ingredientes inactivos

Agua, Glicerina, Dimeticona, Etilhexil Metoxicrileno, Neopentil Glicol Diheptanoato, Estearato de Glicerilo, Butileno Glicol, Isoestearyl Neopentanoato, Polimetil Metacrilato, Acetato de PPG-2 Isocetel-20, Retinol Palmitato, Bisabolol, Tocofenil Acetato, Oleato de Sorbitan, Alcohol Cetearílico, Bakuchiol, Palmitoil Tripeptido-1, Palmitoil Tripeptido-7, Ministol Nonapeptido-3, Tocofenol, Retinol, Lactato de Sodio, Hialuronato de Sodio, Dimeticona Cospolimero, Acrilamida/ Cospolimero de Acriloldimetiltaurato de Sodio, Isohexadecano,

Cicatricure®

3 TECHNOLOGIES COMBINED
TECNOLOGÍAS COMBINADAS

FACIAL ANTI-WRINKLE DAY CREAM

Reduces the appearance of wrinkles & protects from UV rays
Reduce la apariencia de arrugas y protege de los rayos UV

CREMA FACIAL DE DÍA ANTIARRUGAS

WITH SUNSCREEN
SPF 30
FPS 30 / Con Filtro Solar


MOISTURIZING CREAM
CREMA HIDRATANTE

Alcohol, Caprylic/Capric Triglyceride, Sodium Ascorbate, Carbomer, Polysorbate 20, Phenoxyethanol, Caprylyl Glycol, Chlorphenesin, Ethylhexylglycerin, Fragrance, Pentylen Glycol, Xanthan Gum, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Dimethyl Isosorbide, Hydroxypinacolone Retinoate, Potassium Sorbate, Sodium Hydroxide.

Questions?
Call toll free 1-877-99-GENOM (43666)
Monday to Friday, 8am to 6pm, Central time

Polisorbato 20, Alcool benenico, Inglicendo Cáprico/Caprílico, Ascorbato de Sódio, Carbômero, Polisorbato 20, Fenoxietanol, Capnil Glicol, Clorfenesina, Etilhexilglicerina, Fragancia, Pentilen Glicol, Goma Xantana, Acrilato/C10-30 Alkil Acrilato Crospolímico, EDTA Disódico, Isosorbido de Dimetilo, Retinoato de Hidroxipinacolona, Sorbato de Potasio, Hidróxido de Sódio.

¿Preguntas?
Llame sin costo al 1-877-99-GENOM (43666) de lunes a viernes, de 8:00 a. m. a 6:00 p.m., horario central

Distributed by / Distribuido por:
Genomma Lab USA Inc.
Houston, TX 77027
90000590.001


www.genommalab.us


Actual size 7 Talmundo Test

2000008194

CICATRICURE FACIAL DAY WITH SPF

avobenzone, octinoxate, octisalate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50066-707
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Avobenzone (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	30 mg in 1 g
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 g
octocrylene (UNII: 5A68WGF6WM) (octocrylene - UNII:5A68WGF6WM)	octocrylene	27 mg in 1 g
oxybenzone (UNII: 95OOS7VE0Y) (oxybenzone - UNII:95OOS7VE0Y)	oxybenzone	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
glycerin (UNII: PDC6A3C0OX)	
dimethicone (UNII: 92RU3N3Y1O)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	

Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50066-707-15	1 in 1 CARTON	05/27/2025	
1		42 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug		M020	05/27/2025	

Labeler - Genomma Lab USA (832323534)

Establishment			
Name	Address	ID/FEI	Business Operations
Derma Care Research Labs, LLC		116817470	MANUFACTURE(50066-707) , LABEL(50066-707) , PACK(50066-707)