

OXYGEN- oxygen gas
Arcet Equipment Company dba Arc3 Gases North

oxygen

OXYGEN, COMPRESSED USP UN1072 OXYGEN 2

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. PRODUCED BY AIR LIQUIFACTION

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL

PSIG @ 70 degrees F. Size: Liters:

ARC3 GASES 1636 Hwy 301 South . Dunn, NC 28334 844-534-8021



OXYGEN, REFRIGERATED LIQUID USP UN1073 ARC3 GASES OXYGEN 2

1636 Hwy 301 South . Dunn, NC 28334 844-534-8021

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety

precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills, Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. DO NOT REMOVE THIS PRODUCT LABEL. CAS: 7782-44-7



OXYGEN, COMPRESSED USP UN1072 OXYGEN 2 Content LTRS. CU.FT
 WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. PRODUCED BY AIR LIQUIFACTION
 Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.
 DANGER: MAY CAUSE OR INTENCIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL
 ARC3 GASES 1636 Hwy 301 South Dunn, NC 28334 844-534-8021

**OXYGEN,
 COMPRESSED
 USP
 UN 1072**



Content _____ LTRS.
 CU. FT

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. **Produced by Air Liquefaction.**

Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDER, CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. C.A.S. NO. 7782-44-7

DO NOT REMOVE PRODUCT LABEL.



1636 Hwy 301 South
 Dunn, NC 28334
844-534-8021



OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:59788-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	995 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59788-001-10	103 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
2	NDC:59788-001-11	126.4 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
3	NDC:59788-001-12	149.6 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
4	NDC:59788-001-13	198 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
5	NDC:59788-001-14	225.9 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
6	NDC:59788-001-15	420 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
7	NDC:59788-001-16	588.4 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
8	NDC:59788-001-17	690 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
9	NDC:59788-001-18	1132.8 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
10	NDC:59788-001-19	1567.3 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
11	NDC:59788-001-20	2548.8 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
12	NDC:59788-001-21	3160 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
13	NDC:59788-001-22	3172 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
14	NDC:59788-001-23	6270 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
15	NDC:59788-001-24	8510 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
16	NDC:59788-001-25	127100 L in 1 DEWAR; Type 0: Not a Combination Product	05/01/1986	
17	NDC:59788-001-26	141500 L in 1 DEWAR; Type 0: Not a Combination Product	05/01/1986	
18	NDC:59788-001-27	179803 L in 1 DEWAR; Type 0: Not a Combination Product	05/01/1986	
19	NDC:59788-001-28	206472 L in 1 DEWAR; Type 0: Not a Combination Product	05/01/1986	
20	NDC:59788-001-29	16750 L in 1 DEWAR; Type 0: Not a Combination Product	05/01/1986	
21	NDC:59788-001-30	24950 L in 1 DEWAR; Type 0: Not a Combination Product	05/01/1986	
22	NDC:59788-001-31	25650 L in 1 DEWAR; Type 0: Not a Combination Product	05/01/1986	
23	NDC:59788-001-32	29069 L in 1 DEWAR; Type 0: Not a Combination Product	05/01/1986	
24	NDC:59788-001-33	33500 L in 1 DEWAR; Type 0: Not a Combination Product	05/01/1986	

25	NDC:59788-001-34	33620 L in 1 DEWAR; Type 0: Not a Combination Product	05/01/1986	
26	NDC:59788-001-35	37619 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
27	NDC:59788-001-36	7760 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
28	NDC:59788-001-40	3841 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
29	NDC:59788-001-41	2165 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	
30	NDC:59788-001-42	3137.5 L in 1 CYLINDER; Type 0: Not a Combination Product	05/01/1986	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205712	05/01/1986	

Labeler - Arcet Equipment Company dba Arc3 Gases North (002812691)

Establishment

Name	Address	ID/FEI	Business Operations
Arcet Equipment Company dba Arc3 Gases North		005693077	manufacture(59788-001)

Establishment

Name	Address	ID/FEI	Business Operations
Arc3 Gases Inc.		117463198	manufacture(59788-001)

Establishment

Name	Address	ID/FEI	Business Operations
Arcet Equipment Company dba Arc3 Gases North		169286411	manufacture(59788-001)

Establishment

Name	Address	ID/FEI	Business Operations
Arcet Equipment Company dba Arc3 Gases North		827002668	manufacture(59788-001)

Revised: 12/2024

Arcet Equipment Company dba Arc3 Gases North