

**LAXATIVE- sennosides tablet
WALGREENS**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

195R 0363 9978 Walgreens Sennosides USP, 25 mg Tablets

Drug Facts

Active ingredient (in each tablet)

Sennosides USP, 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor

Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product do not use for a period longer than 1 week

Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- swallow tablet (s) with a glass of water.
 - swallow tablet (s) whole, do not crush, break, or chew.
- adults and children 12 years of age and older: 2 tablets once or twice daily
children 6 to under 12 years of age: 1 tablet once or twice daily
children under 6 years of age: ask a doctor

Other information

- **each tablet contains:** calcium 40 mg, sodium 2 mg (VERY LOW SODIUM)
- store between 20°-25°C (68°-77°F)

Inactive ingredients acacia, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, shellac, stearic acid, sugar, talc, titanium dioxide.

Questions or comments?
call **1-877-290-4008**

<p>Drug Facts (continued)</p> <p>Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.</p> <p>if pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p>							
<p>Directions</p> <p>n swallow tablet(s) with a glass of water.</p> <p>n swallow tablet(s) whole, do not crush, break or chew.</p>	<table border="1"> <tr> <td>adults and children 12 years of age and older</td> <td>2 tablets once or twice daily</td> </tr> <tr> <td>children 6 to under 12 years of age</td> <td>1 tablet once or twice daily</td> </tr> <tr> <td>children under 6 years of age</td> <td>ask a doctor</td> </tr> </table>	adults and children 12 years of age and older	2 tablets once or twice daily	children 6 to under 12 years of age	1 tablet once or twice daily	children under 6 years of age	ask a doctor
adults and children 12 years of age and older	2 tablets once or twice daily						
children 6 to under 12 years of age	1 tablet once or twice daily						
children under 6 years of age	ask a doctor						
<p>Other information</p> <p>n each tablet contains: calcium 40 mg, sodium 2 mg (VERY LOW SODIUM)</p> <p>n store between 20°-25°C (68°-77°F)</p>							
<p>Inactive ingredients acacia, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, shellac, stearic acid, sugar, talc, titanium dioxide.</p>							
<p>Questions or comments? call 1-877-290-4008</p>							

VALUE SIZE

Walgreens NDC 0363-9978-90

Compare to the active ingredient in ex-lax[®] Maximum Strength¹

EASY-OPEN

Laxative Tablets

SENNOSIDES USP, 25 mg / STIMULANT LAXATIVE

Maximum Strength

90 TABLETS

NOT FOR HOUSEHOLDS WITH YOUNG CHILDREN

ACTUAL SIZE

Drug Facts

Active ingredient (in each tablet) Purpose
Sennosides USP, 25 mg.....Stimulant laxative

Uses
n relieves occasional constipation (irregularity)
n generally produces bowel movement in 6 to 12 hours

Warnings
Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor
Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks.
Ask a doctor or pharmacist before use if you are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.
When using this product do not use for a period longer than 1 week

Drug Facts (continued under label)

Walgreens Pharmacist Recommended. Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
¹This product is not manufactured or distributed by GSK Consumer Healthcare, owner of the registered trademark ex-lax[®].

DISTRIBUTED BY:
WALGREENS
200 WILLOW RD,
DEERFIELD, IL 60015
100% SATISFACTION
GUARANTEED
walgreens.com
©2023 Walgreen Co.

ITEM 613502 W00000-0000-0
3 11917 00708 3

195R 0123

Lot No.:
Exp. Date:

PREPARE HERE

Drug Facts (continued)

Active ingredient (in each tablet) Purpose
Sennosides USP, 25 mg Stimulant laxative

Uses
n relieves occasional constipation (irregularity)
n generally produces bowel movement in 6 to 12 hours

Warnings
Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor
Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks.
Ask a doctor or pharmacist before use if you are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.
When using this product do not use for a period longer than 1 week
Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

Other information
n each tablet contains: calcium 40 mg, sodium 2 mg (VERY LOW SODIUM)
n store between 20°-25°C (68°-77°F)

Directions
n swallow tablet(s) whole, do not crush, break or chew.
n adults and children
2 tablets once or twice daily
n children 6 to under 12 years of age and older children under 6
1 tablet once or twice daily
ask a doctor
n children under 6 years of age

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION



Laxative Tablets

SENNOSIDES USP, 25 mg / STIMULANT LAXATIVE

NDC 0363-9978-48



Compare to the active ingredient in ex•lax® Maximum Strength†

Laxative Tablets

SENNOSIDES USP, 25 mg / STIMULANT LAXATIVE

Maximum Strength

- Gentle, dependable constipation relief

48 TABLETS



†Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. ††This product is not manufactured or distributed by GSK Consumer Healthcare, owner of the registered trademark ex•lax®.

Lot No.:
Exp Date:



TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BILSTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

W3ORG0223-F



DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
Walgreens.com ©2023 Walgreen Co.

Drug Facts (continued)

Inactive ingredients acacia, calcium sulfate anhydrous, carboxymethylcellulose, colloidal silicon dioxide, corn starch, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, methocel K100, microcrystalline cellulose, polyethylene glycol, povidone, silica, stearic acid, sugar, talc, titanium dioxide.

Questions or comments? call 1-877-290-4008

195R 0123

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9978
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	25 mg

Inactive Ingredients

Ingredient Name	Strength
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: 07TSZ97GEP)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
STARCH, CORN (UNII: 08232NY3SJ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
RAW SUGAR (UNII: 8M707QY5GH)	
TALC (UNII: 7SEV7J4R1U)	
ACACIA (UNII: 5C5403N26O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
POVIDONE (UNII: FZ989GH94E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SHELLAC (UNII: 46N107B71O)	

Product Characteristics

Color	blue	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	TCL083
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-	4 in 1 CARTON	04/15/2022	

1	9978-48	4 in 1 CARTON	04/15/2023	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-9978-24	2 in 1 CARTON	04/15/2023	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:0363-9978-90	90 in 1 BOTTLE; Type 0: Not a Combination Product	04/15/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	04/15/2023	

Labeler - WALGREENS (008965063)

Registrant - TIME CAP LABORATORIES INC. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES INC.		037052099	manufacture(0363-9978)

Revised: 4/2023

WALGREENS