

COLGATE ENAMEL STRENGTH MOUTHWASH- sodium fluoride rinse
Colgate-Palmolive - do not use

Colgate® Enamel Strength® Mouthwash

Drug Facts

Active ingredient

Sodium Fluoride 0.02% (0.01% w/v fluoride ion)

Purpose

Anticavity

Use

aids in the prevention of dental cavities

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 6 years of age and older:

- use twice a day after brushing your teeth with a toothpaste
- vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

Children under 6 years of age:
consult a dentist or doctor

Other information

Store at controlled room temperature 68 – 77° F (20 – 25°C)

Inactive ingredients

Water, Glycerin, Propylene Glycol, Sorbitol, Poloxamer 407, Poloxamer 338, Flavor, PEG-

40 Hydrogenated Castor Oil, Phosphoric Acid, Sodium Saccharin, Cetylpyridinium Chloride, Disodium Phosphate, Potassium Sorbate, Sucralose, Green 3

Questions?

1-800-468-6502

Dist. by:

COLGATE-PALMOLIVE CO.

New York, NY 10022 U.S.A.

PRINCIPAL DISPLAY PANEL - 500 mL Bottle Label

ALCOHOL FREE

Colgate®

Anticavity Fluoride Mouthwash

ENAMEL

STRENGTH®

ANTICAVITY PROTECTION

WITH FLUORIDE FOR STRONGER TEETH

Strengthens Enamel

Helps Prevent Cavities

Helps replenish natural calcium
back into enamel

10X LONGER LASTING COOL**

SPARKLING FRESH MINT

P9932531

16.9 FL OZ (1.05 PT) 500 mL

IMPORTANT:

Read directions
for proper use

ALCOHOL FREE

Colgate[®]
Anticavity Fluoride Mouthwash

**ENAMEL
STRENGTH**[®]

ANTICAVITY PROTECTION

WITH FLUORIDE FOR STRONGER TEETH

Strengthens Enamel
Helps Prevent Cavities
Helps replenish natural calcium
back into enamel

10X LONGER LASTING COOL**

SPARKLING FRESH MINT

16.9 FL OZ (1.05 PT) 500 mL

IMPORTANT:
Read directions
for proper use

P9932531

- Strengthens enamel even where brushing may miss
- To promote healthy teeth and stronger enamel, use after brushing with Colgate® Enamel Health toothpaste and a Colgate® 360® toothbrush.

Drug Facts

Active ingredient **Purpose**
 Sodium Fluoride 0.02%
 (0.01% w/v fluoride ion).....Anticavity

Drug Facts (continued)

Other information

Store at controlled room temperature
 68 – 77° F (20 – 25°C)

Use aids in the prevention of dental cavities

Inactive ingredients

Water, Glycerin, Propylene Glycol, Sorbitol,
 Poloxamer 407, Poloxamer 338, Flavor, PEG-40
 Hydrogenated Castor Oil, Phosphoric Acid, Sodium
 Saccharin, Cetylpyridinium Chloride, Disodium
 Phosphate, Potassium Sorbate, Sucralose, Green 3

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Questions? 1-800-468-6502

Directions

Adults and children 6 years of age and older:

- use twice a day after brushing your teeth with a toothpaste
- vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

Children under 6 years of age:
 consult a dentist or doctor

Does Not Contain Ethanol

CAP SEALED WITH PRINTED BAND

**vs. brushing alone

To Open: Remove printed band; squeeze cap and turn.

To Close: Turn cap until it clicks.

turn off the tap while brushing

SAVE WATER




smartlabel®

app enabled scan for more information

GLUTEN FREE



Dist. by:
COLGATE-PALMOLIVE CO.
 New York, NY 10022 U.S.A.
www.colgateenamelhealth.com P0932532



COLGATE ENAMEL STRENGTH MOUTHWASH

sodium fluoride rinse

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:35000-734
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
POLOXAMER 407 (UNII: TUF2IWW3M2)	
POLOXAMER 338 (UNII: F75JV2T505)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
CETYLPYRIDINIUM CHLORIDE (UNII: D9OM4SK49P)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S)	

Product Characteristics

Color	BLUE	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:35000-734-98	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/03/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M021	10/03/2019	

Labeler - Colgate-Palmolive - do not use (001344381)

Revised: 1/2024

Colgate-Palmolive - do not use