

MOTION SICKNESS RELIEF- meclizine hcl tablet
Strategic Sourcing Services, LLC (Health Mart)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Health Mart 44-403

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- to prevent motion sickness, take the first dose 1/2 hour to 1 hour before starting activity
- to treat motion sickness, take at first signs of symptoms
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, silicon dioxide

Questions of comments?

1-800-426-9391

Principal Display Panel

Health Mart®

NDC 62011-0345-1

Compare to Dramamine® All Day Less Drowsy active ingredient*

Motion Sickness Relief

Meclizine HCl 25 mg

Antiemetic

Helps Prevent Nausea, Vomiting and Dizziness

Due to Motion Sickness For Up to 24 Hours

Less Drowsy Formula

Actual Size

8 Tablets

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® All Day Less Drowsy.

50844 REV0219B40319

McKesson

Distributed by McKesson Corporation

6555 State Highway 161

Irving, TX 75039

www.mckesson.com



Health Mart.

Compare to Dramamine®
All Day Less Drowsy
active ingredient*



Motion Sickness Relief

Meclizine HCl 25 mg
Antiemetic



Health Mart.

NDC 62011-0345-1

Compare to Dramamine®
All Day Less Drowsy
active ingredient*

Motion Sickness Relief

Meclizine HCl 25 mg
Antiemetic

Helps Prevent Nausea, Vomiting and Dizziness
Due to Motion Sickness For Up to 24 Hours



Actual Size

Less Drowsy Formula

8 Tablets

MCKESSON
Distributed by McKesson Corporation
6555 State Highway 161
Irving, TX 75039
www.mckesson.com

*This product is not manufactured or distributed by
Medtech Products Inc., owner of the registered trademark
Dramamine® All Day Less Drowsy.
50844 REV0219B40319

B-1241-403-19-R
REV0219B40319




**TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING**

Ask a doctor before use if you have
■ difficulty in urination due to enlargement of the prostate gland ■ glaucoma
■ a breathing problem such as emphysema or chronic bronchitis
Ask a doctor or pharmacist before use if you are taking
sedatives or tranquilizers.
When using this product
■ drowsiness may occur
■ avoid alcoholic beverages
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ use caution when driving a motor vehicle or operating machinery
If pregnant or breast-feeding, ask a health professional before use.

Other information
■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
■ protect from heat and humidity
■ see end flap for expiration date and lot number
Inactive ingredients corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, silicon dioxide
Questions or comments? 1-800-426-9391



0 52569 14103



Heath Mart 44-403

MOTION SICKNESS RELIEF				
meclizine hcl tablet				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0345	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg		
Inactive Ingredients				
Ingredient Name	Strength			
STARCH, CORN (UNII: O8232NY3SJ)				
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)				
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
Product Characteristics				
Color	YELLOW	Score	no score	
Shape	ROUND	Size	9 mm	
Flavor		Imprint Code	44;403	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:620 11-0345-1	1 in 1 CARTON	06/24/2002	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part336	06/24/2002	

Labeler - Strategic Sourcing Services, LLC (Health Mart) (116956644)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(620 11-0345)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(620 11-0345)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(620 11-0345)

Revised: 1/2020

Strategic Sourcing Services, LLC (Health Mart)