

TREATMENT RINSE APPLE- anticaries rinse
TREATMENT RINSE MINT- anticaries rinse
DENTAL ALLIANCE HOLDINGS LLC

Treatment Rinse

Active ingredients:

Sodium Fluoride 0.05% when mixed with part B

Purpose:

Anticavity

Use:

Aids in the prevention of dental caries (cavities)

Warnings:

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away. If you experience any unusual symptoms, stop use and contact your dentist.

Warnings:

Keep out of reach of children.

Directions:

Do not use before mixing with Part B. Adults and children 6 years of age and older: Use once daily after brushing. Shake each bottle before use. Using the measuring cup, combine 5 mL of component A with 5 mL of component B (10 mL, total). Vigorously swish the combined 10 mL of rinse between teeth for one minute, then spit out. Do not swallow the rinse. Do not eat or drink for 30 minutes after rinsing. Instruct children under 12 years of age in good rinsing habits (to minimize swallowing). Supervise children as necessary until capable of using without supervision. Children under 6 years of age: Consult a dentist or physician. Do not dilute. Do not use either component alone. Store below 30 degrees C (86 degrees F). Do not freeze.

Inactive ingredients:

Menthol, Natural Flavors, Polysorbate 20, Sodium Benzoate, Sodium Hydroxide, Sodium Hypochlorite, Water, Xylitol.

Treatment Rinse Mint and Apple enclosure and carton labels:



TREATMENT RINSE

ANTI-CAVITY
CONCENTRATED SOLUTION



CARIFREE®

CARIFREE®

CARIFREE®

For your protection, this product contains a seal under the cap.
Recommended to use within 3 months after opening.

Mix 1:1

Do not rinse with Component A or B alone.
Supervise children's use.

Drug Facts

Active Ingredients	Purpose
Sodium Fluoride 0.05% when mixed	Anticavity

Use: Aids in the prevention of dental caries (cavities)

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away. If you experience any unusual symptoms, stop use and contact your dentist.

Directions Do not use before mixing.

■ **Adults and children 6 years of age and older:** Use once daily after brushing. Shake each bottle before use. Using the measuring cup, combine 5 mL of component A with 5 mL of component B (10 mL total). Vigorously swirl the combined 10 mL of rinse between teeth for one minute, then spit out. Do not swallow the rinse. Do not eat or drink for 30 minutes after rinsing. Instruct children under 12 years of age in good rinsing habits (to minimize swallowing). Supervise children as necessary until capable of using without supervision.
■ **Children under 6 years of age:** Consult a dentist or physician.
■ **Do not dilute. Do not use either component alone. Store below 30 degrees C (86 degrees F). Do not freeze.**

Inactive Ingredients Rinse A: Menthol, Natural Flavors, Polysorbate 20, Sodium Benzoate, Water, Xylitol

Inactive Ingredients Rinse B: Water, Sodium Hydroxide, Sodium Hypochlorite

U.S. PATENTS NO. 8,422,384 and 10,143,033

Questions or comments? 800.503.0625
carifree.com

TREATMENT RINSE

ANTI-CAVITY
CONCENTRATED SOLUTION



@Carifree



@Carifree



Carifree



@Carifree



Carifree

TREATMENT RINSE

ANTI-CAVITY
CONCENTRATED SOLUTION



mint

pH elevated


IMPORTANT!
Read directions for
proper use

One 5.9 fl oz (175.5 ml) bottle
each of A and B rinses

TREATMENT RINSE

ANTI-CAVITY
CONCENTRATED SOLUTION

Carifree and pH+ are
registered trademarks of
Oral BioTech
Manufactured by Oral BioTech
Albany, Oregon 97321 USA



Made in U.S.A.

TREATMENT RINSE

ANTI-CAVITY
CONCENTRATED SOLUTION



CARIFREE®

CARIFREE®

CARIFREE®

For your protection, this product contains a seal under the cap.
Recommended to use within 3 months after opening.

Mix 1:1

Do not rinse with Component A or B alone.

Supervise children's use.

Drug Facts

Active Ingredients	Purpose
Sodium Fluoride 0.05% when mixed	Anticavity

Use Aids in the prevention of dental caries (cavities)

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away. If you experience any unusual symptoms, stop use and contact your dentist.

Directions

Do not use before mixing.
■ Adults and children 6 years of age and older: Use once daily after brushing. Shake each bottle before use. Using the measuring cup, combine 5 mL of component A with 5 mL of component B (10 mL, total). Vigorously swirl the combined 10 mL of rinse between teeth for one minute, then spit out. Do not swallow the rinse. Do not eat or drink for 30 minutes after rinsing. Instruct children under 12 years of age in good rinsing habits (to minimize swallowing). Supervise children as necessary until capable of using without supervision.
■ Children under 6 years of age: Consult a dentist or physician.
■ Do not dilute. Do not use either component alone. Store below 30 degrees C (86 degrees F). Do not freeze.

Inactive Ingredients Rinse A Natural Flavors, Sodium Benzoate, Water, Xylitol

Inactive Ingredients Rinse B Water, Sodium Hydroxide, Sodium Hypochlorite

U.S. PATENTS NO. 8,422,384 and 10,143,633

Questions or comments? 800.503.0625

carifree.com

TREATMENT RINSE

ANTI-CAVITY
CONCENTRATED SOLUTION



/Carifree



@Carifree



Carifree



@Carifree



Carifree

TREATMENT RINSE

ANTI-CAVITY
CONCENTRATED SOLUTION



pH elevated


IMPORTANT:
Read directions for
proper use

One 5.9 fl oz (175.5 mL) bottle
each of A and B rinses

TREATMENT RINSE

ANTI-CAVITY
CONCENTRATED SOLUTION

Carifree and pH+ are
registered trademarks of
Oral Biontech
Manufactured by Oral Biontech
Albany, Oregon 97221 USA



800 776 4321



TREATMENT RINSE

ANTI-CAVITY
CONCENTRATED SOLUTION

B

Mix 1:1 with component A
Do not rinse with component B alone

IMPORTANT:
Read directions for
proper use

5.9 fl oz (175.5 ml)

For your protection, this product contains a seal under the cap.
Recommended to use within 3 months after opening.

 U.S. PATENTS NO. 9,427,384 and 10,143,633

Drug Facts

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away. If you experience any unusual symptoms, stop use and contact your dentist.

Directions Do not use before mixing with Part A.

■ **Adults and children 6 years of age and older:** Use once daily after brushing. Shake each bottle before use. Using the measuring cup, combine 5 mL of component A with 5 mL of component B (10 mL, total). Vigorously swish the combined 10 mL of rinse between teeth for one minute, then spit out. Do not swallow the rinse. Do not eat or drink for 30 minutes after rinsing. Instruct children under 12 years of age in good rinsing habits (to minimize swallowing). Supervise children as necessary until capable of using without supervision.

■ **Children under 6 years of age:** Consult a dentist or physician.
■ **Do not dilute.** Do not use either component alone. Store below 30 degrees C (86 degrees F). Do not freeze.

Inactive ingredients Sodium Hydroxide, Sodium Hypochlorite, Water

Questions or comments? 800.503.0625

carifree.com

CariFree and pH+ are registered trademarks of Oral BioTech
Manufactured by Oral BioTech Albany, Oregon 97321 USA



TREATMENT RINSE
ANTI-CAVITY
CONCENTRATED SOLUTION




A

Mix 1:1 with component B
Do not rinse with component A alone

IMPORTANT:
Read directions for
proper use

5.9 fl oz (175.5 ml)

For your protection, this product contains a seal under the cap.
Recommended to use within 3 months after opening.



Drug Facts

Active ingredients	Purpose
Sodium Fluoride 0.05% when mixed with Part B	Anticavity

Use Aids in the prevention of dental caries (cavities)

Warnings
Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away. If you experience any unusual symptoms, stop use and contact your dentist.

Directions Do not use before mixing with Part B.
 ■ **Adults and children 6 years of age and older:** Use once daily after brushing. Shake each bottle before use. Using the measuring cup, combine 5 mL of component A with 5 mL of component B (10 mL, total). Vigorously swish the combined 10 mL of rinse between teeth for one minute, then spit out. Do not swallow the rinse. Do not eat or drink for 30 minutes after rinsing. Instruct children under 12 years of age in good rinsing habits (to minimize swallowing). Supervise children as necessary until capable of using without supervision.
 ■ **Children under 6 years of age:** Consult a dentist or physician.
 ■ **Do not dilute.** Do not use either component alone. Store below 30 degrees C (86 degrees F). Do not freeze.

Inactive ingredients Menthol, Natural Flavors, Polysorbate 20, Sodium Benzoate, Water, Xylitol

Questions or comments? 800.503.0625
carifree.com

CariFree and pH+ are registered trademarks of Oral BioTech
Manufactured by Oral BioTech Albany, Oregon 97321 USA



TREATMENT RINSE

ANTI-CAVITY
CONCENTRATED SOLUTION



A

Mix 1:1 with component B
Do not rinse with component A alone

IMPORTANT:
Read directions for
proper use

5.9 fl oz (175.5 ml)

For your protection, this product contains a seal under the cap.

Recommended to use within 3 months after opening.



Drug Facts

Active ingredients	Purpose
Sodium Fluoride 0.05% when mixed with Part B	Anticavity

Use Aids in the prevention of dental caries (cavities)

Warnings
Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away. If you experience any unusual symptoms, stop use and contact your dentist.

Directions Do not use before mixing with Part B.
■ **Adults and children 6 years of age and older:** Use once daily after brushing. Shake each bottle before use. Using the measuring cup, combine 5 mL of component A with 5 mL of component B (10 mL, total). Vigorously swish the combined 10 mL of rinse between teeth for one minute, then spit out. Do not swallow the rinse. Do not eat or drink for 30 minutes after rinsing. Instruct children under 12 years of age in good rinsing habits (to minimize swallowing). Supervise children as necessary until capable of using without supervision.
■ **Children under 6 years of age:** Consult a dentist or physician.
■ **Do not dilute.** Do not use either component alone. Store below 30 degrees C (86 degrees F). Do not freeze.

Inactive ingredients Natural Flavors, Sodium Benzoate, Water, Xylitol

Questions or comments? 800.503.0625

carifree.com

CariFree and pH+ are registered trademarks of Oral BioTech

Manufactured by Oral BioTech Albany, Oregon 97321 USA

TREATMENT RINSE APPLE

anticaries rinse

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61578-315
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080)	FLUORIDE ION	226 ug in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BENZOATE (UNII: OJ245FE5EU)	
WATER (UNII: 059QF0KO0R)	
XYLITOL (UNII: VCQ006KQ1E)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	

Product Characteristics

Color	white (hazy)	Score	
Shape		Size	
Flavor	APPLE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61578-315-01	2 in 1 PACKAGE	05/10/2022	
1		175.5 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	05/10/2022	

TREATMENT RINSE MINT

anticaries rinse

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61578-314
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	226 ug in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MENTHOL (UNII: L7T10EIP3A)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
WATER (UNII: 059QF0KO0R)	
XYLITOL (UNII: VCQ006KQ1E)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	

Product Characteristics

Color	white (hazy)	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61578-314-01	2 in 1 PACKAGE	05/10/2022	
1		175.5 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	05/10/2022	

Labeler - DENTAL ALLIANCE HOLDINGS LLC (195544965)

Registrant - DENTAL ALLIANCE HOLDINGS LLC (195544965)

Establishment

Name	Address	ID/FEI	Business Operations
DENTAL ALLIANCE HOLDINGS LLC		195544965	manufacture(61578-314, 61578-315)

Revised: 1/2024

DENTAL ALLIANCE HOLDINGS LLC