EAR RINGING REMEDY- allylthiourea, arnica montana flower, calcium sulfide, eriodictyon californicum leaf, lachesis muta venom, lycopodium clavatum spore, quinine sulfate, silica dimethyl silylate solution Similasan AG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

# **Ear Ringing Remedy**

## **Drug Facts**

# **Active ingredients**

Arnica 15X
Chininum sulphuricum12X
Eriodictyon californicum 12X
Hepar 12X
Lachesis 15X
Lycopodium 12X
Silica15X
Thiosinaminum 15X

# **Purpose**

buzzing
ringing, humming
ear discomfort, dizziness
pulsations/pounding, buzzing
throbbing, tinkling, roaring, cracking, buzzing, rolling, whizzing, resounding noise in ears
ringing, tinkling, buzzing, roaring, humming, whizzing in the ears
tinkling, clucking, roaring, singing, noises in ear
ringing

#### Uses\*

According to homeopathic principles, the active ingredients in this product temporarily relieve minor symptoms associated with ear discomfort due to:

- ringingbuzzingroaring
- hummingpounding

# **Warnings**

- **Do not use** in the eyes.
- According to homeopathic principles, symptoms may temporarily worsen before

improving (Initial exacerbation of symptoms)

## If pregnant, trying to get pregnant or breast feeding,

ask a health professional before use.

## Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

## Stop use and ask a doctor if:

- symptoms persist for more than 48 hours
- there is discharge from the ear
- there is a fever of 102°F or greater

# Ask a doctor before use if you have:

- ear drainage or discharge
- pain, irritation, or rash in the ear
- had ear surgery
- dizziness

#### **Directions**

#### FOR USE IN THE EAR ONLY.

- Remove tamper-evident seal from neck of bottle.
- Twist cap off bottle.
- Tilt head sideways.
- **DON'T** squeeze bottle, squeeze plastic tip to release 3 to 5 drops into ear (Tip of applicator should not enter ear canal).
- Keep drops in ear for 3 to 5 minutes by keeping head tilted or placing cotton in ear. Any excess drops can be wiped away from outer ear.
- Use up to 4 times daily for no more than 48 hours, or as directed by a doctor.
- Children under 12 years of age consult a doctor.

#### Other information

Active ingredients are manufactured according to homeopathic principles.

# Inactive ingredient

Purified water, Vegetable glycerin

# **Questions?**

Reach our representatives at 1-800-240-9780 or getinfo@similasanusa.com

#### www.SimilasanUSA.com

For your protection do not use if tamper evident seal around neck of bottle is missing or broken.

\*Claims base on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

# **Principal Display Panel**

Similasan Ear Ringing Remedy 10 mL/ 0.33 fl oz





#### **EAR RINGING REMEDY**

allylthiourea, arnica montana flower, calcium sulfide, eriodictyon californicum leaf, lachesis muta venom, lycopodium clavatum spore, quinine sulfate, silica dimethyl silylate solution

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53799-275	
Route of Administration	AURICULAR (OTIC)			

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ) (ARNICA MONTANA FLOWER - UNII: OZ0E5Y15PZ)	ARNICA MONTANA FLOWER	15 [hp_X] in 10 mL		
QUININE SULFATE (UNII: KF7Z0E0Q2B) (QUININE - UNII:A7V27PHC7A)	QUININE SULFATE	12 [hp_X] in 10 mL		
<b>ERIODICTYON CALIFORNICUM LEAF</b> (UNII: 2Y7TIQ135H) (ERIODICTYON CALIFORNICUM LEAF - UNII:2Y7TIQ135H)	ERIODICTYON CALIFORNICUM LEAF	12 [hp_X] in 10 mL		
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	12 [hp_X] in 10 mL		
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII: VSW71SS07I)	LACHESIS MUTA VENOM	15 [hp_X] in 10 mL		
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X] in 10 mL		
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W) (SILICA DIMETHYL SILYLATE - UNII: EU2PSP0G0W)	SILICA DIMETHYL SILYLATE	15 [hp_X] in 10 mL		
ALLYLTHIOUREA (UNII: 706IDJ14B7) (ALLYLTHIOUREA - UNII:706IDJ14B7)	ALLYLTHIOUREA	15 [hp_X] in 10 mL		

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
<b>1</b> NDC:53799-275-11	10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	03/09/2021		

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	03/09/2021				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

# Labeler - Similasan AG (481545754)

Revised: 3/2021 Similasan AG