

# **ORAL SORE ANTISEPTIC- hydrogen peroxide, menthol liquid H E B**

-----  
**HEB 024.000/024AB**  
**Oral Sore Antiseptic Rinse**

## **active ingredients**

Hydrogen peroxide 1.5% (w/v)

Menthol 0.1% (w/v)

## **purpose**

Oral debriding agent/Oral antiseptic  
Oral pain reliever

## **uses**

- first aid to help protect against bacterial contamination in minor oral wounds
- for temporary pain relief and ■ temporary use in cleansing minor wounds or minor gum inflammation resulting from:
  - minor dental procedures
  - dentures
  - orthodontic appliances
  - accidental injury
  - other irritations of the mouth and gums
  - canker sores
- aids in the removal of:
  - phlegm
  - mucus
  - other secretions associated with occasional sore mouth

## **warnings**

for this product

## **Stop use and ask a doctor if**

- sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops
- sore mouth symptoms do not improve in 7 days

## **When using this product**

- do not swallow
- do not use more than 7 days unless directed by a dentist or doctor
- do not exceed recommended dosage

**Keep out of reach of children**

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away

### **directions**

Adults and children 2 years of age and older - swish two teaspoons (10 mL) around the mouth for at least 1 minute, then spit out; use up to 4 times daily or as directed by a dentist or physician

Children under 12 years of age - should be supervised in the use of the product

Children under 2 years of age - consult a dentist or doctor

### **other information**

- store at controlled room temperature 68-77°F (20-25°C)
- keep away from heat or direct sunlight

### **inactive ingredients**

alcohol (4.1% v/v), blue 1, disodium EDTA, methyl salicylate, phosphoric acid, poloxamer 338, polysorbate 20, sodium saccharin, sorbitol, water

### **Questions?**

Call 1-888-593-0593

### **ADVERSE REACTION**

\*This product is not manufactured or distributed by Church & Dwight Co., Inc distributor of Orajel.

### **SEALED WITH PRINTED NACKBAND FOR YOUR PROTECTION**

Made with pride and care for HEB San Antonio, TX 78204

DSP-TN-15000 DSP-MO-34 SDS-TN-15012

### **Principal display panel**

\*Compare to Orajel™

HEB

Oral Sore

Antiseptic Rinse

- Temporary pain relief for mouth sores
- For mouth sores, including gum irritation from braces or dentures and canker sores

16 FL OZ (1 PT) 473 mL

\*Compare to Orajel™



**H-E-B**  
Oral Sore  
**ANTISEPTIC RINSE**

- Temporary pain relief for mouth sores
- For mouth sores, including gum irritation from braces or dentures and canker sores

16 FL OZ (1 PT) 473mL

L0016120FA

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Hydrogen peroxide 1.5% (w/v).....	Oral debriding agent/Oral antiseptic
Menthol 0.1% (w/v).....	Oral pain reliever

**Uses** ■ first aid to help protect against bacterial contamination in minor oral wounds ■ for temporary pain relief and ■ temporary use in obtaining minor wounds or minor gum inflammation resulting from:  
 ■ minor dental procedures ■ dentures ■ orthodontic appliances  
 ■ accidental injury ■ other irritations of the mouth and gums ■ canker sores  
 ■ aids in the removal of: ■ phlegm ■ mucus ■ other secretions associated with occasional sore mouth

**Warnings**  
**Stop use and ask a doctor if**  
 ■ sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting ■ irritation, pain, or redness persists or worsens  
 ■ swelling, rash, or fever develops ■ sore mouth symptoms do not improve in 7 days  
**When using this product** ■ do not swallow ■ do not use more than 7 days unless directed by a dentist or doctor ■ do not exceed recommended dosage  
**Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away**

**Directions**

Adults and children 2 years of age and older	Swish two teaspoons (10 mL) around the mouth for at least 1 minute, then spit out; use up to 4 times daily or as directed by a dentist or physician
Children under 12 years of age	should be supervised in the use of this product
Children under 2 years of age	consult a dentist or doctor

**Other information** ■ store at controlled room temperature 68-77°F (20-25°C)  
 ■ keep away from heat or direct sunlight

**Inactive ingredients** alcohol (4.1% w/v), blue 1, disodium EDTA, methyl salicylate, phosphoric acid, poloxamer 338, polysorbate 20, sodium saccharin, sorbitol, water

**Questions? Call 1-888-593-0593**

\*This product is not manufactured or distributed by Church & Dwight Co., Inc. distributor of Orajel™.

**SEALED WITH PRINTED NECKBAND FOR YOUR PROTECTION**

MADE WITH PRIDE AND CARE FOR H-E-B® SAN ANTONIO, TX 78204  
 88P-TM-15001 08P-MO-34 00-TX 15012 L00161205EA 11294-1904

## ORAL SORE ANTISEPTIC

hydrogen peroxide, menthol liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37808-024
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYDROGEN PEROXIDE</b> (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	15 mg in 1 mL
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y)	
<b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN)	
<b>POLOXAMER 338</b> (UNII: F75JV2T505)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	

**SACCHARIN SODIUM** (UNII: SB8ZUX40TY)

**SORBITOL** (UNII: 506T60A25R)

**WATER** (UNII: 059QF0KO0R)

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-024-43	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/15/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	03/15/2020	

**Labeler** - H E B (007924756)

**Registrant** - Nice-Pak Products, LLC (119091520)

### Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(37808-024)

Revised: 2/2026

H E B