

7 SELECT ORAL PAIN MAXIMUM STRENGTH RELIEF- benzocaine gel 7-ELEVEN, INC.

24/7 Life Oral Pain Relief Gel 0.5 oz (58853A)

Active ingredient

Purpose

Benzocaine 20%.....Oral Pain reliever

Use for the temporary relief of pain due to:

- toothache
- canker sores
- gum pain
- denture pain
- cheek bites

Warnings

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy alert: do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics

Do not use

- more than directed
- for more than 7 days unless directed by a dentist or doctor
- for teething
- in children under 2 years of age

Stop use and ask a doctor if

- sore mouth symptoms do not improve in 7 days
- swelling, rash or fever develops
- irritation, pain or redness persists or worsens

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

| | |
|---|---|
| Adults and children 2 years of age and older. | Remove cap and cut tip of tube. Apply a small amount of product to the cavity and around gum surrounding the teeth. Use up to 4 times daily or as directed by a dentist or dentist. |
| Children under 12 years of age. | Should be supervised in the use of this product. |
| Children under 2 years of age. | Do not use. |

Other information

- store at 20° to 25°C (68° to 77°F)
- this preparation is intended for use in cases of toothache, only as a temporary expedient until a dentist or doctor can be consulted
- do not use continuously

Inactive ingredients glycerin, peppermint oil, polyethylene glycol 400, polyethylene glycol 4000, saccharin sodium, sorbitol

DISTRIBUTED BY 7-ELEVEN, INC.

Irving, TX 75063

WWW.7-ELEVEN.COM

24/7life
BY 7-ELEVEN™



Maximum Strength Oral Pain Relief Gel
Benzocaine 20%
(Oral Pain Reliever)

Fast-Acting Long Lasting Formula

Fast Relief from
Toothache,
Canker Sores,
Gum Pain,
Denture Pain
and Cheek Bites

SAFETY-SEALED TUBE TIP

NET WT
0.5 FL OZ
(14 g)



TAMPER EVIDENT: DO NOT USE IF BLISTER CARD IS OPEN OR IF TUBE TIP IS CUT PRIOR TO OPENING.

KEEP OUTER CONTAINER FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Drug Facts

| Active ingredient | Purpose |
|-------------------|--------------------|
| Benzocaine 20% | Oral pain reliever |

Uses ■ for the temporary relief of pain due to: ■ toothache ■ canker sores ■ gum pain
■ denture pain ■ cheek bites

Warnings
Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:
■ pale, gray, or blue colored skin (cyanosis) ■ headache ■ rapid heart rate ■ shortness of breath
■ dizziness or lightheadedness ■ fatigue or lack of energy
Allergy Alert: do not use this product if your child has a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

Do not use ■ more than directed ■ for more than 7 days unless directed by a doctor ■ for teething ■ in children under 2 years of age

Stop use and ask a doctor if ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness does not go away ■ swelling, rash or fever develops

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

| | |
|---|--|
| Adults and children 2 years of age and older. | Remove cap and cut tip of tube. Apply a small amount of product to the cavity and around gum surrounding the teeth. Use up to 4 times daily or as directed by a dentist or doctor. |
| Children under 12 years of age. | Should be supervised in the use of this product. |
| Children under 2 years of age. | Do not use. |

Other information ■ store at room temperature 20-25°C (68-77°F) ■ this preparation is intended for use in cases of toothache, only as a temporary expedient until a dentist or doctor can be consulted ■ do not use continuously

Inactive ingredients glycerin, peppermint oil, polyethylene glycol 400, polyethylene glycol 4000, saccharin sodium, sorbitol

Questions or comments?
Call 1-888-645-8204 Monday-Friday 9AM-5PM (PST)

DISTRIBUTED BY 7-ELEVEN, INC.
Irving, TX 75063
WWW.7-ELEVEN.COM

Satisfaction Guaranteed
1-800-255-0711

Made in China

58853A-ZDP-BL-R1 OC-MD-ZDP105-R2

LOT NO.
EXP.



0 52548 58853 3

7 SELECT ORAL PAIN MAXIMUM STRENGTH RELIEF

benzocaine gel

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:10202-853 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5) | BENZOCAINE | 200 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | |
| POLYETHYLENE GLYCOL 4000 (UNII: 4R4HFI6D95) | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | |
| SORBITOL (UNII: 506T60A25R) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| MINT (UNII: FV98Z8GITP) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:10202-853-14 | 1 in 1 BLISTER PACK | 12/08/2016 | |
| 1 | | 14 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M022 | 12/08/2016 | |

Labeler - 7-ELEVEN, INC. (007347602)

Revised: 10/2025

7-ELEVEN, INC.