UNDECYLENIC ACID - undecylenic acid liquid RiteAid

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

drug facts

Section from Carton Label Follows:

Active ingredient Purpose

Undecylenic acid 25% w/v......Antifungal

Section from Carton Label Follows:

Active ingredient Purpose

Undecylenic Acid 25% w/v.....Antifungal

Uses

Treats most athletes foot (tinea pedis) and ringworm (tinea corporis)

Section from **Warnings** section of Carton label follows:

KEEP THIS AND ALL MEDICATION OUT OF THE REACH OF CHILDREN

If accidental ingestion occurs, immediately contact a physician, emergency medical facility or Poison Control Center for help.

Section from Directions portion of carton label follows:

Directions

- Using soap and water, clean the affected area and dry thoroughly
- apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor.
- Use the brush applicator provided for easy application to the affected area
- For toe usage, change shoes and socks at least once daily and wear well fitting, ventilated shoes
- Pay particular attention to spaces between the toes for athletes foot
- For athletes foot and ringworm, use the product daily for 4 weeks. If condition persists longer, consult a physician
- This product is not effective on the scalp or nails
- Children must be supervised in the use of this product

From **Warnings** Section of Carton Label:

Warnings For external use only.

Ask a doctor before use on children under 2 years of age

When using this productavoid contact with the eyes

Stop use and consult a doctor if

- Irritation occurs - you do not notice improvement within 4 weeks

KEEP THIS AND ALL MEDICATION OUT OF THE REACH OF CHILDREN

If accidental ingestion occurs, immediately contact a physician, emergency medical facility or Poison Control Center for help.

Section from Directions portion of carton label follows:

Directions

- Using soap and water, clean the affected area and dry thoroughly
- apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor.
- Use the brush applicator provided for easy application to the affected area
- For toe usage, change shoes and socks at least once daily and wear well fitting, ventilated shoes
- Pay particular attention to spaces between the toes for athletes foot
- For athletes foot and ringworm, use the product daily for 4 weeks. If condition persists longer, consult a physician
- This product is not effective on the scalp or nails
- Children must be supervised in the use of this product

From Inactive Ingredients section of Carton Label:

Inactive Ingredients Isopropyl Palmitate

Carton



DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

Drug Facts

Active ingredient

Purpose

Treats most athletes foot (tinea pedis), and ringworm (tinea corporis).

Warnings

For external use only

Ask a doctor before use on children under 2

When using this product avoid contact with eyes Stop use and consult a doctor if . irritation occurs • you do not notice improvement within

4 viceks
KEEP THIS AND ALL MEDICATION DUT OF THE
REACH OF CHILDREN. If accidental ingestion
occurs, immediately contact a physician,
emergency medical facility or Poison Control
Control Loy Alexander (A) Center for help

Directions

- Using soap and warm water, clean the affected area, and dry thoroughly.

 Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor.
- Use the brush applicator provided for easy
- application to the affected area.

 For toe usage, change shoes and socks at least once daily and wear well fitting, ventilated shoes.
- once daily and wear well fitting, wentilated shoes. Pay particular attention to spaces between the toes for athletes foot. For athletes foot and ringworm, use the product daily for 4 weeks. If condition persists longer, consult a physician. This product is not effective on the scalp or nails. Children must be supervised in the use of this croduct.

Other Information


- This product should be stored at room temperature 15° 30°C (59° 86°F)

 Keep from freezing. If freezing occurs, warm to room temperature.

Inactive Ingredient







Treats Most Finger & Toe Fungus


> Maximum Strength Without A Prescription

Proven Clinically Effective In The Treatment Of Most Finger & Toe Fungus

1 FL OZ (30 mL)

Compare to the active ingredient in Fungi-Nail®





Maximum Strength

WHEN TO USE:

Rite Aid® Maximum Strength Antifungal Liquid is for the effective treatment of most fungal infections of the skin.

Usage: Simply apply Rite Aid® Maximum Strength Antifungal Liquid over the affected area.

Non-prescription antifungal products do not work directly on the scalp or pails.

UNDECYLENIC ACID

undecylenic acid liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0028
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
UNDECYLENIC ACID (UNII: K3D86KJ24N) (UNDECYLENIC ACID - UNII:K3D86KJ24N)	UNDECYLENIC ACID	288 mg in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ISOPROPYL PALMITATE (UNII: 8 CRQ2TH6 3 M)	712 mg in 1 mL	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0028-7	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, WITH APPLICATOR		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333C	06/01/2008		

Labeler - RiteAid (014578892)

Registrant - Pharma Pac, LLC (140807475)

Establishment			
Name	Address	ID/FEI	Business Operations
Pharma Pac, LLC		140807475	manufacture

Revised: 2/2011 Rite Aid