

MEDI FIRST SINUS PAIN AND PRESSURE- acetaminophen, phenylephrine hydrochloride tablet

MEDI FIRST PLUS SINUS PAIN AND PRESSURE- acetaminophen, phenylephrine hydrochloride tablet

OTIS CLAPP MYGREX- acetaminophen, phenylephrine hydrochloride tablet
Unifirst First Aid Corporation

819R Sinus Pain and Pressure UniFirst MF/MFP OC

Drug Facts

Active ingredients (in each tablet)

Acetaminophen 500mg

Phenylephrine HCl 5mg

Purpose

Pain reliever/fever reducer

Nasal decongestant

Uses

temporarily relieves these common cold/flu symptoms:

- nasal congestion
- headache
- minor aches and pains
- stuffy nose
- sinus congestion and pressure

temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- for more than 10 days unless directed by a doctor

Ask a doctor before use if you have

- liver disease
- thyroid disease
- diabetes
- high blood pressure
- heart disease
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

When using this product do not exceed recommended dosage.

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms appear

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Over dose warning:

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed**

Adults and children: (12 years and over) Take 2 tablets every 6 hours. Do not take more than 8 tablets in 24 hours.

Children under 12 years: Ask a doctor

Other information

- store at room temperature 59°-86°F (15°-30°C)
- tamper evident sealed packets
- do not use any opened or torn packets
- avoid excessive heat and humidity

Inactive ingredients

corn starch, croscopvidone, hypromellose, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid

Questions or comments? 1-800-634-7680

Medi-First Plus Sinus Pain and Pressure Label

100 Tablets

(505 x 2's)

Medi First® Plus

Sinus Pain and Pressure

Aches & Fever • Acetaminophen 500mg

Nasal Decongestant • Phenylephrine HCl 5 mg

Pull to Open

This Package is For Households Without Young Children.

Sinus Pain Relief

Tamper Evident

Unit Dose Packet

The image shows a detailed label for Medi-First Plus Sinus Pain & Pressure. The label is primarily purple and white. At the top center, it says "MEDI-FIRST Plus Sinus Pain & Pressure". Below this, it lists "Aches & Fever • Acetaminophen 500 mg" and "Nasal Decongestant • Phenylephrine HCl 5mg". A central graphic shows a hand pulling a yellow tab to open a packet, with the text "THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN." and "Sinus Pain Relief".

Drug Facts

Active ingredients (in each tablet)

Active ingredients (in each tablet)	Purpose
Acetaminophen - 500 mg	Pain reliever/fever reducer
Phenylephrine HCl - 5 mg	Nasal decongestant

Uses

temporarily relieves these common cold/flu symptoms:

- nasal congestion
- headache
- minor aches and pains
- stuffy nose
- sinus congestion and pressure

temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- for more than 10 days unless directed by a doctor. (continued on opposite panel)

Drug Facts (continued)

Ask a doctor before use if you have

- liver disease
- thyroid disease
- diabetes
- high blood pressure
- heart disease
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

When using this product do not exceed recommended dosage.

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms appear

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions:

- do not use more than directed

Adults and children (12 years and over): Take 2 tablets every 6 hours. Do not take more than 6 tablets in 24 hours.

Children under 12 years: Ask a doctor

Other information

- store at room temperature 59°-86°F (15°-30°C)
- tamper evident sealed packets
- do not use any opened or torn packets
- avoid excessive heat and humidity

Inactive ingredients

corn starch, croscopvidone, hypromellose, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid

Questions or comments? 1-800-634-7680

Barcode: 47682 91933 7

Retain carton for complete product information

Otis Clapp Mygrex Label

Otis Clapp

Quality and Integrity Since 1840

MYGREGX™

Pain Reliever-Decongestant

Advanced Relief

For Sinus/Headaches
See Warnings and Directions on Side Panel

This package is for Households without Young Children.
Acetaminophen 500 mg • Aches & Fever
Phenylephrine HCl 5 mg • Nasal Decongestant
Tear Out Along Perforation To Dispense
PROFESSIONAL HEALTHCARE
300 Tablets (150 PACKETS OF 2)

MYGREX™
Advanced Relief
For Sinus/Headaches

MYGREX™
Pain Reliever-Decongestant

Advanced Relief
For Sinus/Headaches

MYGREX™
Advanced Relief
For Sinus/Headaches

MYGREX™
Pain Reliever-Decongestant

Advanced Relief
For Sinus/Headaches

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg Pain reliever/fever reducer
Phenylephrine HCl 5 mg Nasal decongestant

Uses

temporarily relieves these common cold/flu symptoms:

- nasal congestion
- headache
- minor aches and pains
- stuffy nose
- sinus congestion and pressure
- temporary reduces fever

Warnings

Live warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- 2 or more alcoholic drinks every day while using this product

Other information

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

See Warning and Directions on Side Panel.

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.

**Acetaminophen 500 mg • Aches & Fever
Phenylephrine HCl 5 mg • Nasal Decongestant**

TEAR OUT ALONG PERFORATION TO DISPENSE

PROFESSIONAL HEALTHCARE

300 TABLETS (150 PACKETS OF 2)

Drug Facts (continued)

Ask a doctor before use if you have:

- liver disease
- thyroid disease
- diabetes
- high blood pressure
- heart disease
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are:

- taking the blood thinning drug warfarin

When using this product do not exceed recommended dosage.

Slip use and ask a doctor if:

- you get nervous, dizzy, or sleepless
- fever gets worse or lasts more than 3 days
- These could be signs of a serious condition

Directions:

Adults and children (12 years and over): Take 2 tablets every 6 hours. Do not take more than 8 tablets in 24 hours.

Children under 12 years: Ask a doctor

TAMPER EVIDENT Sealed Packets

**UNIT DOSE PACKS
300 TABLETS (150 PACKETS OF 2)**

4 7682 15505 3

Reorder No. 1615009
Manufactured for:
Medique Products
Fort Myers, FL 33967
1-800-634-7680
www.mediqueproducts.com

Medi-First Sinus Pain and Pressure Label

Medi-First®
Sinus Pain and Pressure

Aches & Fever • Acetaminophen 500 mg
Nasal Decongestant • Phenylephrine HCl 5 mg

Pull to Open

This Package is For Households Without Young Children.

Tamper Evident Unit Dose Packets

100 Tablets

(50 x 2)

Drug Facts

Active ingredients (in each tablet)

Acetaminophen 500 mg Pain reliever/fever reducer
Phenylephrine HCl 5 mg Nasal decongestant

Uses

temporarily relieves these common cold/flu symptoms:

- nasal congestion
- headache
- minor aches and pains
- stuffy nose
- sinus congestion and pressure
- temporarily reduces fever

Warnings

Live warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- 2 or more alcoholic drinks every day while using this product

Other information

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

MEDI-FIRST®
Sinus Pain & Pressure

Sinus Pain Relief

Pull to Open

✓ Aches & Fever • Acetaminophen 500 mg
✓ Nasal Decongestant • Phenylephrine HCl 5 mg

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.

Tamper Evident Unit Dose Packets

Drug Facts (continued)

Ask a doctor before use if you have:

- liver disease
- thyroid disease
- diabetes
- high blood pressure
- heart disease
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are:

- taking the blood thinning drug warfarin

When using this product do not exceed recommended dosage.

Slip use and ask a doctor if:

- you get nervous, dizzy, or sleepless
- fever gets worse or lasts more than 3 days
- These could be signs of a serious condition

Directions:

Adults and children (12 years and over): Take 2 tablets every 6 hours. Do not take more than 8 tablets in 24 hours.

Children under 12 years: Ask a doctor

Other information

- store at room temperature 59°-86°F (15°-30°C)
- tamper evident sealed packets
- do not use any opened or torn packets
- avoid excessive heat and humidity

Inactive ingredients

corn starch, croscopolone, hypromellose, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid

Questions or comments? 1-800-634-7680

4 7682 81933 0

Reorder #81933
Manufactured for:
Medique Products
Fort Myers, FL 33967
1-800-634-7680
www.mediqueproducts.com

MEDI FIRST SINUS PAIN AND PRESSURE

acetaminophen, phenylephrine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-819
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
CROSPVIDONE (UNII: 68401960MK)	
POVIDONE (UNII: FZ989GH94E)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white (white)	Score	no score
Shape	ROUND (ROUND)	Size	12mm
Flavor		Imprint Code	AZ;261
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-819-33	50 in 1 BOX	12/30/2008	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-819-48	125 in 1 BOX	12/30/2008	
2		2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-819-13	250 in 1 BOX	12/30/2008	
3	NDC:47682-819-99	2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-819-99	2 in 1 PACKET; Type 0: Not a Combination Product	12/30/2008	
5	NDC:47682-819-50	25 in 1 BOX	04/16/2019	

5	2 in 1 PACKET; Type 0: Not a Combination Product		
---	--	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/30/2008	

MEDI FIRST PLUS SINUS PAIN AND PRESSURE

acetaminophen, phenylephrine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-919
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
CROSPVIDONE (UNII: 68401960MK)	
POVIDONE (UNII: FZ989GH94E)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white (white)	Score	no score
Shape	ROUND (ROUND)	Size	12mm
Flavor		Imprint Code	AZ;261
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-919-33	50 in 1 BOX	12/30/2008	

1		2 in 1 PACKET; Type 0: Not a Combination Product	
2	NDC:47682-919-48	125 in 1 BOX	12/30/2008
2		2 in 1 PACKET; Type 0: Not a Combination Product	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/30/2008	

OTIS CLAPP MYGREX

acetaminophen, phenylephrine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-509
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
CROSPVIDONE (UNII: 68401960MK)	
POVIDONE (UNII: FZ989GH94E)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white (white)	Score	no score
Shape	ROUND (ROUND)	Size	12mm
Flavor		Imprint Code	AZ;261
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-509-03	150 in 1 BOX	12/30/2008	
1	NDC:47682-509-99	2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-509-99	2 in 1 PACKET; Type 0: Not a Combination Product	12/30/2008	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/30/2008	

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 3/2023

Unifirst First Aid Corporation