

**MEDI FIRST SINUS PAIN AND PRESSURE- acetaminophen, phenylephrine hydrochloride tablet**

**MEDI FIRST PLUS SINUS PAIN AND PRESSURE- acetaminophen, phenylephrine hydrochloride tablet**

**OTIS CLAPP MYGREX- acetaminophen, phenylephrine hydrochloride tablet**  
**Unifirst First Aid Corporation**

-----

**819R Sinus Pain and Pressure UniFirst MF/MFP OC**

***Drug Facts***

***Active ingredients (in each tablet)***

Acetaminophen 500mg

Phenylephrine HCl 5mg

***Purpose***

Pain reliever/fever reducer

Nasal decongestant

***Uses***

temporarily relieves these common cold/flu symptoms:

- nasal congestion
- headache
- minor aches and pains
- stuffy nose
- sinus congestion and pressure

temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

## **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- for more than 10 days unless directed by a doctor

## **Ask a doctor before use if you have**

- liver disease
- thyroid disease
- diabetes
- high blood pressure
- heart disease
- trouble urinating due to an enlarged prostate gland

## **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin

**When using this product do not exceed recommended dosage.**

## **Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms appear

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

## **Over dose warning:**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## **Directions**

- **do not use more than directed**

**Adults and children: (12 years and over)** Take 2 tablets every 6 hours. Do not take more than 8 tablets in 24 hours.

**Children under 12 years: Ask a doctor**

**Other information**

- store at room temperature 59°-86°F (15°-30°C)
- tamper evident sealed packets
- do not use any opened or torn packets
- avoid excessive heat and humidity

**Inactive ingredients**

corn starch, croscopvidone, hypromellose, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid

**Questions or comments?** 1-800-634-7680

**Medi-First Plus Sinus Pain and Pressure Label**

100 Tablets

(505 x 2's)

Medi First® Plus

Sinus Pain and Pressure

Aches & Fever • Acetaminophen 500mg

Nasal Decongestant • Phenylephrine HCl 5 mg

Pull to Open

This Package is For Households Without Young Children.

Sinus Pain Relief

Tamper Evident

Unit Dose Packet

The image shows a detailed label for Medi-First Plus Sinus Pain & Pressure. The label is primarily purple and white. At the top center, it says "MEDI-FIRST Plus Sinus Pain & Pressure". Below this, it lists "Aches & Fever • Acetaminophen 500 mg" and "Nasal Decongestant • Phenylephrine HCl 5mg". A central graphic shows a hand pulling a yellow tab to open a packet, with the text "THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN." and "Sinus Pain Relief".

**Drug Facts**

**Active ingredients (in each tablet)**

Active ingredients (in each tablet)	Purpose
Acetaminophen - 500 mg	Pain reliever/fever reducer
Phenylephrine HCl - 5 mg	Nasal decongestant

**Uses**

temporarily relieves these common cold/flu symptoms:

- nasal congestion
- headache
- minor aches and pains
- stuffy nose
- sinus congestion and pressure

temporarily reduces fever

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- for more than 10 days unless directed by a doctor.

**Directions:**

- do not use more than directed

Adults and children (12 years and over): Take 2 tablets every 6 hours. Do not take more than 8 tablets in 24 hours.

Children under 12 years: Ask a doctor

**Other information**

- store at room temperature 59°-86°F (15°-30°C)
- tamper evident sealed packets
- do not use any opened or torn packets
- avoid excessive heat and humidity

**Inactive ingredients**

corn starch, croscopvidone, hypromellose, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid

**Questions or comments?** 1-800-634-7680

Barcode: 47682 91933 7

Retain carton for complete product information

**Otis Clapp Mygrex Label**

Otis Clapp

Quality and Integrity Since 1840

MYGREG™

Pain Reliever-Decongestant

Advanced Relief

For Sinus/Headaches  
See Warnings and Directions on Side Panel

This package is for Households without Young Children.  
Acetaminophen 500 mg • Aches & Fever  
Phenylephrine HCl 5 mg • Nasal Decongestant  
Tear Out Along Perforation To Dispense  
PROFESSIONAL HEALTHCARE  
300 Tablets (150 PACKETS OF 2)

**Medi-First Sinus Pain and Pressure Label**

Medi-First®  
Sinus Pain and Pressure

Aches & Fever • Acetaminophen 500 mg  
Nasal Decongestant • Phenylephrine HCl 5 mg

Pull to Open

This Package is For Households Without Young Children.

Tamper Evident Unit Dose Packets

100 Tablets

(50 x 2)

**MEDI FIRST SINUS PAIN AND PRESSURE**

acetaminophen, phenylephrine hydrochloride tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-819
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CROSPVIDONE</b> (UNII: 68401960MK)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

**Product Characteristics**

<b>Color</b>	white (white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;261
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-819-33	50 in 1 BOX	12/30/2008	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-819-48	125 in 1 BOX	12/30/2008	
2		2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-819-13	250 in 1 BOX	12/30/2008	
3	NDC:47682-819-99	2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-819-99	2 in 1 PACKET; Type 0: Not a Combination Product	12/30/2008	
5	NDC:47682-819-50	25 in 1 BOX	04/16/2019	

5	2 in 1 PACKET; Type 0: Not a Combination Product		
---	--	--	--

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/30/2008	

## MEDI FIRST PLUS SINUS PAIN AND PRESSURE

acetaminophen, phenylephrine hydrochloride tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-919
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CROSPVIDONE</b> (UNII: 68401960MK)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	white (white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;261
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-919-33	50 in 1 BOX	12/30/2008	

1		2 in 1 PACKET; Type 0: Not a Combination Product	
2	NDC:47682-919-48	125 in 1 BOX	12/30/2008
2		2 in 1 PACKET; Type 0: Not a Combination Product	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/30/2008	

## OTIS CLAPP MYGREX

acetaminophen, phenylephrine hydrochloride tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-509
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CROSPVIDONE</b> (UNII: 68401960MK)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	white (white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;261
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-509-03	150 in 1 BOX	12/30/2008	
1	NDC:47682-509-99	2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-509-99	2 in 1 PACKET; Type 0: Not a Combination Product	12/30/2008	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/30/2008	

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 9/2025

Unifirst First Aid Corporation