

EYEWASH STATION ADDITIVE CONCENTRATE- chlorhexidine gluconate and propylene glycol liquid
Acme United Corporation

PhysiciansCare Eyewash Station Additive Concentrate

Product Information

Ingredients

Chlorhexidine gluconate 1% w/v Purified Water, Propylene Glycol

Purpose

Preservative

Use

A preservative for use in potable self-contained emergency eyewash stations

Warnings

For external use only. In case of contact with eye in undiluted form, flush with clean water

Do not use

- in full strength

When using this product

- do not change dilution or use with other chemicals
- do not reuse

Stop use and ask a doctor if you have

- changes in vision
- eye pain
- condition worsens or persists
- continued redness or irritation of the eye

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wear protective eyewear and gloves
- clean potable eyewash station and rinse with potable water
- partially fill station with potable water
- remove tamper evident seal and cap from bottle

- add entire contents of the bottle to the eyewash station container
- fill the station to the manufacturer's required level
- date and initial inspection tag
- station should be cleaned and refilled every 120 days when using this product
- in advance of emergency, add the concentrate to potable water to have a solution available

Other information

- lot number is printed on the bottle
- store at 20° to 25° C [68° to 77° F]
- for your protection, this bottle has an imprinted white seal with black printing "TAMPER EVIDENT SEAL"
- do not use if this seal is missing or broken
- use before expiration date marked on bottle

Questions ?

☎ Call 1.800.835.2263

Bottle Label



NDC 0924-0159-08

**EYEWASH STATION
ADDITIVE CONCENTRATE**

Preservative for Potable Water
Preserves from 5-20 US Gallons (15-76 Liters)

For Use In Emergency Eyewash Stations

Tamper Evident Do not use if printed seal over cap is missing or broken.

90496

8 FL OZ (236ml)



ReOrder No.
90496

Product Information	
Ingredients Chlorhexidine gluconate 1% w/v Purified Water, Propylene Glycol	Purpose Preservative
Use A preservative for use in potable self-contained emergency eyewash stations	
Warnings For external use only In case of contact with eye in undiluted form, flush with clean water	
Do not use ■ in full strength	
When using this product ■ do not change dilution or use with other chemicals ■ do not reuse	
Stop use and ask a doctor if you have ■ continued redness or irritation of the eye ■ condition worsens or persists ■ eye pain ■ changes in vision	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ wear protective eyewear and gloves ■ clean potable eyewash station and rinse with potable water ■ partially fill station with potable water ■ remove tamper evident seal and cap from bottle ■ add entire contents of the bottle to the eyewash station container ■ fill the station to the manufacturer's required level ■ date and initial inspection tag ■ station should be cleaned and refilled every 120 days when using this product ■ in advance of emergency, add the concentrate to potable water to have a solution available	
Other Information ■ lot number is printed on the bottle ■ store at 20° to 25° C [68° to 77° F] ■ for your protection, this bottle has an imprinted white seal with black printing "TAMPER EVIDENT SEAL" ■ do not use if this seal is missing or broken ■ use before expiration date marked on bottle	
Questions? Call 1.800.835.2263	

Manufactured for: **Acme United Corporation** 1 Waterview Dr, Shelton, CT 06484
PhysiciansCare is a registered trademark of Acme United Corporation
©2023 Acme United Corporation. www.FirstAidOnly.com Made in Canada 90496-revC

EYEWASH STATION ADDITIVE CONCENTRATE

chlorhexidine gluconate and propylene glycol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0924-0159(NDC:65785-035)
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	145.6 kg in 2800 L
PROPYLENE GLYCOL (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3)	PROPYLENE GLYCOL	280 kg in 2800 L

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	2374.4 L in 2800 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0924-0159-08	0.236 L in 1 BOTTLE, UNIT-DOSE; Type 0: Not a Combination Product	01/09/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	01/09/2023	

Labeler - Acme United Corporation (001180207)

Establishment

Name	Address	ID/FEI	Business Operations
Acme United Corporation		045924339	relabel(0924-0159) , repack(0924-0159)

Establishment

Name	Address	ID/FEI	Business Operations
Acme United Corporation		080119599	repack(0924-0159) , relabel(0924-0159)

Revised: 11/2024

Acme United Corporation