

WIKLAR UV COVER SHIELD- octinoxate, zinc oxide, octisalate, titanium dioxide cream
Fanipinkorea Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Octinoxate 7.00%

Zinc Oxide 4.6%

Octisalate 4.50%

Titanium Dioxide 1.00%

Sunscreen

Helps prevent sunburn

Apply liberally 15 minutes before sun exposure.

Reapply at least every two hours

Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: 1) Limited time in the sun, especially from 10 am to 2 pm. 2)

Wear long-sleeve shirts, pants, hats, and sunglasses

Ask a doctor to use for children under 6 months

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove.

Stop using and ask a doctor if rash occurs.

Keep out of reach of the children. If product is swallowed, get medical help or contact a poison control center right away.

Water, Cyclopentasiloxane, C12-15 Alkyl Benzoate, Glycerin, Dicaprylyl Carbonate, Bis-Ethylhexyloxyphenol, Methoxyphenyl Triazine, Cetyl PEG/PPG-10/1 Dimethicone, Isoamyl p-Methoxycinnamate, Niacinamide, Glyceryl Behenate/Eicosadioate, Distearidimonium Hectorite, Nylon-12, Cyclohexasiloxane, Ozokerite, Sodium Chloride, Polyhydroxystearic Acid, Sorbitan Isostearate, Hydrogen Dimethicone, Triethyl Citrate, Phenoxyethanol

Dimethicone Crosspolymer, Aluminum Stearate, Trimethylsiloxysilicate, Butylene Glycol, Alumina, Ethylhexylglycerin, Snail Secretion Filtrate, Tocopheryl Acetate, Sodium Hyaluronate, Silkworm Cocoon Extract, Propolis Extract, Beta-Glucan, Adenosine, Disodium EDTA, Ethyl Hexanediol, 1,2-Hexanediol, Fragrance

WIKLAR

WIKLAR
UV COVER SHIELD CREAM

50⁺
SPF 50+ PA+++

Drug Facts	
Active Ingredients	Purposes
Octinoxate 7.00%	Sunscreen
Zinc Oxide 4.60%	Sunscreen
Octisalate 4.50%	Sunscreen
Titanium Dioxide 1.00%	Sunscreen
Uses	
<ul style="list-style-type: none"> Helps prevent sunburn 	
Directions	
<ul style="list-style-type: none"> Apply liberally 15 minutes before sun exposure. Reapply at least every two hours. Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: 1) Limited time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses. Ask a doctor to use for children under 6 months. 	
Warnings	
<ul style="list-style-type: none"> For external use only. Do not use on damaged or broken skin. Stop using and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. 	
Inactive ingredients	
Water, Cyclopentasiloxane, C12-15 Alkyl Benzoate, Glycerin, Dicaprylyl Carbonate, Bis-Ethylhexyloxyphenol, Methoxyphenyl Triazine, Ethylhexyl Salicylate, Bis-Ethylhexyloxyphenol, Methoxyphenyl Triazine, Niacinamide, Glyceryl Behenate/Eicosadiolate, Methylhexylsiloxane, Cetyl PEG/PPG-10/1 Dimethicone, Isoamyl p-Methoxycinnamate, Niacinamide, Glyceryl Behenate/Eicosadiolate, Ozokerite, Distearidimonium Hectorite, Nylon-12, Cyclohexasiloxane, Ozokerite, Sodium Chloride, Polyhydroxystearic Acid, Sorbitan Isostearate, Hydrogen Dimethicone, Triethyl Citrate, Phenoxylethanol, Dimethicone Crosspolymer, Aluminum Stearate, Trimethylsilyloxyacetate, Butylene Glycol, Alumina, Ethylhexylglycerin, Snail Secretion Filtrate, Tocopheryl Acetate, Sodium Hyaluronate, Silkworm Cocoon Extract, Propolis Extract, Beta-Glucan, Adenosine, Disodium EDTA, Ethyl Hexanediol, 1,2-Hexanediol, Fragrance	
Other Information	
<ul style="list-style-type: none"> Protect the product in this container from excessive heat and direct sunlight. 	

Ingredients Water, Cyclopentasiloxane, Ethylhexyl Methoxycinnamate, C12-15 Alkyl Benzoate, Glycerin, Dicaprylyl Carbonate, Zinc Oxide, Ethylhexyl Salicylate, Bis-Ethylhexyloxyphenol, Methoxyphenyl Triazine, Cetyl PEG/PPG-10/1 Dimethicone, Isoamyl p-Methoxycinnamate, Niacinamide, Glyceryl Behenate/Eicosadiolate, Distearidimonium Hectorite, Nylon-12, Cyclohexasiloxane, Titanium Dioxide, Ozokerite, Sodium Chloride, Polyhydroxystearic Acid, Sorbitan Isostearate, Hydrogen Dimethicone, Triethyl Citrate, Phenoxylethanol, Dimethicone Crosspolymer, Aluminum Stearate, Trimethylsilyloxyacetate, Butylene Glycol, Alumina, Ethylhexylglycerin, Snail Secretion Filtrate, Tocopheryl Acetate, Sodium Hyaluronate, Silkworm Cocoon Extract, Propolis Extract, Beta-Glucan, Adenosine, Disodium EDTA, Ethyl Hexanediol, 1,2-Hexanediol, Fragrance

Small Secretion Filtrate / Propolis Extract / Sodium Hyaluronate / beta-Glucan / Niacinamide / Adenosine / Vitamin E Acetate

WIKLAR
UV COVER SHIELD CREAM
[SPF 50+ PA+++]

ANTI-WRINKLE CREAM

- Anti-Wrinkle Effect
- Skin Brightening Effect
- UVA & UVB Double Blocking
- Anti-Pollution Solution
- Nutrition & Moisture Supply
- Water-Soluble Propolis

Sunscreen

50g / 1.69 Oz.

50g / 1.69oz [제조번호 및 사용기한] 별도표기
1828 9131 뒤 822 표기 [제조사] Fampinkorea Co., Ltd.
25, Oongsangmyeong 1-ro, Osong-eup, Heungdeok-gu,
Cheongju-si, Chungcheongbuk-do, Republic of Korea
[고객상담실] 070-43484159 / www.fampinkorea.com
MADE IN KOREA



WIKLAR UV COVER SHIELD

octinoxate, zinc oxide, octisalate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71460-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.5 g in 50 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	2.3 g in 50 g
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	2.25 g in 50 g
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	0.5 g in 50 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
GLYCERIN (UNII: PDC6A3C0OX)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
BEMOTRIZINOL (UNII: PWZ1720CBH)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
AMILOXATE (UNII: 376KTP06K8)	
NIACINAMIDE (UNII: 25X51I8RD4)	
GLYCERYL BEHENATE/EICOSADIOATE (UNII: 73CJJ317SR)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
NYLON-12 (UNII: 446U8J075B)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CERESIN (UNII: Q1LS2UJO3A)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM OXIDE (UNII: LM26O6933)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
BOMBYX MORI FIBER (UNII: 6LK42KUV6W)	
PROPOLIS WAX (UNII: 6Y8XYV2NOF)	
ADENOSINE (UNII: K72T3FS567)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHOHEXADIOL (UNII: M9JGK7U88V)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71460-001-02	1 in 1 CARTON	06/14/2018	

1	NDC:71460-001-01	50 g in 1 CONTAINER; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC monograph not final	part352		06/14/2018	

Labeler - Fanipinkorea Co., Ltd. (688227653)

Registrant - Fanipinkorea Co., Ltd. (688227653)

Establishment			
Name	Address	ID/FEI	Business Operations
Fanipinkorea Co., Ltd.		688227653	manufacture(71460-001)

Revised: 6/2018

Fanipinkorea Co., Ltd.