

**CHILDRENS MUCUS RELIEF COUGH - dextromethorphan hydrobromide, guaifenesin liquid**  
**Chain Drug Consortium, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Active ingredients**

**Drug Facts**

**Active ingredients (in each 5 mL teaspoonful)**

Dextromethorphan HBr 5 mg

Guaifenesin 100 mg

**Purpose**

Cough suppressant

Expectorant

**Keep out of reach of children**

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control center right away.

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps to loosen phlegm (mucus) and thin bronchial secretions to drain the bronchial tubes

**Warnings**

**Do not use**

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or a pharmacist before taking this product.

**Ask a doctor before use if the child has**

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

**When using this product**

- do not use more than directed

**Stop use and ask a doctor if**

- cough lasts more than 7 days, comes back or occurs with fever, rash, or persistent headache.
- These could be signs of a serious condition.

**Directions**

- do not take more than 6 doses in any 24-hour period

age	dose
children 6 years to under 12 years	1-2 teaspoonfuls (tsps) every 4 hours
children 4 years to under 6 years	½ -1 teaspoonful (tsp) every 4 hours
children under 4 years	do not use

**Other information**

each teaspoon contains: sodium 3 mg

- store between 20-25 ° C (68-77° F)
- do not refrigerate
- dosage cup provided
- **Keep carton for full directions for use**

**Inactive ingredients**

citric acid anhydrous, dextrose, D and C Red # 33, FD and C Red # 40, flavors, glycerin, maltitol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucralose, Xanthan gum

**Questions?**

Call weekdays from 9:30 AM to 4:30 PM EST

**1-877-798-5944**

**Product Label**

**NDC 68016-158-04**

**\*COMPARE TO THE ACTIVE INGREDIENTS IN CHILDRENS MUCINEX® COUGH**

**Premier Value®**

**Childrens  
Mucus Relief  
COUGH**

Dextromethorphan HBr ..... Cough Suppressant

Guaifenesin ..... Expectorant

Relieves Chest Congestion  
Thins and Loosens Mucus

Alcohol Free  
For Ages 4 to 12

Cherry Flavor

4 FL OZ (118mL)

**INDEPENDENTLY TESTED SATISFACTION GUARANTEED PV  
DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING**

\*This product is not manufactured or distributed by Reckitt Benckiser Inc. distributor of Mucinex®  
Cough

If for Any reason you are not satisfied with this product, please return it to the store where purchased  
for a full refund.

**DISTRIBUTED BY  
CHAIN DRUG CONSORTIUM  
3301 NW BOCA RATON BLVD  
SUITE 101, BOCA RATON, FL 33431**

BX-015

DO NOT USE IF PRINTED SEAL  
UNDER CAP IS TORN OR MISSING

## Drug Facts

### Active Ingredients Purpose (in each 5 mL teaspoonful)

Dextromethorphan HBr, USP 5 mg... Cough suppressant  
Guaifenesin, USP 100 mg.....Expectorant

### Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain the bronchial tubes

### Warnings

**Do not use** in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

### Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

### When using this product

- do not use more than directed

### Stop use and ask a doctor if

- cough lasts more than 7 days, comes back or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- do not take more than 6 doses in any 24-hour period

age	dose
children 6 years to under 12 years	1-2 teaspoonfuls (tsps) every 4 hours
children 4 years to under 6 years	½ -1 teaspoonful (tsp) every 4 hours
children under 4 years	do not use

### Other information

- each teaspoon contains: sodium 3 mg
- store between 20-25° C (68-77° F)
- do not refrigerate
- dosage cup provided
- Keep carton for full directions for use

### Drug Facts (continued)

#### Inactive ingredients

Anhydrous citric acid, dextrose, D&C Red # 33, FD&C Red # 40, flavors, glycerin, maltitol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucralose, xanthan gum

**Questions?** Call weekdays from 9:30 AM to 4:30 PM EST **1-877-798-5944**

\*This product is not manufactured or distributed by Reckitt Benckiser Inc., distributor of Children's Mucinex® Cough



If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.

DISTRIBUTED BY  
CHAIN DRUG CONSORTIUM  
3301 NW BOCA RATON BLVD  
SUITE 101, BOCA RATON, FL 33431

BX-015

NDC 68016-158-04  
\*COMPARE TO THE ACTIVE INGREDIENTS  
IN CHILDREN'S MUCINEX® COUGH

## Children's Mucus Relief

### COUGH

Dextromethorphan HBr.....Cough Suppressant  
Guaifenesin.....Expectorant

Relieves Chest Congestion  
Thins & Loosens Mucus

Alcohol-Free  
For Ages 4 to 12

Cherry Flavor

4 FL OZ (118 mL)

## CHILDRENS MUCUS RELIEF COUGH

dextromethorphan hydrobromide, guaifenesin liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-158
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
DEXTROSE (UNII: IY9XDZ35W2)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
MALTITOL (UNII: D65DG142WK)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

## Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY (Cherry Flavor)	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-158-04	118 mL in 1 BOTTLE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/01/2012	

**Labeler** - Chain Drug Consortium, LLC (101668460)

**Registrant** - AptaPharma Inc. (790523323)

## Establishment

Name	Address	ID/FEI	Business Operations
AptaPharma Inc.		790523323	manufacture(68016-158)