ALLERGY- diphenhydramine hydrochloride tablet Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meijer Distribution, Inc. Allergy Tablets Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itchy nose or throat
- temporarily relieves these symptoms of the common cold:
- runny nose
- sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- each tablet contains: calcium 20 mg
- store at 20-25°C (68-77°F). Avoid high humidity. Protect from light.
- do not use if blister unit is broken or torn

Inactive ingredients

carnauba wax, crospovidone, D&C red no. 27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, pregelatinized starch, stearic acid, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

meijer_® Compare to Benadryl[®] active ingredient MULTI-SYMPTOM allergy tablets

Diphenhydramine HCl 25 mg | Antihistamine RELIEF OF: Sneezing; Itchy, Watery Eyes; Runny Nose & Itchy Throat 24 Tablets | actual size



	Important: Read all product information before using. Kee p this box for important information.	
47962	Drug Facts	
Ê	Act ive ingredient (in each tablet) Purpose Diphenhydramine HCl 25 mgAntbhistamine	J
C11	Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: unny nose sneezing itchy, watery eyes itching of the nose or throat temporarily relieves these symptoms due to the common cold: nunny nose sneezing	RECLOSING TAB
OPE	<i>Warnings</i> Do not use ■ to make a child sleepy ■ with any oth o r product containing diphenhydramine, even one used on skin	SIN
OPEN OTHER	Ask a do c'or before use if you have ■ a breathing problem such as emphysema or chionic bronchitis ■ trouble urhating due to an enlarged prostate gland	CLO CLO
	Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers	#I)
F	When using this product ■ marked drows hess may occur ■ avoid abolic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children	
Par END	If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1 222).	CONVENIENT
	Directions • take every 4 to 6 hours, or as directed by a doctor • do not take more than 6 doses in 24 hours	ź I
	adults and children 12 years and over 1 to 2 tablets	ō
	children 6 to un der 1 2 years 1 tablet	0
	children under 6 years do not use	
	Other information ■ each tablet contains: calcium 20 mg ■ store at 20-25°C (68-77°F). Av dd high hum blity. Protect from Ight. ■ do not use if blister unit is broken or tom	
C.	Drug Facts (continued) PID 462396	
	Inactive ingredients carnauba wax, crospovidon e, D&C red no. 27 alum hum lake, dibasic calcium phosphate dihyd rate,	
$\left - \left(+ \right) \right\rangle$	h ypromellose, magnesium stearate, microcrystalline cellulose,	
$ \Psi $	p diveth viene glycol, polysorbate 80, pregelatinized starch, stearic acid, tit anium dioxide	
	Questions or comments?1-800-719-9260 7 08820 83342 5	

ALLERGY

diphenhydramine hydrochloride tablet

Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:4125	NDC:41250-479	
Route of Administration	ORAL					
Active Ingredient/Active	Moiety					
					Strength	
DIPHENHYDRAMINE HYDROCHI (DIPHENHYDRAMINE - UNII:8GTS82	RIDE (UNII: TC2D6JAD40) DIPHENHYDRAMINE		25 mg			
Inactive Ingredients						
	Ingredient Name			S	trength	
CARNAUBA WAX (UNII: R12CBM0	EIZ)					
CROSPOVIDONE (15 MPA.S AT	5%) (UNII: 68401960MK)					
-						
D&C RED NO. 27 (UNII: 2LRS185	U6K)					

MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	

Product Characteristics

Color	PINK (dark)	Score	no score
Shape	OVAL	Size	10mm
Flavor		Imprint Code	L479;25
Contains			

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:41250-479- 62	24 in 1 CARTON	09/06/1991			
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product				
2	NDC:41250-479- 67	48 in 1 CARTON	03/12/1998			
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product				
3	NDC:41250-479- 78	1 in 1 CARTON	05/27/1993			
3		100 in 1 BOTTLE; Type 0: Not a Combination Product				
4	NDC:41250-479- 53	12 in 1 CARTON	07/06/2018	09/30/2021		
4		1 in 1 BLISTER PACK; Type 0: Not a Combination Product				
M	Marketing Information					
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
01	C monograph fin	al part341	09/06/1991			

Labeler - Meijer Distribution Inc (006959555)

Revised: 7/2023

Meijer Distribution Inc