

VIATREXX-PIGMENTATION- adrenal, azelaic, copper, cutis, cysteine, epithelial gf, fumaric acid, glutathione, glycolic acid, kalium aspariticum, lymph node, melanine, natrum oxalaceticum, natrum pyruvicum, phenylalanine, quinhydrone, succinic acid, thuja, tyrosine, vitamin c, zinc spray
VIATREXX BIO INCORPORATED

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Pigmentation

Active Ingredients

Adrenal (30K), Azelaic (30K), Copper (200K), Cutis (30K), Cysteine (30K), Epithelial GF (200K) Fumaric acid (30K) Glutathione (200K), Glycolic acid (30K) Kalium aspariticum (30K) Lymph node (8X, 200K), Melanine (200K), Natrum Oxalicum (30K), Natrum Pyruvicum (30K), Phenylalanine (200K), Quinhydrone (30K), Succinic acid (30K), Thuja (30K), Tyrosine (30K), Vitamin C (8X, 30K), Zinc (30K).

Purpose

Adrenal	Adrenal support
Azelaic	Adaptogen
Copper	Nutritional support
Cutis	Regeneration
Cystein	Drainage
Epithelial GF	Regeneration
Fumaric acid	Cell respiration
Glutathione	Anti-oxidant
Glycolic acid	Cell respiration
Kalium aspariticum	Cell respiration
Lymph node	Immune support
Melanine	Neurological support
Natrum Oxalicum	Cell respiration
Natrum Pyruvicum	Cell respiration
Phenylalanine	Amino Acid Support
Quinhydrone	Cell respiration
Succinic acid	Cell respiration
Thuja	Drainage
Tyrosine	Amino Acid Support
Vitamin C	Nutritional support
Zinc	Neurological support

Description

Viatrex-Pigmentation is a homeopathic product composed of physiological (low dose and low low dose) natural micro nutrients. These nano particles are designed to nourish the system.

Uses

Skin Issues

Warnings

Stop use and ask a health care practitioner if symptoms persist for more than 5 days or worsen. If pregnant or breastfeeding, ask a health care practitioner before use.

Keep this and all medicines out of reach of children.

Dosage

1-5 spray(s); 1-3 time(s) per day or as recommended by your health care practitioner.

Inactive Ingredients

Alcohol 20% and Water 80%

Keep this and all medicines out of reach of children.

Product availability

Product may be acquired in 0.5, 30 ,50, 100, 250, 500, 1,000 mL bottles.

Other Information

Normal storage use.

Do not use if tamper-evident seal is broken or removed.

To report SUSPECTED ADVERSE REACTIONS, contact the FDA at 1-800-FDA-1088 or www.fda.gov/medwatch

Distributed by

Viatrex Bio Incorporated

Newark, DE, USA, 19713

Manufactured by

8046255 Canada Inc

Beloil, Qc, J3G 6S3

Date of last revision March 2019

For Questions and comments

Info@Viatrex.com

www.Viatrexx.com

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

NDC: 63776-410-11

Item: VPC0550

Viatrexx Bio Incorporated

Viatrexx-Pigmentation

0.5 mL ampule

For Oral and Topical Use

Expiry date:

Lot #:

Manufactured for:

Viatrexx Bio Incorporated Newark, DE, USA, 19713

www.Viatrexx.com

Ingredients, homeopathic

See insert or www.viatrexx.com

Inactives: Alcohol 20%, Water 80%

NDC: 63776-410-14

Item: VPC0550

Viatrexx Bio Incorporated

Viatrexx-Pigmentation

30 mL spray bottle

For Oral and Topical Use

Expiry date:

Lot #:

Manufactured for:

Viatrexx Bio Incorporated Newark, DE, USA, 19713

www.Viatrexx.com

Ingredients, homeopathic

See insert or www.viatrexx.com

Inactives: Alcohol 20%, Water 80%

ITEM: VPC0550
NDC: 63776-410-15

Pigmentation



INDICATIONS: Skin issues

Adrenal, Azealic, Cutis, Cystien, Fumaric acid, Glycolic acid, Kalium aspariticum, Krebs, Nat oxali, Nat pyruvi, Quinhydrone, Succinic acid, Thuja, Tyrosine, ZN(30K), CU, Epithelial GF, Glutahione, Melanine, Phenylalanin(200K), Lymph(8X, 200K), Vitamin C(8X, 30K). Inactive ingredients: 20% Ethanol and 80% water.

Do not use if tamper-evident seal is broken or removed.

50 mL/1.7 oz
Homeopathic



iatrex
Bio Incorporated

Mfg. by/ par Viatrex
www.viatrex.com
Phone: 888.743.6652

Product manufactured in accordance with the HPUS/ Not evaluated by the FDA

Directions:
1-5 spray/s:
1-3 time/s per day or
as recommended
by your health
practitioner

Warnings:
Stop use and ask a
health care practitioner
if symptoms persist for
more than 5 days or
worsen. If pregnant or
breadt-feeding, ask a
health care practitioner
before use. **Keep this
and all medicines** out
of reach of children.

Normal storage use.

NDC: 63776-410-15
Item: VPC0550

Viatrex Bio Incorporated

Viatrex-Pigmentation
50 mL spray bottle
For Oral and Topical Use

Expiry date: Lot #:

Manufactured for:
Viatrex Bio Incorporated Newark, DE, USA, 19713
www.Viatrex.com

Ingredients, homeopathic

See insert or www.viatrex.com

Inactives: Alcohol 20%, Water 80%

NDC: 63776-410-16
Item: VPC0550

Viatrex Bio Incorporated

Viatrex-Pigmentation
100 mL bottle
For Oral and Topical Use

Expiry date: Lot #:

Manufactured for:
Viatrexx Bio Incorporated Newark, DE, USA, 19713
www.Viatrexx.com

Ingredients, homeopathic

See insert or www.viatrexx.com

Inactives: Alcohol 20%, Water 80%

NDC: 63776-410-17

Item: VPC0550

Viatrexx Bio Incorporated

Viatrexx-Pigmentation 250 mL bottle

For Oral and Topical Use

Expiry date: Lot #:

Manufactured for:
Viatrexx Bio Incorporated Newark, DE, USA, 19713
www.Viatrexx.com

Ingredients, homeopathic

See insert or www.viatrexx.com

Inactives: Alcohol 20%, Water 80%

VIATREXX-PIGMENTATION

adrenal, azelaic, copper, cutis, cysteine, epithelial gf, fumaric acid, glutathione, glycolic acid, kalium aspariticum, lymph node, melanine, natrum oxalaceticum, natrum pyruvicum, phenylalanine, quinhidrone, succinic acid, thuja, tyrosine, vitamin c, zinc spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63776-410
Route of Administration	ORAL, TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Sus Scrofa Adrenal Gland (UNII: 398IYQ16YV) (Sus Scrofa Adrenal Gland - UNII:398IYQ16YV)	Sus Scrofa Adrenal Gland	30 [kp_C] in 1 mL
Bos Taurus Adrenal Gland (UNII: M2776SWB29) (Bos Taurus Adrenal Gland - UNII:M2776SWB29)	Bos Taurus Adrenal Gland	30 [kp_C] in 1 mL
Azelaic Acid (UNII: F2VW3D43YT) (Azelaic Acid - UNII:F2VW3D43YT)	Azelaic Acid	30 [kp_C] in 1 mL

Bos Taurus Skin (UNII: 7J12CD6O9L) (Bos Taurus Skin - UNII:7J12CD6O9L)	Bos Taurus Skin	50 [kp_C] in 1 mL
Copper (UNII: 789U1901C5) (Copper - UNII:789U1901C5)	Copper	200 [kp_C] in 1 mL
Cysteine (UNII: K848JZ4886) (Cysteine - UNII:K848JZ4886)	Cysteine	30 [kp_C] in 1 mL
Fumaric Acid (UNII: 88XHZ13131) (Fumaric Acid - UNII:88XHZ13131)	Fumaric Acid	30 [kp_C] in 1 mL
Glutathione (UNII: GAN16C9B8O) (Glutathione - UNII:GAN16C9B8O)	Glutathione	200 [kp_C] in 1 mL
Glycolic Acid (UNII: 0WT12SX38S) (Glycolic Acid - UNII:0WT12SX38S)	Glycolic Acid	30 [kp_C] in 1 mL
Potassium Aspartate (UNII: OC4598NZEQ) (Aspartic Acid - UNII:30KYC7MAI)	Potassium Aspartate	30 [kp_C] in 1 mL
Nepidermin (UNII: TZK30RF92W) (Nepidermin - UNII:TZK30RF92W)	Nepidermin	200 [kp_C] in 1 mL
Sus Scrofa Lymph Vessel (UNII: SFL7R07748) (Sus Scrofa Lymph Vessel - UNII:SFL7R07748)	Sus Scrofa Lymph Vessel	200 [kp_C] in 1 mL
Bos Taurus Lymph Vessel (UNII: 85I1Z426OV) (Bos Taurus Lymph Vessel - UNII:85I1Z426OV)	Bos Taurus Lymph Vessel	200 [kp_C] in 1 mL
Sodium Diethyl Oxalacetate (UNII: 6CA025Y4FG) (Diethyl Oxalacetate - UNII:15S56468G7)	Sodium Diethyl Oxalacetate	30 [kp_C] in 1 mL
Sodium Pyruvate (UNII: POD38AIF08) (Pyruvic Acid - UNII:8558G7RUTR)	Sodium Pyruvate	30 [kp_C] in 1 mL
Phenylalanine (UNII: 47E5O17Y3R) (Phenylalanine - UNII:47E5O17Y3R)	Phenylalanine	200 [kp_C] in 1 mL
Quinhydrone (UNII: P4A66LQ3QJ) (Hydroquinone - UNII:XV74C1N1AE)	Quinhydrone	30 [kp_C] in 1 mL
Succinic Acid (UNII: AB6MNO6J6L) (Succinic Acid - UNII:AB6MNO6J6L)	Succinic Acid	30 [kp_C] in 1 mL
Thuja Occidentalis Leafy Twig (UNII: 1NT28V9397) (Thuja Occidentalis Leafy Twig - UNII:1NT28V9397)	Thuja Occidentalis Leafy Twig	30 [kp_C] in 1 mL
Tyrosine (UNII: 42HK56048U) (Tyrosine - UNII:42HK56048U)	Tyrosine	30 [kp_C] in 1 mL
Ascorbic Acid (UNII: PQ6CK8PD0R) (Ascorbic Acid - UNII:PQ6CK8PD0R)	Ascorbic Acid	30 [kp_C] in 1 mL
Zinc (UNII: J41CSQ7QDS) (Zinc - UNII:J41CSQ7QDS)	Zinc	30 [kp_C] in 1 mL
Melanin Synthetic (Tyrosine, Peroxide) (UNII: O0CV1RMR44) (Melanin Synthetic (Tyrosine, Peroxide) - UNII:O0CV1RMR44)	Melanin Synthetic (Tyrosine, Peroxide)	200 [kp_C] in 1 mL
Sus Scrofa Skin (UNII: 3EM4VW6TQN) (Sus Scrofa Skin - UNII:3EM4VW6TQN)	Sus Scrofa Skin	30 [kp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Alcohol (UNII: 3K9958V90M)	
Water (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63776-410-15	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/29/2019	
2	NDC:63776-410-11	0.5 mL in 1 AMPULE; Type 0: Not a Combination Product	03/29/2019	

3	NDC:63776-410-16	100 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/29/2019	
4	NDC:63776-410-17	250 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/29/2019	
5	NDC:63776-410-18	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/29/2019	
6	NDC:63776-410-19	1000 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/29/2019	
7	NDC:63776-410-14	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/29/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/29/2019	

Labeler - VIATREXX BIO INCORPORATED (078419880)

Establishment

Name	Address	ID/FEI	Business Operations
8046255 Canada Inc		200651455	api manufacture(63776-410) , label(63776-410) , manufacture(63776-410) , pack(63776-410) , sterilize(63776-410)

Revised: 3/2019

VIATREXX BIO INCORPORATED