\_\_\_\_\_

#### 1123B-PRV-2020-0903

#### **Drug Facts**

Active ingredients (in<br/>each caplet)PurposeAcetaminophen 325 mgPain reliever/fever<br/>reducerPhenylephrine HCl 5 mgNasal decongestant

#### Uses

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
  - headache
  - sinus congestion and pressure
  - nasal congestion
  - minor aches and pains
- helps decongest sinus openings and passages
- promotes sinus drainage
- helps clear nasal passages
- temporarily reduces fever

#### Warnings

#### Liver warning

This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg acetaminophen) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

## Allergy alert

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

## Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

# Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

## When using this product do not exceed recommended dosage

## Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

## Keep out of reach of children.

## **Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## Directions

## do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul> <li>take 2 caplets every 4 hours</li> <li>swallow whole; do not crush, chew, or dissolve</li> <li>do not take more than 10 caplets in 24 hours</li> </ul>
children under	<ul> <li>ask a doctor</li> </ul>

#### Other information

- store between 20-25°C (68-77°F) in a dry place
- retain carton for complete product information and warnings

#### Inactive ingredients

acesulfame potassium, colloidal silicon dioxide, croscarmellose sodium, crospovidone, D&C yellow #10 aluminum lake, FD&C blue #1 aluminum lake, FD&C red #40 aluminum lake, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, propylene glycol, stearic acid, talc, titanium dioxide

#### **Questions or comments?**

1-844-705-4384

### PRINCIPAL DISPLAY PANEL

Premier Value®

COMPARE TO THE ACTIVE INGREDIENTS IN TYLENOL® SINUS + HEADACHE

FOR ADULTS

NON-DROWSY

DAYTIME

Sinus + Headache

Acetaminophen, Phenylephrine HCl

Pain Reliever / Fever Reducer

Nasal Decongestant

Relieves:

- Sinus Headache
- Sinus Pressure & Nasal Congestion

ACTUAL SIZE

24 COOL TASTE CAPLETS

	NC	DAYTIME Sinus + Headache Acetaminophen, Phenylephrine HCI	
NC	Data facts (continued)       Data facts (continued)         Internings       Internings       Internings         Interning       Interning       Interning         Interning       Interning       Interning       Interning         Interning       Interning       Interning       Interning         Interning       Interning       Interning       Interning         Interning       Interning       Interning       Interning         Intenterli	<text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text>	Drug Facts     Drug Facts       Active ingredients (in each caplet)     Purpose Purpose Reservence Prenyfephnie H0.5 mg     Drug Facts (continued)       Prenyfephnie H0.5 mg     reach caplet)     Purpose Purpose       Prenyfephnie H0.5 mg     reach caplet)     Purpose Purpose       Bestack     = starts congestion     = starts congestion       Prenyfephnie H0.5 mg     = holdsche     = starts congestion       Uses     = nonorestant     = holdsche       Uses     = promotes starts deringe     = holdsche       Uses     = promotes starts deringe     = nelps clear resal passages

## SINUS AND HEADACHE

acetaminophen and phenylephrine hydrochloride tablet, coated

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (S	iource)	NDC:6801	.6-174
Route of Administration	ORAL				
Active Ingredient/Active	Moiety				
Ingre	dient Name		Basis of Str	ength	Strength
PHENYLEPHRINE HYDROCHLORI UNII:1WS297W6MV)	<b>DE</b> (UNII: 04JA59TNSJ) (PHE	NYLEPHRINE -	PHENYLEPHRINE HYDROCHLORIDE		5 mg
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)		ll:362O9ITL9D)	ACETAMINOPHEN		325 mg
Inactive Ingredients					
	Ingredient Name			St	rength
SILICON DIOXIDE (UNII: ETJ7Z6XB	U4)				
CROSCARMELLOSE SODIUM (UN	II: M28OL1HH48)				
<b>CROSPOVIDONE, UNSPECIFIED</b>	(UNII: 2S7830E561)				

D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
ACESULFAME POTASSIUM (UNII: 230V73Q5G9)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: 08232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

#### **Product Characteristics**

Color	green	Score	no score
Shape	OVAL	Size	17mm
Flavor	MINT	Imprint Code	AAA;1123
Contains			

## Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date
<b>1</b> NDC:68016- 174-24	2 in 1 CARTON	09/01/2020	04/30/2026
1	12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing	Information		
Marketing Marketing Category	Information Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

## Labeler - CHAIN DRUG CONSORTIUM (101668460)

Revised: 10/2024

CHAIN DRUG CONSORTIUM