

**FIFTHPULSE HYDROCORTISONE- hydrocortisone ointment**  
**WeCare Products LLC**

-----  
**FifthPulse Hydrocortisone Cream**

***Drug Facts***

***Active ingredient***

Hydrocortisone 1%

***Purpose***

Anti-itch

***Uses***

For temporary relief of itching associated with minor skin irritations, inflammation and rashes due to:

- eczema • insect bites • poison ivy • poison oak • poison sumac • soaps • detergents
- cosmetics • jewelry • seborrheic dermatitis • psoriasis • external feminine, genital and anal itching

Other uses of this product should be only under the advice and supervision of a doctor

***Warnings***

**For external use only.**

**Do not use**

- for the treatment of diaper rash, consult a doctor.
- for external genital itching if you have vaginal discharge. consult a doctor.

**When using this product**

- avoid contact with eyes. • do not begin the use of any other hydrocortisone product unless you have consult a doctor. • for external genital, feminine and anal itching do not exceed the recommended daily dosage unless directed by a doctor. • do not put this product into the rectum by using fingers or any mechanical device or applicator.

**Stop using this product and ask a doctor if:**

- condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and do not begin use of any other hydrocortisone product unless directed by a doctor.

**Keep out of the reach of children.**

If swallowed, get medical help or contact a Poison Control Center immediately.

***Directions*****Adults and children 2 years and older**

- apply to affected area not more than 3 to 4 times daily.

**Children under 2 years of age**

- do not use, consult a doctor.

**For external and anal itching**

- adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly or blotting with tissue or a soft cloth before application of this product.
- Children under 12 years of age with external anal itching:consult a doctor.

***Other information***

- Store at controlled room temperature 20° - 25° C (68° - 77° F)
- Close cap tightly after use.

***Inactive ingredients***

Aloe barbadensis leaf juice, Cetyl alcohol, Edetate disodium, Methylparaben, Mineral oil, Mono-and di-glycerides, Petrolatum, Polysorbate 60, Propylene glycol, Propylparaben, Purified water, Sorbitan monostearate.

***Questions or Comments?***

Please call 1-888-209-5201

**Package Labeling:**

**When using this product**  
 • avoid contact with the eyes. • do not begin the use of any other hydrocortisone product unless you have consulted a doctor. • for external genital, feminine and anal itching do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, stop use, consult a doctor. • do not put this product into the rectum by using fingers or any mechanical device or applicator.

**Stop using this product and ask a doctor if:** ▶

**Other information**  
 store at controlled room temperature 20° - 25°C (68° - 77°F)

**Inactive ingredients**  
 Aloe barbadensis leaf juice, Cetyl alcohol, Edetate disodium, Methylparaben, Mineral oil, Mono-and di-glycerides, Petrolatum, Polysorbate 60, Propylene glycol, Propylparaben, Purified water, Sorbitan monostearate.

**Questions or Comments?**  
 Please call 1-888-209-5201

This product is not manufactured or distributed by Chattem, Inc, distributor of Cortizone-10®.

Made in China

FifthPulse

LOT:  
EXP:



NDC: 69571-014-01

**Effective Relief Of Itches & Rashes Due To:**

- Eczema • Seborrheic Dermatitis • Psoriasis • Insect Bites
- Poison Ivy, Oak, and Sumac • External Feminine, Genital and Anal Itching
- Soaps • Cosmetics • Detergents • and more

FifthPulse

**Hydrocortisone Cream**

**1%** ANTIPRURITIC (Anti-Itch)  
Relieves Itch Fast

\*Compare to Cortizone 10 Active Ingredient

FifthPulse

Net wt. 1oz (28.4g)

Manufactured for:  
 WeCare Products LLC  
 20000 NE 15th Ct.  
 Miami, FL 33179

**Drug Facts**  
**Active ingredient**  
 Hydrocortisone 1%  
**Purpose**  
 Anti-Itch

**Uses**  
 For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to:  
 • eczema • insect bites • poison ivy • poison oak • poison sumac  
 • soaps • detergents • cosmetics • jewelry • seborrheic dermatitis  
 • psoriasis • external feminine, genital and anal itching  
 Other use of this product should be only under the advice and supervision of a doctor.

**Warnings**  
**For external use only**  
**Do not use**  
 • for the treatment of diaper rash, consult a doctor.  
 • for external genital itching if you have a vaginal discharge, consult a doctor.

**Drug Facts (continued)**  
 • conditions worsen • symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and do not begin use of any other hydrocortisone product unless directed by a doctor.  
**Keep out of the reach of children.**  
 If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions**  
**Adults and children 2 years and older**  
 • apply to affected area not more than 3 to 4 times daily.  
 Children under 2 years of age  
 • do not use, consult a doctor.  
**For external and anal itching**  
 • adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly or by patting or blotting with toilet tissue or a soft cloth before application of this product.  
 • children under 12 years of age with external anal itching: consult a doctor.



# Hydrocortisone Cream

NDC:69571-014-01

Net wt. 1oz (28.4g)

**1%** ANTIPRURITIC (Anti-Itch)  
Relieves Itch Fast

\*Compare to Cortizone 10 Active Ingredient

**Active Ingredient**

Hydrocortisone 1%

**Purpose**

Anti-Itch

**Uses**

For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to:

- eczema • insect bites • poison ivy • poison oak • poison sumac
- soaps • detergents • cosmetics • jewelry • seborrheic dermatitis
- psoriasis • external feminine, genital and anal itching

Other use of this product should be only under the advice and supervision of a doctor.

**Warnings: For external use only**

**Do not use** • for the treatment of diaper rash, consult a doctor. • for external genital itching if you have a vaginal discharge, consult a doctor.

**When using this product:** • avoid contact with the eyes. • do not begin the use of any other hydrocortisone product unless you have consulted a doctor.

• for external genital, feminine and anal itching do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, stop use, consult a doctor. • do not put this product into the rectum by using fingers or any mechanical device or applicator.

**Stop using this product and ask a doctor if:** • conditions worsen ▶

• symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and do not begin use of any other hydrocortisone product unless directed by a doctor.

**Keep out of the reach of children.**

If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions: Adults and children 2 years and older:** • apply to affected area not more than 3 to 4 times daily.

**Children under 2 years of age:** • do not use, consult a doctor.

**For external and anal itching:**

• adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly or by patting or blotting with toilet tissue or a soft cloth before application of this product.

• children under 12 years of age with external anal itching: consult a doctor.

**Other information:** store at controlled room temperature 20° - 25°C (68° - 77°F)

**Inactive ingredients:** Aloe barbadensis leaf juice, Cetyl alcohol, Edetate disodium, Methylparaben, Mineral oil, Mono-and di-glycerides, Petrolatum, Polysorbate 60, Propylene glycol, Propylparaben, Purified water, Sorbitan monostearate.

Questions or Comments?  
Please call 1-888-209-5201

Manufactured for:  
WeCare Products LLC  
20000 NE 15th CT,  
Miami, FL 33179

## Package Labeling:

<b>Drug Facts</b>	
<b>Active ingredient</b> Hydrocortisone 1%	<b>Purpose</b> Anti-Itch
<b>Uses</b> For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to: • eczema • insect bites • poison ivy • poison oak • poison sumac • soaps • detergents • cosmetics • jewelry • seborrheic dermatitis • psoriasis • external feminine, genital and anal itching Other use of this product should be only under the advice and supervision of a doctor.	
<b>Warnings</b> <b>For external use only</b> <b>Do not use</b> • for the treatment of diaper rash, consult a doctor. • for external genital itching if you have a vaginal discharge, consult a doctor.	

<b>Drug Facts (continued)</b> • conditions worsen • symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and do not begin use of any other hydrocortisone product unless directed by a doctor. <b>Keep out of the reach of children.</b> If swallowed, get medical help or contact a Poison Control Center immediately.
<b>Directions</b> <b>Adults and children 2 years and older</b> • apply to affected area not more than 3 to 4 times daily. <b>Children under 2 years of age</b> • do not use, consult a doctor. <b>For external and anal itching</b> • adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly or by patting or blotting with toilet tissue or a soft cloth before application of this product. • children under 12 years of age with external anal itching: consult a doctor.

<b>When using this product</b> • avoid contact with the eyes. • do not begin the use of any other hydrocortisone product unless you have consulted a doctor. • for external genital, feminine and anal itching do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, stop use, consult a doctor. • do not put this product into the rectum by using fingers or any mechanical device or applicator.
<b>Stop using this product and ask a doctor if:</b> ▶

<b>Other information</b> store at controlled room temperature 20° - 25°C (68° - 77°F)
<b>Inactive ingredients</b> Aloe barbadensis leaf juice, Cetyl alcohol, Edetate disodium, Methylparaben, Mineral oil, Mono-and di-glycerides, Petrolatum, Polysorbate 60, Propylene glycol, Propylparaben, Purified water, Sorbitan monostearate.
<b>Questions or Comments?</b> Please call 1-888-209-5201

This product is not manufactured or distributed by Chatten, Inc, distributor of Cortizone-10®.



**Manufactured for:**  
WeCare Products LLC  
20000 NE 15th CT,  
Miami, FL 33179

Made in China



LOT:  
EXP:



NDC: 69571-015-01

**Effective Relief Of Itches & Rashes Due To:**

- Eczema • Seborrheic Dermatitis • Psoriasis
- Insect Bites • Poison Ivy, Oak, and Sumac
- External Feminine, Genital and Anal Itching
- Soaps • Cosmetics • Detergents • and more



**Hydrocortisone Cream**

**1%** ANTIPRURITIC (Anti-Itch)  
Relieves Itch Fast

\*Compare to Cortizone 10 Active Ingredient



Net wt. 4oz (113.4g)



# Hydrocortisone Cream

NDC:69571-015-01

Net wt. 4oz (113.4g)

1%

ANTIPRURITIC (Anti-Itch)  
Relieves Itch Fast

\*Compare to Cortizone 10 Active Ingredient

**Active ingredient**

Hydrocortisone 1%

**Purpose**

Anti-Itch

**Uses**

For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to:

- eczema • insect bites • poison ivy • poison oak • poison sumac
- soaps • detergents • cosmetics • jewelry • seborrheic dermatitis
- psoriasis • external feminine, genital and anal itching

Other use of this product should be only under the advice and supervision of a doctor.

**Warnings: For external use only**

**Do not use** • for the treatment of diaper rash, consult a doctor, • for external genital itching if you have a vaginal discharge, consult a doctor.

**When using this product:** • avoid contact with the eyes, • do not begin the use of any other hydrocortisone product unless you have consulted a doctor, • for external genital, feminine and anal itching do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, stop use, consult a doctor. • do not put this product into the rectum by using fingers or any mechanical device or applicator.

**Stop using this product and ask a doctor if:** • conditions worsen ▶

- symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and do not begin use of any other hydrocortisone product unless directed by a doctor.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions: Adults and children 2 years and older:** • apply to affected area not more than 3 to 4 times daily.

**Children under 2 years of age:** • do not use, consult a doctor.

**For external and anal itching:**

- adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly or by patting or blotting with toilet tissue or a soft cloth before application of this product.

- children under 12 years of age with external anal itching: consult a doctor.

**Other information:** store at controlled room temperature 20° - 25°C (68° - 77°F)

**Inactive ingredients:** Aloe barbadensis leaf juice, Cetyl alcohol, Edetate disodium, Methylparaben, Mineral oil, Mono-and di-glycerides, Petrolatum, Polysorbate 60, Propylene glycol, Propylparaben, Purified water, Sorbitan monostearate.

Manufactured for:  
WeCare Products LLC  
20000 NE 15th CT,  
Miami, FL 33179

Questions or Comments?  
Please call 1-888-209-5201

## FIFTHPULSE HYDROCORTISONE

hydrocortisone ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87525-003
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYDROCORTISONE</b> (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITAN MONOSTEARATE</b> (UNII: NVZ4I0H58X)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87525-003-01	1 in 1 BOX	04/30/2026	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:87525-003-02	1 in 1 BOX	04/30/2026	
2		113.4 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/30/2026	

**Labeler** - WeCare Products LLC (085508446)

**Registrant** - WeCare Products LLC (085508446)

Revised: 4/2026

WeCare Products LLC