

**DAYTIME COUGH CONGESTION NIGHTTIME COLD COUGH- dextromethorphan
hbr, guaifenesin, diphenhydramine hcl
KinderFarms, LLC**

Drug Facts

Active ingredient Daytime (in each 5 mL)

Dextromethorphan HBr USP, 5 mg

Guaifenesin USP, 100 mg

Active ingredient Nighttime (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purposes for Day Time

Cough suppressant

Expectorant

Purposes for Night Time

Antihistamine/Cough suppressant

Uses

Daytime

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help your child get to sleep

Nighttime

- temporarily relieves:
 - sneezing
 - runny nose
 - itching of the nose or throat
 - itchy, watery eyes due to hay fever or other upper respiratory allergies
 - the impulse to cough
 - cough to help you get to sleep
 - cough due to minor throat and bronchial irritation as may occur with cold or inhaled irritants

- the intensity of coughing

Warnings

Do not use

DAYTIME

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

NIGHTTIME

- in a child under 4 years of age
- with any other product containing diphenhydramine even one used on the skin
- for the purpose of making your child sleepy

Ask a doctor before use your child has

DAYTIME

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such occurs with asthma

NIGHTTIME

- glaucoma
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occur with smoking, asthma, or emphysema
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if the child is

NIGHTTIME

taking sedatives or tranquilizers.

When using this product

Nighttime

- do not exceed recommended dosage
- marked drowsiness may occur
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase the drowsiness effect
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

DAYTIME

cough lasts more than 7 days, comes back, or occurs with a fever, rash, or headache that lasts. These could be signs of a serious condition.

NIGHTTIME

cough persists for more than 1 weeks, tend to recur, or is accompanied by fever, rash or persistent headache. A persistent cough may be a sign of a serious condition

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Daytime

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Nighttime

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Daytime

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- shake well before using

age	dose
children 6 to under 12 years	5-10 mL every 4 hours
children 4 to under 6 years	2.5-5 mL every 4 hours
children under 4 years	do not use

Nighttime

- adults and children 6 years and over: do not exceed more than 6 doses in 24 hour unless directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- shake well before using
- mL = milliliter

Age	Dose
adults and children 12 years of age and over	10 mL every 4 hours
children 6 to under 12 years of age	5 mL every 4 hours

children 4 to under 6 years of age	do not use unless directed by a doctor
children under 4 years of age	do not use

Other information

Daytime

- store between 20-25°C (68°-77°F).
- Do not refrigerate.

Nighttime

- store between 20-25°C (68-77°F).
- Do not refrigerate
- protect from light

Inactive ingredients

Day Time

Organic agave syrup, non-GMO citric acid, glycerin, organic natural flavors, purified water

Night Time

Organic agave syrup, non-GMO citric acid, organic natural flavors, purified water

Questions or comments?

Call **424-235-0355**

Principal Display Panel

Same active ingredients as Mucinex Children's® Cough

KIDS' COUGH & CONGESTION Ages 4-11 yrs

Dextromethorphan HBr 5 mg per 5 mL

Cough Suppressant

Guaifenesin 100 mg per 5 mL

Expectorant

Organic Berry Flavor

DOSING CUP INCLUDED

FL OZ (mL)

keep outer carton for complete warnings and product information

KIDS' Ages 6+

NIGHTTIME

COLD & COUGH

Diphenhydramine HCl 12.5 mg per 5 mL

Antihistamine/Cough Suppressant

Organic Cherry Flavor

DOSING CUP INCLUDED

fl oz (mL)

DO NOT TAKE KIDS' COUGH & CONGESTION AND KIDS' NIGHTTIME COLD & COUGH AT THE SAME TIME.

TAMPER EVIDENT: BOTTLE IS SAFETY SEALED WITH A PERFORATED BAND AROUND BOTTLE. DO NOT USE IF BOTTLE SEAL IS DISTURBED OR MISSING.

.†THIS PRODUCT IS NOT MANUFACTURED OR DISTRIBUTED BY RB HEALTH (US) LLC, DISTRIBUTOR OF MUCINEX CHILDREN'S® COUGH

DISTRIBUTED BY: KinderFarm®

Redondo Beach, CA 90277

Product Label

KIDS' COUGH & CONGESTION

Keep outer carton for complete warnings and product information.

Drug Facts

Active ingredients (in each 5 mL)
 Dextromethorphan HBr USP, 5 mg.....Cough suppressant
 Guaifenesin USP, 100 mg.....Expectorant

Purposes

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to not the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the intensity of cough to help your child get to sleep

Warnings

Do not use

- in a child under 4 years of age
- with any other product containing diphenhydramine, even one used on skin
- for the purpose of making your child sleepy

Ask a doctor before use if you have

- glaucoma
- asthma, or emphysema
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- do not exceed recommended dosage
- marked drowsiness may occur
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase the drowsiness effect
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

do not take more than 6 doses in any 24-hour period

measure only with dosing cup provided. Do not use any other dosing device.

Keep dosing cup with product

shake well before using

Age

Age	Dose
children 6 to under 12 years	5-10 mL every 4 hours
children 4 to under 6 years	2.5-5 mL every 4 hours
children under 4 years	do not use

Other information

- store between 20-25°C (68-77°F)
- do not refrigerate

Inactive ingredients Organic agave syrup, non-GMO citric acid, glycerin, organic natural flavors, purified water

KIDS' NIGHTTIME COLD & COUGH

Keep outer carton for complete warnings and product information.

Drug Facts

Active ingredient (in each 5 mL)
 Diphenhydramine HCl 12.5 mg.....Antihistamine/
 Cough suppressant

Purposes

Uses

- temporarily relieves:
 - sneezing
 - runny nose
 - itching of the nose or throat
 - itchy, watery eyes due to hay fever or other upper respiratory allergies
 - the impulse to cough
 - cough to help you get to sleep
 - cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants
 - the intensity of coughing

Warnings

Do not use

- in a child under 4 years of age
- with any other product containing diphenhydramine, even one used on skin
- for the purpose of making your child sleepy

Ask a doctor before use if you have

- glaucoma
- asthma, or emphysema
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- do not exceed recommended dosage
- marked drowsiness may occur
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase the drowsiness effect
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

do not take more than 6 doses in any 24-hour period

measure only with dosing cup provided. Do not use any other dosing device.

Keep dosing cup with product

shake well before using

Age

Age	Dose
adults and children 12 years of age and over	10 mL every 4 hours
children 6 to under 12 years of age	5 mL every 4 hours
children 4 to under 6 years of age	do not use unless directed by a doctor
children under 4 years of age	do not use

Other information

- store between 20-25°C (68-77°F)
- do not refrigerate
- protect from light

Inactive ingredients organic agave syrup, non-GMO citric acid, organic natural flavors, purified water

OUR STORY

We founded **KinderFarms®** to make the clean and effective health products we wanted for our own families available to everyone. By offering values-driven options that are backed by science, and giving back to our communities, we promise to do our part to create a kinder future for every family.

Jessica Biel
Jessica Biel
 Co-founder and Parent

JOIN US

www.kinderfarms.com

PARENTS:
 Learn about how medicine should be used.
 www.StepMedicine.com

KIDS' NIGHTTIME COLD & COUGH

Drug Facts (continued)

Age	Dose
adults and children 12 years of age and over	10 mL every 4 hours
children 6 to under 12 years of age	5 mL every 4 hours
children 4 to under 6 years of age	do not use unless directed by a doctor
children under 4 years of age	do not use

Other information

- store between 20-25°C (68-77°F)
- do not refrigerate
- protect from light

Inactive ingredients organic agave syrup, non-GMO citric acid, organic natural flavors, purified water

TAMPER EVIDENT: BOTTLE IS SAFETY SEALED WITH A PERFORATED BAND AROUND BOTTLE. DO NOT USE IF BOTTLE SEAL IS DISTURBED OR MISSING.

DO NOT TAKE KIDS' COUGH & CONGESTION AND KIDS' NIGHTTIME COLD & COUGH AT THE SAME TIME.

DISTRIBUTED BY: KinderFarms®
 Ratonado Beach, CA 90277 USA
 kinderfarms.com

QUESTIONS?
 helio@kinderfarms.com
 or call 424-258-0385

KinderMed

DAY & NIGHT

KIDS' Ages 4-11 yrs.
COUGH & CONGESTION

Dextromethorphan HBr
 5 mg per 5 mL
 Cough Suppressant

Guaifenesin
 100 mg per 5 mL
 Expectorant

Organic Berry Flavor

DOSING CUP INCLUDED

NO DYES. NO ARTIFICIAL FLAVORS. NO ARTIFICIAL SWEETENERS.

4 FL OZ (118 mL)

KIDS' Ages 6 yrs.+
NIGHTTIME COLD & COUGH

Diphenhydramine HCl
 12.5 mg per 5 mL
 Antihistamine/Cough Suppressant

Organic Cherry Flavor

DOSING CUP INCLUDED

NO DYES. NO ARTIFICIAL FLAVORS. NO ARTIFICIAL SWEETENERS.

8 FL OZ (236 mL) TOTAL

Choose Kinder.

REAL MEDICINE
 Dextromethorphan HBr
 Guaifenesin

CLEANER INGREDIENTS*
 Organic Agave Syrup
 Organic Berry Flavor
 Non-GMO Citric Acid

REAL MEDICINE
 Diphenhydramine HCl

CLEANER INGREDIENTS*
 Organic Agave Syrup
 Organic Cherry Flavor
 Non-GMO Citric Acid

HIGHER STANDARDS

* THESE INGREDIENTS MEET ORGANIC OR NON-GMO QUALITY STANDARDS
 † THIS PRODUCT IS NOT MANUFACTURED OR DISTRIBUTED BY THE HEALTHY FOODS DISTRIBUTOR OF MILDRED CHILDREN'S™ COOLA

KIDS' COUGH & CONGESTION

Keep outer carton for complete warnings and product information.

Drug Facts

Active ingredients (in each 5 mL)
 Dextromethorphan HBr USP, 5 mg.....Cough suppressant
 Guaifenesin USP, 100 mg.....Expectorant

Purposes

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to not the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the intensity of cough to help your child get to sleep

Warnings

Do not use

- in a child under 4 years of age
- with any other product containing diphenhydramine, even one used on skin
- for the purpose of making your child sleepy

Ask a doctor before use if you have

- glaucoma
- asthma, or emphysema
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- do not exceed recommended dosage
- marked drowsiness may occur
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase the drowsiness effect
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

do not take more than 6 doses in any 24-hour period

measure only with dosing cup provided. Do not use any other dosing device.

Keep dosing cup with product

shake well before using

Age

Age	Dose
children 6 to under 12 years	5-10 mL every 4 hours
children 4 to under 6 years	2.5-5 mL every 4 hours
children under 4 years	do not use

Other information

- store between 20-25°C (68-77°F)
- do not refrigerate

Inactive ingredients Organic agave syrup, non-GMO citric acid, glycerin, organic natural flavors, purified water

KIDS' NIGHTTIME COLD & COUGH

Keep outer carton for complete warnings and product information.

Drug Facts

Active ingredient (in each 5 mL)
 Diphenhydramine HCl 12.5 mg.....Antihistamine/
 Cough suppressant

Purposes

Uses

- temporarily relieves:
 - sneezing
 - runny nose
 - itching of the nose or throat
 - itchy, watery eyes due to hay fever or other upper respiratory allergies
 - the impulse to cough
 - cough to help you get to sleep
 - cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants
 - the intensity of coughing

Warnings

Do not use

- in a child under 4 years of age
- with any other product containing diphenhydramine, even one used on skin
- for the purpose of making your child sleepy

Ask a doctor before use if you have

- glaucoma
- asthma, or emphysema
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- do not exceed recommended dosage
- marked drowsiness may occur
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase the drowsiness effect
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

do not take more than 6 doses in any 24-hour period

measure only with dosing cup provided. Do not use any other dosing device.

Keep dosing cup with product

shake well before using

Age

Age	Dose
adults and children 12 years of age and over	10 mL every 4 hours
children 6 to under 12 years of age	5 mL every 4 hours
children 4 to under 6 years of age	do not use unless directed by a doctor
children under 4 years of age	do not use

Other information

- store between 20-25°C (68-77°F)
- do not refrigerate
- protect from light

Inactive ingredients organic agave syrup, non-GMO citric acid, organic natural flavors, purified water

TAMPER EVIDENT: BOTTLE IS SAFETY SEALED WITH A PERFORATED BAND AROUND BOTTLE. DO NOT USE IF BOTTLE SEAL IS DISTURBED OR MISSING.

DO NOT TAKE KIDS' COUGH & CONGESTION AND KIDS' NIGHTTIME COLD & COUGH AT THE SAME TIME.

DISTRIBUTED BY: KinderFarms®
 Ratonado Beach, CA 90277 USA
 kinderfarms.com

QUESTIONS?
 helio@kinderfarms.com
 or call 424-258-0385

KinderMed

DAY & NIGHT

KIDS' Ages 4-11 yrs.
COUGH & CONGESTION

Dextromethorphan HBr
 5 mg per 5 mL
 Cough Suppressant

Guaifenesin
 100 mg per 5 mL
 Expectorant

Organic Berry Flavor

DOSING CUP INCLUDED

NO DYES. NO ARTIFICIAL FLAVORS. NO ARTIFICIAL SWEETENERS.

4 FL OZ (118 mL)

KIDS' Ages 6 yrs.+
NIGHTTIME COLD & COUGH

Diphenhydramine HCl
 12.5 mg per 5 mL
 Antihistamine/Cough Suppressant

Organic Cherry Flavor

DOSING CUP INCLUDED

NO DYES. NO ARTIFICIAL FLAVORS. NO ARTIFICIAL SWEETENERS.

8 FL OZ (236 mL) TOTAL

KINDERMED Kids Cough & Congestion Kids Nighttime Cold & Cough

DAYTIME COUGH CONGESTION NIGHTTIME COLD COUGH

dextromethorphan hbr, guaifenesin, diphenhydramine hcl kit

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82673-901

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82673-901-08	1 in 1 KIT; Type 0: Not a Combination Product	05/30/2024	

Quantity of Parts		
Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, PLASTIC	118 mL
Part 2	1 BOTTLE, PLASTIC	118 mL

Part 1 of 2

MUCUS RELIEF COUGH AND CONGESTION CHILDRENS

dextromethorphan hbr, guaifenesin liquid

Product Information

Item Code (Source) NDC:82673-102

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
AGAVE TEQUILANA JUICE (UNII: GVG8G0207O)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KOOR)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82673-102-04	1 in 1 BOX		
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/30/2024	

Part 2 of 2

NIGHTTIME COLD AND COUGH

diphenhydramine hcl liquid

Product Information

Item Code (Source) NDC:82673-191

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
AGAVE TEQUILANA JUICE (UNII: GVG8G0207O)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
WATER (UNII: 059QF0K00R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82673-191-04	1 in 1 BOX		
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/30/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/30/2024	

Labeler - KinderFarms, LLC (075458767)

Revised: 9/2024

KinderFarms, LLC