METZ SOFT KOTE TEATSPRAY- chlorhexidine solution Surpass Chemical. Company, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Metz Soft Kote Teat Spray

SOFT KOTE TEAT SPRAY

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE PRODUCT #: 630950

DIRECTIONS:

Immediately after each milking dip each teat in undiluted North Country Dairy Supply METZ Soft Kote Teat Spray. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution.

At the end of lactation, the teat should be dipped with North Country Dairy Supply METZ Soft Kote Teat Spray for four days after the last milking.

Teat should be thoroughly washed and dried before milking using a North Country Dairy Supply Predip and individual towels.

PRECAUTIONARY STATEMENTS Prevention

Obtain special instructions before use.

INGREDIENTS:

ACTIVE: Chlorhexidine digluconate 0.5%

3% Emollients

FIRST AID:

IF SPLASHED IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

IF ON SKIN (or hair): Wash skin with soap and water.

IF INHALED: Remove to fresh air.

IF SWALLOWED: Drink plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If symptons persist, call a physician.

BEFORE USING THIS MATERIAL, READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.

Surpass Chemical Company, Inc. **Phone:** (518) 434-8101

24 HOUR EMERGENCY ASSISTANCE:

www.surpasschemical.com **Fax:** (518) 434-2798

CHEMTREC 1-800-424-9300

1254 Broadway Albany NY, 12204 **Email:** customerservice@surpasschemical.com

KEEP OUT OF REACH OF CHILDREN!


KEEP OUT OF REACH OF CHILDREN!



SOFT-KOTE TEAT SPRAY



AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS



DIRECTIONS

Immediately after each milking dip each teat in undiluted North Country Dairy Supply METZ Soft Kote Spray, Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution. At the end of lactation, the teat should be dipped with North Country Dairy Supply METZ Soft Kote Spray for four days after the last milking

Teat should be thoroughly washed and dried before milking using a North Country Dairy Supply Predip and individua

INGREDIENTS

ACTIVE: Chlorhexidine digluconate 0.5%

PRECAUTIONARY STATEMENTS
Prevention Obtain special instructions before use

IF SPLASHED IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician IF ON SKIN (or hair): Wash skin with soap and water

IF INHALED: Remove to fresh air

IF SWALLOWED: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person



Surpass Chemical Company, Inc. www.surpasschemical.com 1254 Broadway Albany NY, 12204 Phone: (518) 434-8101

merservice@surpasschemical.com Fax: (518) 434-2798

BEFORE USING THIS MATERIAL, READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.

24 HOUR EMERGENCY ASSISTANCE: CHEMTREC 1-800-424-9300

NPE



SOFT-KOTE TEAT SPRAY

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS

DIRECTIONS

Immediately after each milking dip each teat in undiluted North Country Dairy Supply METZ Soft Kote Spray. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution At the end of lactation, the teat should be dipped with North Country Dairy Supply METZ Soft Kote Spray for four days after the last milking.

Teat should be thoroughly washed and dried before milking using a North Country Dairy Supply Predip and individual

INGREDIENTS
ACTIVE: Chlorhexidine digluconate 0.5%
3% Emollients

NET	
CONTENTS:	

PRECAUTIONARY STATEMENTS

Obtain special instructions before use

IF SPLASHED IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

IF ON SKIN (or hair): Wash skin with soap and water IF INHALED: Remove to fresh air.

IF SWALLOWED: Rinse mouth immediately and drink plenty of water. Never give anything



KEEP OUT OF REACH OF CHILDREN!

Surpass Chemical Company, Inc. www.surpasschemical.com 1254 Broadway Albany NY, 12204 Phone: (518)434-8101 Email: customerservice@surpasschemical.com Fax: (518) 434-2798

24 HOUR EMERGENCY ASSISTANCE: CHEMTREC 1-800-424-9300

BEFORE USING THIS MATERIAL, READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.



SOFT-KOTE TEAT SPRAY



AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS



DIRECTIONS

mmediately after each milking dip each teat in undiluted North Country Dairy Supply METZ Soft Kote Spray. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution. At the end of lactation, the teat should be dipped with North Country Dairy Supply METZ Soft Kote Spray for four days after the last milking.

Teat should be thoroughly washed and dried before milking using a North Country Dairy Supply Predip and individual

ACTIVE: Chlorhexidine digluconate 0.5%

3% Emollients

PRECAUTIONARY STATEMENTS

Prevention Obtain special instructions before use

FIRST AID

IF SPLASHED IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

IF ON SKIN (or hair): Wash skin with soap and water IF INHALED: Remove to fresh air

IF SWALLOWED: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an



Surpass Chemical Company, Inc. w.surpasschemical.co 1254 Broadway Albany NY 12204

Phone: (518) 434-8101 Email: customerservice@surpasschemical.com Fax: (518) 434-2798 BEFORE USING THIS MATERIAL, READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.

24 HOUR EMERGENCY ASSISTANCE: CHEMTREC 1-800-424-9300



SOFT-KOTE TEAT SPRAY

KEEP OUT OF REACH OF CHILDREN!

PRODUCT #: 630950



AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS

DIRECTIONS

Immediately after each milking dip each teat in undituted North Country Dairy Supply METZ Soft Kote Spray. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution At the end of lactation, the teat should be dipped with North Country Dairy Supply METZ Soft Kote Spray for four days after the last milking.

Teat should be thoroughly washed and dried before milking using a North Country Dairy Supply Predip and individual

INGREDIENTS

ACTIVE: Chlorhexidine digluconate 0.5%

3% Emollients



PRECAUTIONARY STATEMENTS

Obtain special instructions before use

FIRST AID

IF SPLASHED IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes and

IF ON SKIN (or hair): Wash skin with soap and water.
IF INHALED: Remove to fresh air.

IF SWALLOWED: Rinse mouth immediately and drink plenty of water. Never give anything

Surpass Chemical Company, Inc. www.surpasschemical.com 1254 Broadway Albany NY, 12204
Phone: (518)434-8101
Email: customerservice@surpasschemical.com
Fax: (518) 434-2798

24 HOUR EMERGENCY ASSISTANCE: CHEMTREC 1-800-424-9300

BEFORE USING THIS MATERIAL, READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.

METZ SOFT KOTE TEATSPRAY

chlorhexidine solution

Product Information

Product Type OTC ANIMAL DRUG **Item Code (Source)** NDC:86067-0128

Route of Administration Topical

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE (UNII: R4KO0DY52L) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE	0.005 kg in 1 kg

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)	0.9547 kg in 1 kg		
C9-11 PARETH-8 (UNII: 80E6PSE1XL)	0.01 kg in 1 kg		
GLYCERIN (UNII: PDC6A3C0OX)	0.03 kg in 1 kg		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	0.0002 kg in 1 kg		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	0.0001 kg in 1 kg		

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:86067-0128-1	19.05 kg in 1 PAIL			
2	NDC:86067-0128-2	57.15 kg in 1 DRUM			
3	NDC:86067-0128-3	114.76 kg in 1 DRUM			
4	NDC:86067-0128-4	210.01 kg in 1 DRUM			
5	NDC:86067-0128-5	1222.43 kg in 1 CONTAINER			

Marketing Information				
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date	
unapproved drug other		11/05/2024		

Labeler - Surpass Chemical. Company, Inc. (002075133)

Establishment					
	Name	Address	ID/FEI	Business Operations	
Surpass Chemical.	Company, Inc.		002075133	manufacture, api manufacture	

Revised: 5/2024 Surpass Chemical. Company, Inc.