

SHISEIDO WASO SHIKULIME COLOR CONTROL- avobenzene, homosalate, octisalate, octocrylene, cream
Shiseido Americas Corporation

SHISEIDO WASO SHIKULIME COLOR CONTROL

Drug Facts

Active Ingredients	Purpose
AVOBENZONE 2.3%	Sunscreen
HOMOSALATE 10%	Sunscreen
OCTISALATE 5.0%	Sunscreen
OCTOCRYLENE 5.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Co

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sun screen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2p.m.
 - wear long-sleeve shirts, pant, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER □ BUTYLENE GLYCOL □ CAPRYLYL METHICONE □ SILICA □ GLYCERIN □ SD ALCOHOL 40-B □ CETYL PEG/PPG-10/1 DIMETHICONE □ DIPROPYLENE GLYCOL □ ZEA MAYS (CORN) STARCH □ POLYBUTYLENE GLYCOL/PPG-9/1 COPOLYMER □ ERYTHRITOL □ C30-45 ALKYL METHICONE □ PEG-150 □ TREHALOSE □ SODIUM CHLORIDE □ PYRUS MALUS (APPLE) FRUIT WATER □ CITRUS DEPRESSA PEEL EXTRACT □ C30-45 OLEFIN □ CELLULOSE GUM □ TRISODIUM EDTA □ BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 □ POLYESTER-1 □ SILICA DIMETHYL SILYLATE □ ALUMINUM HYDROXIDE □ ALCOHOL □ POLYSILICONE-2 □ SODIUM METABISULFITE □ PHENOXYETHANOL □ TITANIUM DIOXIDE □ IRON OXIDES □ MICA □

Other Information

- protect this product in this container fro excessive heat and direct sun.
- cap contains natural materials that may change color/texture over time. This doesn't affect product quality. Wipe any liquid or dirt off the cap and store in a dry area.

Questions or Comments?

Call toll free-1-800-906-7503

PRINCIPLE DISPLAY PANEL- 50 mL

WASO

SHISEIDO

GINZA TOKYO

SHIKULIME

COLOR CONTROL

OIL-FREE MOISTURIZER

BROAD SPECTRUM

SPF 30

42x37x130.5

1 2 3 4 5 6 7 8 9 0

Drug Facts

Active ingredients Purpose
 AVOBENZONE 2.3% Sunscreen
 HOMOSALATE 10.0% ... Sunscreen
 OCTISALATE 5.0% Sunscreen
 OCTOCRYLENE 5.0% ... Sunscreen

Uses
 ■ helps prevent sunburn
 ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Do not use on damaged or broken skin
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
 For sunscreen use:
 ■ apply liberally 15 minutes before sun exposure
 ■ use a water resistant sunscreen if swimming or sweating
 ■ reapply at least every 2 hours
Sun Protection Measures.
 Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 ■ children under 6 months: Ask a doctor

Drug Facts (continued)

Inactive ingredients
 WATER-BUTYLENE GLYCOL
 CAPRYLYL METHICONE/SILICA
 GLYCERIN 5D ALCOHOL 40-B
 CETYL PEG/PPG-10/1 DIMETHICONE
 DIPROPYLENE GLYCOL
 ZEA MAYS (CORN) STARCH
 POLYBUTYLENE GLYCOL/PPG-9/1 COPOLYMER
 ERYTHRITOL
 C30-45 ALKYL METHICONE
 PEG-150
 TREHALOSE SODIUM CHLORIDE
 PYRUS MALUS (APPLE) FRUIT WATER
 CITRUS DEPRESSA PEEL EXTRACT
 C30-45 OLEFIN CELLULOSE GUM
 TRISODIUM EDTA
 BIS-BUTYLDIMETHICONE
 POLYGLYCERYL-3
 POLYESTER-1
 SILICA DIMETHYL SILYLATE
 ALUMINUM HYDROXIDE ALCOHOL
 POLYSILOXANE-2
 SODIUM METABISULFITE
 PHENOXYETHANOL
 TITANIUM DIOXIDE
 IRON OXIDES-MICA

Other Information
 ■ protect this product in this container from excessive heat and direct sun.
 ■ cap contains natural materials that may change color/texture over time. This doesn't affect product quality. Wipe any liquid or dirt off the cap and store in a dry area.

Questions or Comments?
 Call toll free 1-800-906-7503

<M100208-811>





SHIKULIME

COLOR CONTROL
 OIL-FREE MOISTURIZER

BROAD SPECTRUM
 SPF 30
 SUNSCREEN

BARRIER BALANCE



50mL NET WT. 1.8 OZ.



COLOR CONTROL OIL-FREE MOISTURIZER. An oil-free, tinted moisturizer that syncs to your skin tone. Blurs imperfections, and protects against UV. Barrier-balancing Shikiwasa Lime helps to promote good skin conditions to resist problems. For both normal and oily skin. Smooth evenly over face each morning after cleansing. For all skin types. Non-comedogenic. Won't clog pores. Dermatologist and Ophthalmologist tested.

Specialty formulated by Shiseido Laboratories, Japan.





*See our website for more information.
 **30% upcycled rice husk for outer cap.

FSC H12XW26.25

SUNSCREEN

BARRIER BALANCE

50mL NET WT. 1.8 OZ.

SHISEIDO WASO SHIKULIME COLOR CONTROL

avobenzone, homosalate, octisalate, octocrylene, cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-965
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.24959 g in 50 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	5.433 g in 50 mL
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	2.7165 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2.7165 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)	
SILICA (UNII: ETJ7Z6XBU4)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
ZEA MAYS (CORN) STARCH (UNII: O8232NY3SJ)	
ERYTHRITOL (UNII: RA96B954X6)	
C30-45 ALKYL METHICONE (UNII: NFX970DSI2)	
PEG-150 (UNII: Q0JET65GEL)	
TREHALOSE (UNII: B8WCK70T7I)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
APPLE FRUIT OIL (UNII: 9NT987I3A8)	
TANGERINE PEEL (UNII: JU3D414057)	
C30-45 OLEFIN (UNII: 6DWD51M0O8)	
CELLULOSE GUM (UNII: K679OBS311)	
TRISODIUM EDTA (UNII: 420IP921MB)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALCOHOL (UNII: 3K9958V90M)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MICA (UNII: V8A1AW0880)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-965-60	1 in 1 BOX	02/06/2028	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2021	

Labeler - Shiseido Americas Corporation (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	manufacture(58411-965) , analysis(58411-965)

Revised: 2/2026

Shiseido Americas Corporation