DIBUCAINE TOPICAL ANESTHETIC 1% HEMORRHOIDAL- dibucaine ointment Rugby Laboratories Inc.

Dibucaine Topical Anesthetic 1% Hemorrhoidal Ointment

Drug Facts

Active ingredient

Dibucaine 1%

Purpose

Local Anesthetic

Use

• temporarily relieves pain and itching due to hemorrhoids and other anorectal disorders

Warnings

For external use only.

Allergy Alert

• Certain persons can develop allergic reactions to ingredients in this product. If the symptoms being treated does not subside or if redness, irritaion, swelling, bleeding or other symptoms develop or increase, discontinue use and ask a doctor.

Do not use

- in or near the eyes
- in children under 2 years of age

When using this product

- do not use more than directed unless directed by a doctor.
- do not put this product into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days

If pregnant or breast-feeding

ask a health care professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a poison control center (1-800-222-1222) right away.

Directions

- adults and children 12 years and over: If possible, clean the affected area with mild soap and warm water and rinse thoroughly. Dry by patting or blotting with toilet tissue or a soft cloth before applying.
- apply externally to the affected area up to 3 to 4 times daily.
- children under 12 years of age: ask a doctor

Other information

- Store at 20 °-25 ° C (68 °-77 ° F)
- tamper-evident: do not use if foil seal is broken or missing

undefined

Lanolin, Light Mineral Oil, Purified Water, White Petrolatum

Questions or comments?

call 1-800-639-3803

Package Labeling:



DIBUCAINE TOPICAL ANESTHETIC 1% HEMORRHOIDAL

dibucaine ointment

| Product Type | | HUMAN OTC DRUG | Item Co | de (Source) | NDC | :0536-1211 |
|--|---|---|---------|------------------------|----------|---------------------|
| Route of Adminis | stration | TOPICAL | | | | |
| | | | | | | |
| Active Ingredie | ent/Active | Moiety | | | | |
| Ingredient Name | | | | Basis of Strength S | | Strength |
| DIBUCAINE (UNII: Le | 6JW2TJG99) (DIE | BUCAINE - UNII:L6JW2TJG99) | | DIBUCAINE | | 10 mg in 1 g |
| | | | | | | |
| Inactive Ingre | dients | | | | | |
| Ingredient Name | | | | | Strength | |
| LANOLIN (UNII: 7EV | | | | | | |
| LIGHT MINERAL OI | L (UNII: N6K578 | 37QVP) | | | | |
| | | | | | | |
| WATER (UNII: 059QF | |) | | | | |
| WATER (UNII: 059QI PETROLATUM (UNII | |) | | | | |
| | |) | | | | |
| PETROLATUM (UNII | |) | | | | |
| PETROLATUM (UNII Packaging | : 4T6H12BN9U |) :kage Description | M | arketing Start Date | Ma | rketing End Date |
| PETROLATUM (UNII Packaging # Item Code | : 4T6H12BN9U | | | - | Ma | - |
| PETROLATUM (UNII Packaging # Item Code I NDC:0536-1211- 95 | : 4T6H12BN9U) Pac 1 in 1 BOX | | 08/1 | Date | Ma | - |
| PETROLATUM (UNII Packaging # Item Code 1 NDC:0536-1211- | : 4T6H12BN9U) Pac 1 in 1 BOX 28 g in 1 TUBI | kage Description | 08/1 | Date | Ma | - |
| PETROLATUM (UNII Packaging Item Code NDC:0536-1211- 95 | 28 g in 1 TUBP Product | :kage Description E; Type 0: Not a Combinatio | 08/1 | Date | Ma | - |
| PETROLATUM (UNII Packaging # Item Code 1 NDC:0536-1211- 95 | AT6H12BN9U Pac 1 in 1 BOX 28 g in 1 TUBE Product nformat | :kage Description E; Type 0: Not a Combinatio | 08/1 | Date | | - |

Labeler - Rugby Laboratories Inc. (079246066)

Revised: 5/2025

Rugby Laboratories Inc.