

**PINWORM MEDICINE- pyrantel pamoate suspension  
REESE PHARMACEUTICAL CO.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Drug Facts**

**Active ingredient (in each mL)**

Pyrantel Pamoate 144mg/mL (the equivalent of 50mg pyrantel base)

**Purpose**

Anthelmintic

**Uses** for the treatment of pinworms

**Warnings Do not exceed recommended dosage**

**Ask a doctor before use if**

- you're pregnant
- have liver disease

**When using this product** abdominal cramps, nausea, vomiting, diarrhea, headache, or dizziness sometimes occur after taking this drug. If any of these symptoms persist, consult a doctor.

**Keep out of reach of children.** In case of overdose get medical help or contact a poison control center right away.

**Directions**

- **shake well before use**
- **read bottle label and package insert carefully before taking this medication**
- treat the entire household unless otherwise advised
- do not repeat treatment unless directed by a doctor
- this product can be taken any time of day, with or without meals. It may be taken alone or with milk or fruit juice. Use of a laxative is not necessary prior to, during or after medication
- if signs of pinworms persist after treatment, consult a doctor

---

**Weight**

Less than 25 lb. or under 2 yrs.old  
25-37 lb.  
38-62 lb.  
63-87 lb.  
88-112 lb.  
113-137 lb.  
138-162 lb.  
163-187 lb.

**Dosage** (taken as a single dose)

Do not use unless directed by a doctor  
1/2 teaspoonful  
1 teaspoonful  
1 1/2 teaspoonfuls  
2 teaspoonfuls  
2 1/2 teaspoonfuls  
3 teaspoonfuls  
3 1/2 teaspoonfuls

## Inactive ingredients

banana flavor, citric acid, glycerin, lecithin, magnesium aluminum silicate, methylcellulose, povidone, simethicone, sodium benzoate, sodium citrate, sodium saccharin, sorbitol, and water

**Uso**  
para el tratamiento de oxiuros

**Principio activo (por cada 1 mL) Acción terapéutica**  
(Equivalentes a 40 mg de pirantel base)  
pirantel pamoato

**Composición**  
PRECAUCIÓN: NO USAR SI EL TÍTULO IMPRESO EN EL ENVASE FALTA O ESTÁ BORRO.

**Drug Facts**  
**Active ingredient (in each 1 mL)** Purpose  
Pyrantel Pamoate 144 mg/mL Anthelmintic  
(the equivalent of 50mg pyrantel base)

**Uso**  
for the treatment of pinworms

**Composición (continuado)**

**Advertencias**  
No exceda la dosis recomendada.  
Consulte al médico antes de usar si:  
■ está embarazada  
■ padece de una enfermedad hepática.  
Puede presentar espasmos abdominales, náuseas, vómitos, diarrea, dolor de cabeza o mareos en ocasiones después de tomar este medicamento. Si cualquiera de estos síntomas persisten, consulte a su médico.

**Mantenga fuera del alcance de los niños.**  
En caso de sobredosis, busque ayuda médica o contacte un Servicio de Toxicología cuanto antes.

**Indicaciones** ■ agitar bien antes de usar ■ Lea la etiqueta del envase y el prospecto con atención antes de tomar este medicamento.  
■ Trate a toda la familia a menos que se lo recomiende lo contrario. Consulte la sección de advertencias. ■ No repita el tratamiento a menos que lo indique su médico.  
■ Puede tomar este medicamento a cualquier hora del día, con las comidas o solo. Lo puede tomar solo o con leche o jugo de frutas. No es necesario el uso de un laxante antes, durante o después de tomar el medicamento.  
■ Si los síntomas de oxiuros persisten después del tratamiento, consulte a su médico.

Peso	Dosis
Menos de 11 kilos o menor de 2 años	No lo use a menos que lo indique su médico
11 a 16 kg	1/2 cucharadita
17 a 28 kg	1 cucharadita
29 a 39 kg	1 1/2 cucharadita
40 a 50 kg	2 cucharadita
51 a 62 kg	2 1/2 cucharadita
63 a 73 kg	3 cucharadita
74 a 84 kg	3 1/2 cucharadita
85 kg y más	4 cucharadita

**Otra información** ■ Cada cucharadita contiene 4 mg de sodio.  
■ Almacenar entre 15 °C y 30 °C.

**Excipientes** sacarina de banana, ácido cítrico, glicérol, lactina, silicato de magnesio y aluminio, metilcelulosa, povidona, simeticona, benzoato de sodio, citrato de sodio, sacarina sódica, sorbitol y agua.

**GRADO DE CONCENTRACIÓN QUE REQUIERE RECETA MÉDICA**

**REESE'S PINWORM MEDICINE**

**TREATMENT FOR PINWORMS**

**Pyrantel Pamoate Suspension**

- Single Dose Effectiveness
- Measuring Cup Included
- Doctor Recommended

**FAMILY PACK**

**FOR THE ENTIRE FAMILY (AGES 2 & UP)**

**2 FL. OZ. (60 mL)**  
Contains Two (2) - 1 oz bottles.

This product contains 4 mg of sodium per teaspoon.

**REESE'S MEDICAMENTO CONTRA LOS OXIUROS**

**TRATAMIENTO PARA LOS OXIUROS**

**Suspensión de Pamoato de Pirantel**

- Efectividad Con Una Dosis Única
- Incluye Vaso Medidor
- Recomendado Por Médicos


**PAQUETE FAMILIAR**

**PARA TODA LA FAMILIA (DE 2 AÑOS EN ADELANTE)**

**60 ml**  
Contiene Dos (2) - botellas de 1 oz.

Este producto Contiene 4 mg de sodio por cucharadita

Distributed By  
Reese Pharmaceutical - 1-800-321-7178  
10617 Frank Ave., Cleveland, OH 44106  
www.reesepinworm.com  
info@reese pharmaceutical.com



0 23513 61821 0

**Drug Facts (continued)**

**Warnings**  
Do not exceed recommended dosage  
Ask a doctor before use if:  
■ you're pregnant  
■ have liver disease

When using this product abdominal cramps, nausea, vomiting, diarrhea, headache, or dizziness sometimes occur after taking the drug. If any of these symptoms persist consult a doctor.

**Keep out of reach of children.** In case of overdose get medical help or contact a poison control center right away.

**Directions** ■ shake well before use ■ read bottle label and package insert carefully before taking this medication ■ treat the entire household unless otherwise advised. See Warnings.  
■ do not repeat treatment unless directed by a doctor ■ this product can be taken any time of day, with or without meals. It may be taken alone or with milk or fruit juice. Use of a laxative is not necessary prior to, during or after medication.  
■ If signs of pinworms persist after treatment, consult a doctor.

Weight	Dosage
Less than 25 lb. or under 2 yrs. old	Do not use unless directed by a doctor
25-37 lb.	1/2 teaspoonful
38-49 lb.	1 teaspoonful
50-61 lb.	1 1/2 teaspoonfuls
62-73 lb.	2 teaspoonfuls
74-85 lb.	2 1/2 teaspoonfuls
86-97 lb.	3 teaspoonfuls
98-109 lb.	3 1/2 teaspoonfuls
110-121 lb.	4 teaspoonfuls
122-133 lb.	4 1/2 teaspoonfuls
134-145 lb.	5 teaspoonfuls
146-157 lb.	5 1/2 teaspoonfuls
158-169 lb.	6 teaspoonfuls
170-181 lb.	6 1/2 teaspoonfuls
182-193 lb.	7 teaspoonfuls
194-205 lb.	7 1/2 teaspoonfuls
206-217 lb.	8 teaspoonfuls
218-229 lb.	8 1/2 teaspoonfuls
230-241 lb.	9 teaspoonfuls
242-253 lb.	9 1/2 teaspoonfuls
254-265 lb.	10 teaspoonfuls
266-277 lb.	10 1/2 teaspoonfuls
278-289 lb.	11 teaspoonfuls
290-301 lb.	11 1/2 teaspoonfuls
302-313 lb.	12 teaspoonfuls
314-325 lb.	12 1/2 teaspoonfuls
326-337 lb.	13 teaspoonfuls
338-349 lb.	13 1/2 teaspoonfuls
350-361 lb.	14 teaspoonfuls
362-373 lb.	14 1/2 teaspoonfuls
374-385 lb.	15 teaspoonfuls
386-397 lb.	15 1/2 teaspoonfuls
398-409 lb.	16 teaspoonfuls
410-421 lb.	16 1/2 teaspoonfuls
422-433 lb.	17 teaspoonfuls
434-445 lb.	17 1/2 teaspoonfuls
446-457 lb.	18 teaspoonfuls
458-469 lb.	18 1/2 teaspoonfuls
470-481 lb.	19 teaspoonfuls
482-493 lb.	19 1/2 teaspoonfuls
494-505 lb.	20 teaspoonfuls
506-517 lb.	20 1/2 teaspoonfuls
518-529 lb.	21 teaspoonfuls
530-541 lb.	21 1/2 teaspoonfuls
542-553 lb.	22 teaspoonfuls
554-565 lb.	22 1/2 teaspoonfuls
566-577 lb.	23 teaspoonfuls
578-589 lb.	23 1/2 teaspoonfuls
590-601 lb.	24 teaspoonfuls
602-613 lb.	24 1/2 teaspoonfuls
614-625 lb.	25 teaspoonfuls
626-637 lb.	25 1/2 teaspoonfuls
638-649 lb.	26 teaspoonfuls
650-661 lb.	26 1/2 teaspoonfuls
662-673 lb.	27 teaspoonfuls
674-685 lb.	27 1/2 teaspoonfuls
686-697 lb.	28 teaspoonfuls
698-709 lb.	28 1/2 teaspoonfuls
710-721 lb.	29 teaspoonfuls
722-733 lb.	29 1/2 teaspoonfuls
734-745 lb.	30 teaspoonfuls
746-757 lb.	30 1/2 teaspoonfuls
758-769 lb.	31 teaspoonfuls
770-781 lb.	31 1/2 teaspoonfuls
782-793 lb.	32 teaspoonfuls
794-805 lb.	32 1/2 teaspoonfuls
806-817 lb.	33 teaspoonfuls
818-829 lb.	33 1/2 teaspoonfuls
830-841 lb.	34 teaspoonfuls
842-853 lb.	34 1/2 teaspoonfuls
854-865 lb.	35 teaspoonfuls
866-877 lb.	35 1/2 teaspoonfuls
878-889 lb.	36 teaspoonfuls
890-901 lb.	36 1/2 teaspoonfuls
902-913 lb.	37 teaspoonfuls
914-925 lb.	37 1/2 teaspoonfuls
926-937 lb.	38 teaspoonfuls
938-949 lb.	38 1/2 teaspoonfuls
950-961 lb.	39 teaspoonfuls
962-973 lb.	39 1/2 teaspoonfuls
974-985 lb.	40 teaspoonfuls
986-997 lb.	40 1/2 teaspoonfuls
998-1009 lb.	41 teaspoonfuls
1010-1021 lb.	41 1/2 teaspoonfuls
1022-1033 lb.	42 teaspoonfuls
1034-1045 lb.	42 1/2 teaspoonfuls
1046-1057 lb.	43 teaspoonfuls
1058-1069 lb.	43 1/2 teaspoonfuls
1070-1081 lb.	44 teaspoonfuls
1082-1093 lb.	44 1/2 teaspoonfuls
1094-1105 lb.	45 teaspoonfuls
1106-1117 lb.	45 1/2 teaspoonfuls
1118-1129 lb.	46 teaspoonfuls
1130-1141 lb.	46 1/2 teaspoonfuls
1142-1153 lb.	47 teaspoonfuls
1154-1165 lb.	47 1/2 teaspoonfuls
1166-1177 lb.	48 teaspoonfuls
1178-1189 lb.	48 1/2 teaspoonfuls
1190-1201 lb.	49 teaspoonfuls
1202-1213 lb.	49 1/2 teaspoonfuls
1214-1225 lb.	50 teaspoonfuls
1226-1237 lb.	50 1/2 teaspoonfuls
1238-1249 lb.	51 teaspoonfuls
1250-1261 lb.	51 1/2 teaspoonfuls
1262-1273 lb.	52 teaspoonfuls
1274-1285 lb.	52 1/2 teaspoonfuls
1286-1297 lb.	53 teaspoonfuls
1298-1309 lb.	53 1/2 teaspoonfuls
1310-1321 lb.	54 teaspoonfuls
1322-1333 lb.	54 1/2 teaspoonfuls
1334-1345 lb.	55 teaspoonfuls
1346-1357 lb.	55 1/2 teaspoonfuls
1358-1369 lb.	56 teaspoonfuls
1370-1381 lb.	56 1/2 teaspoonfuls
1382-1393 lb.	57 teaspoonfuls
1394-1405 lb.	57 1/2 teaspoonfuls
1406-1417 lb.	58 teaspoonfuls
1418-1429 lb.	58 1/2 teaspoonfuls
1430-1441 lb.	59 teaspoonfuls
1442-1453 lb.	59 1/2 teaspoonfuls
1454-1465 lb.	60 teaspoonfuls
1466-1477 lb.	60 1/2 teaspoonfuls
1478-1489 lb.	61 teaspoonfuls
1490-1501 lb.	61 1/2 teaspoonfuls
1502-1513 lb.	62 teaspoonfuls
1514-1525 lb.	62 1/2 teaspoonfuls
1526-1537 lb.	63 teaspoonfuls
1538-1549 lb.	63 1/2 teaspoonfuls
1550-1561 lb.	64 teaspoonfuls
1562-1573 lb.	64 1/2 teaspoonfuls
1574-1585 lb.	65 teaspoonfuls
1586-1597 lb.	65 1/2 teaspoonfuls
1598-1609 lb.	66 teaspoonfuls
1610-1621 lb.	66 1/2 teaspoonfuls
1622-1633 lb.	67 teaspoonfuls
1634-1645 lb.	67 1/2 teaspoonfuls
1646-1657 lb.	68 teaspoonfuls
1658-1669 lb.	68 1/2 teaspoonfuls
1670-1681 lb.	69 teaspoonfuls
1682-1693 lb.	69 1/2 teaspoonfuls
1694-1705 lb.	70 teaspoonfuls
1706-1717 lb.	70 1/2 teaspoonfuls
1718-1729 lb.	71 teaspoonfuls
1730-1741 lb.	71 1/2 teaspoonfuls
1742-1753 lb.	72 teaspoonfuls
1754-1765 lb.	72 1/2 teaspoonfuls
1766-1777 lb.	73 teaspoonfuls
1778-1789 lb.	73 1/2 teaspoonfuls
1790-1801 lb.	74 teaspoonfuls
1802-1813 lb.	74 1/2 teaspoonfuls
1814-1825 lb.	75 teaspoonfuls
1826-1837 lb.	75 1/2 teaspoonfuls
1838-1849 lb.	76 teaspoonfuls
1850-1861 lb.	76 1/2 teaspoonfuls
1862-1873 lb.	77 teaspoonfuls
1874-1885 lb.	77 1/2 teaspoonfuls
1886-1897 lb.	78 teaspoonfuls
1898-1909 lb.	78 1/2 teaspoonfuls
1910-1921 lb.	79 teaspoonfuls
1922-1933 lb.	79 1/2 teaspoonfuls
1934-1945 lb.	80 teaspoonfuls
1946-1957 lb.	80 1/2 teaspoonfuls
1958-1969 lb.	81 teaspoonfuls
1970-1981 lb.	81 1/2 teaspoonfuls
1982-1993 lb.	82 teaspoonfuls
1994-2005 lb.	82 1/2 teaspoonfuls

**Other information**  
■ Each teaspoon contains 4mg of sodium  
■ Store between 15°-30°C (59°-86°F)

**Inactive ingredients**  
banana flavor, citric acid, glycerin, lecithin, magnesium aluminum silicate, methylcellulose, povidone, simethicone, sodium benzoate, sodium citrate, sodium saccharin, sorbitol and water.

REV. 8/22 PWF



# PINWORM MEDICINE

pyrantel pamoate suspension

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10956-778
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PYRANTEL PAMOATE</b> (UNII: 81BK194Z5M) (PYRANTEL - UNII: 4QIH0N49E7)	PYRANTEL	144 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>MAGNESIUM ALUMINUM SILICATE</b> (UNII: 6M3P64V0NC)	
<b>METHYLCELLULOSE (100 CPS)</b> (UNII: 4GFU244C4J)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	

<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BANANA	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10956-778-01	1 in 1 CARTON	09/28/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:10956-778-02	2 in 1 CARTON	09/28/2022	
2		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part357B	09/28/2022	

**Labeler** - REESE PHARMACEUTICAL CO. (004172052)

**Registrant** - REESE PHARMACEUTICAL CO. (004172052)

### Establishment

Name	Address	ID/FEI	Business Operations
LGM Pharma Solutions, LLC		117549198	manufacture(10956-778)

Revised: 11/2022

REESE PHARMACEUTICAL CO.