MAXIMUM STRENGTH CORTISONE- hydrocortisone ointment ointment CVS Pharmacy

CVS MAXIMUM STRENGTH CORTISONE OINTMENT

Active Ingredient

Hydrocortisone, USP 1%

Purpose

Anti-itch

Uses

for the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to: eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, jewelry, detergents, cosmetics, psoriasis, seborrheic dermatitis, for external genital, feminine and anal itching, other uses of this product should be only under the advice and supervision of a doctor

Warnings

For external use only

Do not use

for external feminine itching if you have a vaginal discharge. Consult a doctor.

for the treatment of diaper rash. Consult a doctor.

When using this product

avoid contact with the eyes, do not begin the use of any other hydrocortisone product unless directed by a doctor, for external anal itching: do not use more than directed unless directed by a doctor, do not put this product into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

symptoms last for more than 7 days, the condition gets worse, symptoms clear up and occur again in a few days, rectal bleeding occurs, consult doctor promptly

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older * apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age * do not use, consult a doctor.

For external anal itching - Adults: when practical, clean the affected area with mild soap and warm water, rinse thoroughly, gently dry by patting or blotting with toilet tissue or a soft cloth before applicaion of this product.

Children under 12 years of age: consult a doctor.

Other information

Store at room temperature 59 °-86 °F (15 °-30 °C).

Before using any medication, read all label directions. Keep carton, it contains important information.

Inactive Ingredients

mineral oil, white petrolatum

Carton Label



Tube Label

MAXIMUM STR		$ \rightarrow $
Cortiso	ne Ointment	
HYDROCORTISONE		
unti-lich ointment	NET WT 1 OZ (28 g)	
nsect bites 🖩 poleon ivv 🖩 pole	Sent Hydrocortisone, USP 1% Purpose Ant I tiching associated with minor skin inflations, inflamm on oak II poleon sumac E scaps II jewelry II deterge	nts 🖩 cosmetics 🖩 peoriasis 🖩 sebonheic
ervision of a doctor	eminine and anal liching = other uses of this product :	HE THE REAL PROPERTY AND A DE
or the treatment of diaper rash	nly Do not use I for external feminine itching if y . Consult a doctor. When using this product II an roduct unless directed by a doctor I for external anal	roid contact with the eves III do not begin the
or any outer interested about the	not put this product into the rectum by using fingers of	any mechanical device or applicator
p use and ask a doctor if #	symptoms last for more than 7 days 🖩 the condition g	ets worse III symptoms clear up and occur
op use and ask a doctor if ain in a few days = rectal blee ap out of reach of children. I	symptoms last for more than 7 days in the condition g ling occurs, consult doctor promptly f swallowed, get medical help or contact a Polson Cor	ets worse III symptoms clear up and occur
op use and ask a doctor if ain in a few days = rectal blee ap out of reach of children. I rections Adults and childr illdren under 2 years of age =	symptoms last for more than 7 days in the condition g ling occurs, consult doctor promptly f swallowed, get medical help or contact a Polson Cor en 2 years of age and older III apply to affected area	ets worse III symptoms clear up and occur
op use and ask a doctor if ain in a few days = rectal blee ep out of reach of children. I rections Adults and childs illdren under 2 years of age r external anal liching uts: when practical, clean the let tissue or a soft cloth before	symptoms last for more than 7 days in the condition g ling occurs, consult doctor promptly f swallowed, get medical help or contact a Polson Cor en 2 years of age and older III apply to affected area I do not use, consult a doctor affected area with mild scap and warm water, rinse the application of this product	ets worse III symptoms clear up and occur brol Center right away. I not more than 3 to 4 times daily
op use and ask a doctor if ain in a few days = rectal blee ep out of reach of children. I rections Adults and childr ilidren under 2 years of age r external anal liching uits: when practical, clean the let tissue or a soft cloth before lidren under 12 years of age: o her information = Store at Sefore using any medication, n	symptoms last for more than 7 days in the condition g ling occurs, consult doctor promptly f swallowed, get medical help or contact a Polson Cor en 2 years of age and older III apply to affected area I do not use, consult a doctor affected area with mild scep and warm water, rinse the application of this product onsult a doctor room temperature 59°-86°F (15°-30°C), sad all label directions. Keep carton, it contains import	ets worse III symptoms clear up and occur worl Center right away. I not more than 3 to 4 times daily oroughly, gently dry by patting or blotting with
top use and ask a doctor if a gain in a few days II rectal blee sep out of reach of children. I fractions Adults and childr hildren under 2 years of age I breatemal anal liching duits: when practical, clean the ilet tissue or a soft cloth before hildren under 12 years of age: c ther information III Store at Before using any medication, n active ingracients III neral	symptoms last for more than 7 days in the condition g ling occurs, consult doctor promptly f swallowed, get medical help or contact a Polson Cor en 2 years of age and older III apply to affected area I do not use, consult a doctor affected area with mild scep and warm water, rinse the application of this product onsult a doctor room temperature 59°-86°F (15°-30°C), sad all label directions. Keep carton, it contains import	ets worse III symptoms clear up and occur worl Center right away. I not more than 3 to 4 times daily oroughly, gently dry by patting or blotting with

MAXIMUM STRENGTH CORTISONE

hydrocortisone ointment ointment

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-259		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	1 g in 100 g			
HYDROCORTISONE (UNII: WI4X0X/BPJ) (HYDROCORTISONE - UNII:WI4X0X/BPJ)	HYDROCORTISONE	1 g in 100 g			

Inactive Ingredients				
Strength				

Pı	roduct Chara	cteristics						
Color		white	Score					
Shape			Size					
Flavor				Imprint Code				
Co	ontains							
Packaging								
#	ltem Code	Package Description		on	Mar	keting Start Date	Marketing End Date	
	NDC:69842-259- 03	1 in 1 CARTON			11/01/2016			
		28 g in 1 TUBE; Type 0: Not a Combination Product						
Marketing Information								
	Marketing Category	Applicati	Application Number or Monogra Citation		М	larketing Start Date	Marketing End Date	
ОТ	C Monograph Drug	g M017	M017			11/01/2016		

Labeler - CVS Pharmacy (062312574)

Registrant - Unipack LLC (116015769)

Establishment					
Name	Address	ID/FEI	Business Operations		
Unipack LLC		009248480	manufacture(69842-259)		

Revised: 2/2024

CVS Pharmacy