#### HUMCO CASTOR OIL- castor oil liquid Humco holding Group, Inc.

-----

Humco Castor Oil, USP (Odorless - Tasteless)

Drug Facts

#### Active Ingredient

Castor Oil

#### Purpose

Stimulant Laxative

#### Use

For the temporary relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.

#### Warings

Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

## Ask a doctor before use

if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.

## When using this product

Discontinue use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.

## If pregnant or breast feeding

ask a health professional before use

## Keep out of reach of children.

In case of accidental overdose, seek profssional assistance or contact a Poison Control Center immediately.

# Directions

Preferably take on an empty stomach. May be taken with juice to improve taste.

Adults and children 12 yrs. of age and older: 1 to 4 tablesponfuls in a single daily dose or as directed by a doctor.

Children 2 to under 12 yrs. of age: 1 to 3 teaspoonfuls in a single dose or as directed by a doctor.

Children under 2 yrs. of age: Consult a doctor before use.

## WARNINGS:


Do not use if Taper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For your Protection" or foil seal under cap.

# **Other Information**

storage. Keep tightly closed and away from excessive heat.

## **Inactive Ingredient**

None



	a impres	Propósito le estimulante	produce	o 'eesne	i ha notado ias, en sus ser usados ndicado por nesultar en	nédico si intestinal indicio de	ional de la entradreie	Centro de	acio. Se		5 a 15	ones de	co antes	lejos del
ACEITE DE RICINO USP	ello de Protección está roto à sollado con una banda im Protection <sup>2</sup> afrededor de la 1 a.	Proj	Generalmento se produce 3.	minal, m	ar este producto si ha r más de 2 semanas, laxantes no deben ser la menos que ses indio rotorgado puede resi	nsulte un m evacuación i pueden ser ir	profesion	the un O	v onemö	15 a 60 militros en	del médico. Ds de edad:	instrucciones	Consulte un médico	tapado y I
SIN OLOR · SIN SABOR	Protección o con una t on" aireded	ra	Seneral	for abdo médico	e produ tes no d nos que gado p	consul er evac tas pue	alle un	contacte nte.	tel est			según las	onsulte	
UN LAXANTE NATURAL CONFIABLE	Sello de Prote siá sellado con ir Protection" al apa.		asional. 12 hora	to hay do	es de usar este producto si ha nollado sisten por más de 2 semanas, en sus roductos laxantes no deben ser usados 1 semara a menos que sea indicado por ente o prolongado puede resultar en	cito este producto y consulta un médico si este producto y consultación intestina o no puede tener evacuación intestina cata. Estos síntomas pueden ser indicio de	do const lucto.	profesional o immediatamen	mento cor	bara mejorar el sabor. 12 años o mayores:	s instrucciones tos de 12 año	0 8	edad:	heméticamente
Laxante Estimulante	<b>FETENCIA:</b> No utilize si el Sallo de Protección está: Internoida. Este protucio está sellado con una banda apadema "Sealed pri Your Protection" alrededor de un sello de alumino bajo la tapa.	Activo	8 .	idvertencias No utilice este producto cuando hay dolor abdominal, nausea, o ômito a menos que sea indicado por un médico.	and a particular	ducto de este pro laxante. Es	Si está embarazada o lactando consulte un profesional de la salud antes de utilizar este producto.	ayuda profesional o con iamiento inmediatamente.			8 B	a dosis	le 2 años de	ción Mantenga h
6 ONZAS FL (177 mL)		Ingrediente A	Uso Para alhío del estrefimiento un movimiento intestinal en 6	Advertencias • No utilice este pro vómito a menos que	Consulte un médico ant cambios súbitos, que per hábitos intestimates. Los p por un período de más de por un médico. Su uso freci dependencia de los faseard	All utilitzar este producto Suspenda el uso de este tiene sangrado recial o no después de usar un laxante, una condición sería.	Si está embarazada salud antos de utilizar Mantenca fuera del a	tal, busque de Envenens	Instrucciones	omar con jugo pos y niños de	6 00	en una sol	menores de 2 años	E a
HUMCO HUMCO, Texarkana, TX 78501	ADVERTENCIA sido removido. I con las pelabras con un sello de a	Ingre d	Uso Para alt un movi	Advel No util	Consulte un cambios súl hábitos intee por un médico. un médico.	Al utiliz Suspen tiene si despuét una con	Si está salud an Mantenr	accidental, Control de E	Instruct	• Adultos y	· Niños	militros médico.	Niños     de usar.	Otra inforn Almacenamien calor excessivo.

Drug Facts Active ingredient Purpose	<b></b> 0	* Safety Sealed Gastro-	WARNING: Do not use if Tamper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or foil seal under cap
Castor OilStimulant laxative	E S	intestinal	Drug Facts (CONTINUED)
<b>Indications</b> For relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.		USP	<b>Directions</b> Preferably take on an empty stomach. May be taken with juice to
Warnings ■ Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor.	Set 1 Second	COLD	improve taste. Adults and children 12 yrs. of age and older: 15 to 60 milliliters in a single daily dose or as directed by a doctor.
Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than		CONTAINS NO HEXANES	Children 2 to under 12 yrs. of age: 5 to 15 milliliters in a single daily dose or as directed by a doctor.
<ol> <li>week unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.</li> </ol>		•Stimulant	Children under 2 yrs. of age: Consult a doctor before use. Other information
When using this product Discontinuc use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a		Laxative •Laxorte Estimulante	Storage. Keep tightly closed and away from excessive heat.
laxative. These symptoms may indicate a serious condition. If pregnant or breast feeding ask a health professional before use.	(HUMCO)	6 FL oz	3 1003950151596 10 p Packed by: HUMCO, Texarkana, TX 75501 R100617
Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Polson Control Center immediately. <i>Continued</i> >	A trusted name in home health care	(177 mL) 6 Onzas FL (177 mL)	Questions or Comments? (D1-800-662-3435 • "We Help People Feel Better" & Go to: www.simplehomeremedies.com to find helpful hints, and learn more about Castor Oil

# HUMCO CASTOR OIL

castor oil liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0395-0515
Route of Administration	ORAL		
Route of Authinistration	ONAL		

A	ctive Ingred	lient/Active Moiety						
		Ingredient Name	Basi	s of Streng	th Strength			
C	ASTOR OIL (UNI	I: D5340Y2I9G) (CASTOR OIL - UNII:D5340Y2I9G)	CASTO	R OIL	1 mg in 1 mL			
lr	nactive Ingr	edients						
		Ingredient Name		Si	trength			
w	ATER (UNII: 059	QF0KO0R)						
Packaging								
#	ltem Code	Package Description		ting Start Date	Marketing End Date			
1	NDC:0395- 0515-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/13/20	17				
2	NDC:0395- 0515-96							
3	NDC:0395- 0515-92	59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/13/20	17				
		Information						
<b>R</b> 4		Information						
Μ		Application Number or Monograph		ing Start ate	Marketing End Date			
Ν	Marketing Category	Citation	D	ale	2410			

Labeler - Humco holding Group, Inc. (825672884)

Registrant - Pharma Nobis, LLC (118564114)

# Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(0395-0515) , analysis(0395-0515) , pack(0395-0515) , label(0395-0515)

Revised: 12/2023

Humco holding Group, Inc.