# SJ3- lidocaine hcl, tetracaine hcl, benzocaine spray Dermal Source, Inc.

-----

## Drug Facts - For use by licensed professionals only

Active Ingredients	Purpose
Lidocaine	5% Topical
Hydrochloride	Anesthetic
Tetracaine	1% Topical
Hydrochloride	Anesthetic
Benzocaine	12% Topical Anesthetic

**Uses: External Use Only. Do Not Swallow.** Temporarily supplies pain relief to either intact or open skin due to pain sensitive procedures.

### WARNINGS - Keep out reach of children

#### Do not use if you have

- seizures or liver disease
- if pregnant or breast feeding
- a known allergy or sensitivity to any of the components of this product. If sensitivity
  occurs, discontinue use, and seek medical attention. If condition worsens or
  symptoms persist for more than seven days or clear up and occur again within a few
  days, discontinue use of this product and consult a doctor. Do not use in large
  quantities, particularly over raw surfaces or blistered areas.

Avoid contact with eyes, in case of accidental contact with eyes, rinse immediately with copious amounts of eyewash and seek treatment by an eye care specialist. If accidentally swallowed, get medical help immediately.

When using this product you may notice temporary blanching or redness of the skin where liquid is applied.

## Directions: Sensitivity test advised prior to use.

Apply to intact skin to clean prior to application of predeadener. Use to wipe off predeadener. During procedure, swipe across skin and wait for numbness to develop (90 seconds). Not appropriate for eyeliner. You may reapply as necessary to continue anesthesia. Discontinue use if sensitivity occurs. Remove product before continuing with procedure.

Inactive Ingredients: Propylene Glycol, Ethoxydiglycol, Tetrasodium EDTA.

**Other information:** Store in a cool dark place or refrigerate. Discard after expiration date.

**Questions?** Contact distributor on product label.

# PRINCIPAL DISPLAY PANEL SUPERIOR

SJ3

## SuperJuice 3


anesthetic for use during a pain sensitive procedure

4 oz.

Distributed by: DERMAL SOURCE

Portland, OR 97232

www.dermalsource.com 1-866-568-3223



#### Drug Facts - For use by licensed professionals only

Active Ingredients		Purpose
Lidocaine Hydrochloride	5%	Topical Anesthetic
Tetracaine Hydrochloride	1%	Topical Anesthetic
Benzocaine *	12%	Topical Anesthetic

**Uses: External Use Only. Do Not Swallow.** Temporarily supplies pain relief to either intact or open skin due to pain sensitive procedures.

#### Warnings - Keep out of reach of children Do not use if you have

- seizures or liver disease
- if pregnant or breast feeding
- a known allergy or sensitivity to any of the components of this product. If sensitivity occurs, discontinue use, and seek medical attention. If condition worsens or symptoms persist for more than seven days or clear up and occur again within a few days, discontinue use of this product and consult a doctor. Do not use in large quantities, particularly over raw surfaces or blistered areas.

Avoid contact with eyes, in case of accidental contact with eyes, rinse immediately with copious amounts of eyewash and seek treatment by an eye care specialist. If accidentally swallowed, get medical help immediately.

When using this product you may notice temporary blanching or redness of the skin where liquid is applied.

#### Directions: Sensitivity test advised prior to use.

Apply to intact skin to clean prior to application of predeadener. Use to wipe off predeadener. During procedure, swipe across skin and wait for numbness to develop (90 seconds), Not appropriate for eyeliner. You may reapply as necessary to continue anesthesia. Discontinue use if sensitivity occurs. Remove product before continuing with procedure.

*Inactive Ingredients:* Propylene Glycol, Ethoxydiglycol, Tetrasodium EDTA.

**Other information:** Store in cool dark place or refrigerate. Discard after expiration date.

Questions? Contact distributor on product label.

## SJ3

lidocaine hcl, tetracaine hcl, benzocaine spray

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80069-011	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>Lidocaine Hydrochloride</b> (UNII: V13007Z41A) (Lidocaine - UNII:98PI200987)	Lidocaine Hydrochloride Anhydrous	50 mg in 1 mL	
<b>Tetracaine Hydrochloride</b> (UNII: 5NF5D4OPCI) (Tetracaine - UNII:0619F35CGV)	Tetracaine Hydrochloride	10 mg in 1 mL	

<b>Benzocaine</b> (UNII: U3RSY48JW5) (Benzocaine - UNII:U3RSY48JW5)	Benzocaine	in 1 mL
---	------------	---------

Inactive Ingredients		
Ingredient Name	Strength	
Propylene Glycol (UNII: 6DC9Q167V3)		
Diethylene Glycol Monoethyl Ether (UNII: A1A1I8X02B)		
Edetate Sodium (UNII: MP1J8420LU)		

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:80069- 011-01	118.294 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	08/15/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/15/2021	

## Labeler - Dermal Source, Inc. (183535629)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
HTO Nevada, Inc. (dba Kirkman)		117115846	manufacture(80069-011)	

Revised: 10/2023 Dermal Source, Inc.