

PEG 3350- polyethylene glycol 3350 powder
A-S Medication Solutions

Drug Facts

Inactive Ingredients

Inactive Ingredients none

Active Ingredient

Active Ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Purpose

Osmotic Laxative

Warnings

Warnings

Allergy Alert: Do not use if you are allergic to polyethylene glycol

Do not use if you have kidney disease, except under the advice and supervision of a doctor

When using this product, you may have loose, watery, more frequent bowel movements

Ask Doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are taking a prescription drug

Stop Use

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week
- side effects occur

Keep Out of Reach of Children

Keep out of reach of children. In case of overdose, get medical help or contact a POISON CONTROL

CENTER right away.

Pregnancy Warning

If pregnant or breast-feeding, ask a health professional before use.

Dosage and Administration

Directions

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line
- adults and children 17 years of age and older:
 - fill to top of line in cap which is marked to indicate the correct dose (17 g)
 - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) and then drink
 - use once a day
 - use no more than 7 days
- Children 16 years of age or under: ask a doctor

Questions?

Questions or comments?

1-800-645-2158

Indications and Usage

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

HOW SUPPLIED

Product: 50090-2526

NDC: 50090-2526-0 238 g in a BOTTLE

POLYETHYLENE GLYCOL 3350



PEG 3350

polyethylene glycol 3350 powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50090-2526(NDC:0536-1052)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50090-2526-0	238 g in 1 BOTTLE; Type 0: Not a Combination Product	10/18/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA091077	01/05/2015	

Labeler - A-S Medication Solutions (830016429)

Establishment

Name	Address	ID/FEI	Business Operations
A-S Medication Solutions		830016429	RELABEL(50090-2526)