

# **HEAD AND SHOULDERS SCALP X MINOXIDIL HAIR REGROWTH TREATMENT FOR MEN- minoxidil solution**

**The Procter & Gamble Manufacturing Company**

-----  
**Head & Shoulders Scalp X Minoxidil Hair Regrowth Treatment for Men**

## ***Drug Facts***

### **Active ingredient**

Minoxidil 5% w/v

### **Purpose**

Hair regrowth treatment for men

### **Use**

to regrow hair on the top of the scalp (vertex only, see pictures on side of carton)

### **Warnings**

For external use only.

Flammable: Keep away from fire or flame

Do not use if

- you are a woman
- your amount of hair loss is different than that shown on side of this carton, or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children
- your scalp is red, inflamed, infected, irritated or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have** heart disease

### **When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.

- the amount of hair regrowth is different for each person. This product will not work for all men.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

(1-800-222-1222)

**Directions**

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

**Other information**

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with minoxidil topical solution 5% for men
- in clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, minoxidil topical solution 5% for men provided more hair regrowth than minoxidil topical solution 2%
- store at 20-25° C (68-77° F). Keep tightly closed.

**Inactive ingredients**

alcohol, propylene glycol, purified water

**Questions or comments?**

**1-800-723-9569**

DIST. BY PROCTER & GAMBLE

CINCINNATI OH 45202.

# PRINCIPAL DISPLAY PANEL - Carton

Head & Shoulders

SCALP X

MINOXIDIL

TOPICAL SOLUTION USP, 5%

HAIR REGROWTH

TREATMENT

FOR MEN

Extra Strength Topical Solution

CLINICALLY PROVEN TO HELP REGROW HAIR

Reactivates Hair Follicles to Stimulate Regrowth

Three month supply

Unscented

3 - 60 mL (2 FL OZ) BOTTLES

TOTAL 180 mL (6 FL OZ)

**Drug Facts**

**Active ingredient**  
Minoxidil 5% w/v.....Hair regrowth treatment for men

**Use** to regrow hair on the top of the scalp (vertex only, see pictures on side of carton)

**Warnings**  
For external use only. For use by men only.  
Flammable. Keep away from fire or flames.

**Do not use if**

- you are a woman
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the rest of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairlines.
- you have no family history of hair loss
- your hair has suddenly and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, itchy, crusted, or painful
- you use other medicines on the scalp.

Ask a doctor before use if you have heart disease

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with use as directed. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

**Stop use and ask a doctor if**

- shedding, itching, hair loss, flaking, or dizziness occurs
- rashes, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

Minoxidil topical solution USP 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil topical solution USP 5% has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.

**Drug Facts (continued)**

**May be harmful if used when pregnant or breast-feeding. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)**

**Directions**  
Apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area

- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

**Other information**

- see hair loss picture on side of this carton
- in bottles you read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with minoxidil topical solution 5% for men
- in clinical studies with mostly white men aged 18-40 years with moderate degrees of hair loss, minoxidil topical solution 5% for men provided more hair regrowth than minoxidil topical solution 2%.
- store at 20° to 25° (68° to 77°). Keep tightly closed.

**Inactive ingredients**  
alcohol, propylene glycol, purified water

**Questions or comments?** 1-800-723-4640

**THIS PACKAGE CONTAINS:**

- Three 60 mL (2 fl oz) bottles of Minoxidil Topical Solution 5% (Extra Strength) (three month supply)
- One child-resistant dropper applicator
- Information leaflet with complete directions on how to use and obtain best results.

**USE TWICE DAILY**

**IF MEN HAVE MORE HAIR LOSS OR HAIR LOSS IN A PLACE DIFFERENT THAN SHOWN ABOVE, MINOXIDIL TOPICAL SOLUTION USP 5% MAY NOT WORK.**

#1 DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT\*

**MINOXIDIL**  
TOPICAL SOLUTION USP, 5%

**HAIR REGROWTH TREATMENT FOR MEN**

Extra Strength Topical Solution  
CLINICALLY PROVEN TO HELP REGROW HAIR  
Reactivates Hair Follicles To Stimulate Regrowth

Three month supply  
Unscented

**NOT FOR USE BY WOMEN**

3-60 mL (2 FL OZ) BOTTLES  
TOTAL 180 mL (6 FL OZ)

**ACTUAL SIZE**

One month supply Unscented 60 mL (2 FL OZ)

## HEAD AND SHOULDERS SCALP X MINOXIDIL HAIR REGROWTH TREATMENT FOR MEN

minoxidil solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69423-559
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>DEHYDRATED ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69423-559-01	3 in 1 CARTON	01/15/2023	05/01/2026
1		60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA091344	01/15/2023	05/01/2026

**Labeler** - The Procter & Gamble Manufacturing Company (004238200)

Revised: 12/2025

The Procter &amp; Gamble Manufacturing Company