

**BRUSH AND GO SPF 50 OILY/PROBLEMATIC SKIN BROAD SPECTRUM-
titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and
oxybenzone powder
Noon Aesthetics M.R. Ltd**

**BRUSH & GO SPF 50
OILY/PROBLEMATIC SKIN BROAD SPECTRUM
DRUG FACTS INFORMATION**

**Active Ingredients /
Purpose:**

Titanium Dioxide 25%	Sunscreen
Ethylhexyl Methoxycinnamate 4.7%	Sunscreen
Octocrylene 4.5%	Sunscreen
Ethylhexyl Salicylate 2.7%	Sunscreen
Butyl Methoxydibenzoylmethane 1.5%	Sunscreen
Benzophenone 1.5%	Sunscreen

Uses

Helps prevent sunburn.

Warnings

For external use only.

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- Rash or irritation develops and lasts.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure and as needed.
- Use a water-resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.

- Children under 6 months: Ask a doctor.
- Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.- 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information

- Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Questions or comments?

Visit www.nooaesthetics.com or call toll free 1-833-666-6246

Inactive Ingredients

Mica, Methyl Methacrylate Crosspolymer, Silica, Magnesium Stearate, Aqua, CI 77492, CI 77491, CI 77499, Silt (Dead Sea Mineral Mud), Eucalyptus Globulus Leaf Oil, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Tin Oxide, Boswellia Serrata Extract, Honey Extract, Oligopeptide-10, Curcuma Longa (Turmeric) Root Extract, Silver, Polymethylsilsesquioxane, BHT, HDI/Trimethylol Hexyllactone Crosspolymer, Trimyristin, Hydrogenated Lecithin, Phenoxyethanol, Caprylyl Glycol, Potassium Sorbate, Hexylene Glycol

Dist by
noon
AESTHETICS
TLV, 62153

PRINCIPAL DISPLAY PANEL - 5 mL Bottle Carton

no
on
AESTHETICS

Brush & Go™
SPF 50

BROAD-SPECTRUM

OILY / PROBLEMATIC SKIN

NDC 78863-3004-1

2 X 5 mL / 0.17 Fl. Oz. e

noonaesthetics.com



PROTECT



AESTHETICS

Brush & Go™
SPF 50
BROAD-SPECTRUM

OILY / PROBLEMATIC SKIN

NDC 78863-3004-1

2 X 5 mL / 0.17 Fl. Oz. E

PARACEUTICAL

Mineral Powder for High Sun Protection
with Dead Sea Minerals

TONE 1



Drug Facts

Active Ingredient	Purpose
Titanium Dioxide 25%	Sunscreen
Ethylhexyl Methoxycinnamate 4.7%	Sunscreen
Octocrylene 4.5%	Sunscreen
Ethylhexyl Salicylate 2.7%	Sunscreen
Butyl Methoxydibenzoylmethane 1.5%	Sunscreen
Benzophenone 1.5%	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

For external use only.

Do not use on

- damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- Rash or irritation develops and lasts.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure and as needed.
- Use a water-resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures.**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. to 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Drug Facts (continued)

Other Information

- Sun Alert:** Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive Ingredients

Mica, Methyl Methacrylate Crosspolymer, Silica, Magnesium Stearate, Aqua, CI 77492, CI 77491, CI 77499, CI 77490, Dead Sea Mineral Mud, Eucalyptus Globulus Leaf Oil, Helianthus Annuus (Flax Seed) Leaf Oil, Tin Dioxide, Boswellia Serrata Extract, Honey Extract, Citriparacetamol-10, Curcuma Longa (Turmeric) Root Extract, Silver, Polymethylsilsesquioxane, BHT, HDI/Trimethyl Hexafluoro Crosspolymer, Triisotinyl, Hydrogenated Lecithin, Phenylethanol, Caprylyl Glycol, Potassium Sorbate, Hexylene Glycol.

Developed + Dist by

noona
AESTHETICS

TLX 62153 | Made in Israel
noonaesthetics.com



7 290109 192437

BRUSH AND GO SPF 50 OILY/PROBLEMATIC SKIN BROAD SPECTRUM

titanium dioxide, octinoxate, octocrylene, octisalate, avobenzene, and oxybenzone powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:78863-3004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.75 g in 5 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.141 g in 5 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.135 g in 5 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	0.08 g in 5 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.045 g in 5 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.045 g in 5 mL

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
WATER (UNII: 059QF0K00R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
TEA TREE OIL (UNII: VIF565UC2G)	
STANNOUS OXIDE (UNII: JB2MV9I3LS)	
INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)	
HONEY (UNII: Y9H1V576FH)	
OLIGOPEPTIDE-10 (UNII: Q46328TRNK)	
TURMERIC (UNII: 856YO1Z64F)	
SILVER (UNII: 3M4G523W1G)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
TRIMYRISTIN (UNII: 18L31PSR28)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	

Product Characteristics

Color	BROWN (LIGHT BROWN)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78863-3004-1	2 in 1 CARTON	04/01/2024	
1		5 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:78863-3004-2	3 in 1 CARTON	04/01/2024	
2		5 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	04/01/2024	

Labeler - Noon Aesthetics M.R. Ltd (600185560)

Establishment

Name	Address	ID/FEI	Business Operations
Noon Aesthetics M.R. Ltd		600185560	MANUFACTURE(78863-3004)

Revised: 1/2026

Noon Aesthetics M.R. Ltd