

**ACT ANTICAVITY FLUORIDE CINNAMON- sodium fluoride rinse**  
**Chattem, Inc.**

-----  
**ACT Anticavity Fluoride Rinse Cinnamon**

**Drug Facts**

***Active ingredient***

Sodium fluoride 0.05% (0.02% w/v fluoride ion)

***Purpose***

Anticavity

***Use***

- aids in the prevention of dental cavities

***Warnings***

**Keep out of reach of children.**

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

**adults and children 6 years of age and older:**

- use once a day after brushing your teeth with a toothpaste
- remove cap
- hold bottle upright and squeeze. Fill to FILL LINE
- pour out. Only the correct 10 milliliters dose will pour out.
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

**children under 6 years of age:** consult a dentist or doctor

***Other information***

- contains FD&C yellow no. 5 (tartrazine) as a color additive

- do not use if safety seal is broken or missing

### ***Inactive ingredients***

water, sorbitol, poloxamer 407, propylene glycol, sodium phosphate, disodium phosphate, polysorbate 80, sodium saccharin, flavor, cetylpridinium chloride, calcium disodium EDTA, benzyl alcohol, sodium benzoate, red 33, yellow 5 (309-098)

Learn more at **[www.ACTFLUORIDE.com](http://www.ACTFLUORIDE.com)**

### **PRINCIPAL DISPLAY PANEL**

#1 DENTIST RECOMMENDED

FLUORIDE BRAND

ACT

Anitcavity

Fluoride Mouthwash

alcohol free

CINNAMON

18 fl. oz. (532 mL)

**ZERO** ALCOHOL



**#1 DENTIST RECOMMENDED**  
FLUORIDE BRAND<sup>1</sup>

**ACT**

**1X Daily**

**ANTICAVITY**

FLUORIDE MOUTHWASH

- +** HELPS PREVENT Cavities
- +** STRENGTHENS Teeth
- +** FRESHENS Breath



**CINNAMON**

Sodium Fluoride 0.05%  
IMPORTANT: Read directions for proper use.

18 fl oz (532 mL)

0170904-01



# ACT<sup>®</sup> ANTICAVITY

FLUORIDE MOUTHWASH  
alcohol free

## Drug Facts

Active ingredient	Purpose
Sodium fluoride 0.05% (0.02% w/v fluoride ion).....	Anticavity

**Use** ■ aids in the prevention of dental cavities

## Warnings

**Keep out of reach of children.** If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

## Directions

**adults and children 6 years of age and older:**

- use once a day after brushing your teeth with a toothpaste
- remove cap
- hold bottle upright and squeeze. **FILL to FILL LINE.**
- pour out. Only the correct 10 milliliters dose will pour out.
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

**children under 6 years of age:** consult a dentist or doctor

## Other information

- contains FD&C yellow no. 5 (tartrazine) as a color additive
- do not use if safety seal is broken or missing

**Inactive ingredients** water, sorbitol, poloxamer 407, propylene glycol, sodium phosphate, disodium phosphate, flavor, polysorbate 80, sodium saccharin, cetylpyridinium chloride, calcium disodium EDTA, benzyl alcohol, sodium benzoate, red 33, yellow 5

Bottle configuration is a trademark of Chatterm, Inc. 309-038

Learn more at [www.ACTFLUORIDE.com](http://www.ACTFLUORIDE.com)

**SANOFI** 

Dist. by Chatterm, Inc., a Sanofi Company  
P.O. Box 2219, Chattanooga, TN 37409 USA  
†among mouth rinses ©2017 Chatterm, Inc.



0170905-01

**ACT ANTICAVITY FLUORIDE CINNAMON**  
sodium fluoride rinse

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0940
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>SODIUM FLUORIDE</b> (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080)	FLUORIDE ION	0.2 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>POLOXAMER 407</b> (UNII: TUF21VW3M2)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SODIUM PHOSPHATE</b> (UNII: SE337SVY37)	
<b>SODIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: 22ADO53M6F)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>CETYLPYRIDINIUM CHLORIDE</b> (UNII: D9OM4SK49P)	
<b>EDETATE CALCIUM DISODIUM ANHYDROUS</b> (UNII: 8U5D034955)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	

## Product Characteristics

<b>Color</b>	red	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CINNAMON	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0940-8	532 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product	04/01/1994	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M021	04/01/1994	

**Labeler** - Chattem, Inc. (003336013)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
CHATTEM, INC.		832973031	manufacture(41167-0940)

Revised: 10/2023

Chattem, Inc.