

**ALLERGY RELIEF- diphenhydramine hcl tablet
BETTER LIVING BRANDS LLC.**

160R_Albertsons_21130-596_Diphenhydramine HCl 25 mg Tablets

Drug Facts

Active ingredients (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

temporarily relieves these symptoms due to the common cold:

- runny nose
- sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 25 mg
- protect from light
- store at 25°C (77° F) excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polysorbate 80, titanium dioxide

Questions or comments?

Call **1-877-290-4008**

Adhesive Area

Drug Facts (continued)

Ask a doctor before use if you have:

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other Information

- each tablet contains: calcium 25 mg
- protect from light
- store at 25°C (77° F) excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Questions or comments? 1-877-290-4008



Allergy Relief
Diphenhydramine HCl 25 mg
Antihistamine Minitabs

- Easy to swallow
- Relief of: Sneezing, runny nose, itchy throat, itchy & watery eyes

100 MINITABS

NDC 2190-996-01

READ AND KEEP ALL COMPLETE WARNINGS AND PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet) **Purpose**

Diphenhydramine HCl 25 mg.....Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

temporarily relieves these symptoms due to the common cold:

- runny nose
- sneezing

Warnings

- Do not use
- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

how2recycle.info



PLASTIC BOTTLE

LOVE IT OR IT'S ON US!

DISTRIBUTED BY:
BETTER LIVING BRANDS LLC
P.O. BOX 98
PLEASANTON, CA 94566-0099
1-888-723-3829

RD 2 BOX 98
PLEASANTON, CA 94566-0099
1-888-723-3829
55654

Varnish Omit Area

Lot#:
Exp. Date:

Varnish Omit



READ AND KEEP CAUTION FOR COMPLETE WARNINGS AND PRODUCT INFORMATION
TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet) Purpose
Diphenhydramine HCl 25 mg.....Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ sneezing
■ itchy, watery eyes
■ itching of the nose or throat
temporarily relieves these symptoms due to the common cold:
■ runny nose
■ sneezing

Warnings

Do not use
■ to make a child sleepy
■ with any other product containing diphenhydramine, even one used on skin
Ask a doctor before use if you have
■ a breathing problem such as emphysema or chronic bronchitis
■ glaucoma

Drug Facts (continued)

■ trouble urinating due to enlarged prostate gland
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product
■ marked drowsiness may occur
■ avoid alcoholic drinks
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ be careful when driving a motor vehicle or operating machinery
■ excitability may occur, especially in children
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

■ take every 4 to 6 hours, or as directed by a doctor
■ do not take more than 6 times in 24 hours
adults and children 12 years and over 1 to 2 tablets
children 6 to under 12 years 1 tablet
children under 6 years do not use

Other information

■ each tablet contains: calcium 25 mg
■ protect from light

Drug Facts (continued)

■ store at 25°C (77° F) excursions permitted between 15°-30°C (59°-86° F)
■ use by expiration date on package

Inactive ingredients camouba wax, colloidal silicon dioxide, croscarmellose sodium, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polyisobutyl 80, titanium dioxide

Questions or comments? 1-877-296-0818

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., McNeil Consumer Healthcare Division, owner of the registered trademark *Benadryl*®

DISTRIBUTED BY:
BETTER LIVING BRANDS LLC
P.O. BOX 99
PLEASANTON, CA 94566-0099
1-888-722-3829
160R 0223



Scan here for more information

Compare to Benadryl UltraTab[®] active ingredient
NDC 2100-996-01

Actual Size



100 MINITABS

Allergy Relief

Diphenhydramine HCl 25 mg
Antihistamine Minitabs

- Easy to swallow
- Relief of Sneezing, Runny Nose, Itchy Throat, Itchy & Watery Eyes



E314R

Varnish/Print Omit Area

Varnish Omit



Adhesive Area

LOVE IT
OR IT'S ON US*



Drug Facts (continued)
 Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
 ■ take every 4 to 6 hours, or as directed by a doctor
 ■ do not take more than 6 times in 24 hours
 adults and children 12 years and over 1 to 2 tablets
 children 6 to under 12 years 1 tablet
 children under 6 years do not use

Other information
 ■ each tablet contains: calcium 25 mg ■ protect from light ■ store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)
 ■ use by expiration date on package

Inactive ingredients
 carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polyсорbate 80, titanium dioxide

Questions or comments? 1-877-290-4008

COMPARE TO
Benadryl® Allergy Ultratab® active ingredient

NDC 21130-596-35



ALLERGY RELIEF

DIPHENHYDRAMINE HCl 25 mg
- Antihistamine

- Easy to swallow
- Relief of: Sneezing, runny nose, itchy throat, itchy & watery eyes



365 MINITABS

Actual Size

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet) Purpose
Diphenhydramine HCl 25 mg.....Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose ■ sneezing
- itchy, watery eyes ■ itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
- runny nose ■ sneezing

Warnings

Do not use ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ trouble urinating due to enlarged prostate gland

Drug Facts (continued under label)

This product is not manufactured or distributed by Kenmei Inc., owner of the registered trademark, Benadryl® Allergy Ultratabs®

DISTRIBUTED BY: BETTER LIVING BRANDS LLC
P.O. BOX 99, PLEASANTON, CA 94566-0009

1-888-723-3929

160R 0625 MADE IN INDIA

RD 25171

S6850



smartlabel®
Scan here for more information

LOT:

EXP:

Varnish Omit Area

PEEL HERE

NDC 21T30-596-20



ALLERGY RELIEF

DIPHENHYDRAMINE HCl 25 mg
- Antihistamine

- Easy to swallow
- Relief of: Sneezing, runny nose, itchy throat, itchy & watery eyes

200
MINITABS

READ AND KEEP CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION
TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet) Purpose
Diphenhydramine HCl 25 mg.....Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose ■ sneezing ■ itchy, watery eyes
- itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
- runny nose ■ sneezing

Warnings

Do not use ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours
- adults and children 12 years and over: 1 to 2 tablets
- children 6 to under 12 years: 1 tablet
- children under 6 years: do not use

Other information

- each tablet contains: calcium 25 mg
- protect from light
- store at 25°C (77° F) excursions permitted between 15°-30°C (59°-86°F)

Questions or comments?

Use by expiration date on package

1-877-290-4008

DISTRIBUTED BY: BETTER LIVING BRANDS LLC
P.O. BOX 99, PLEASANTON, CA 94566-0009

1-888-723-3929

160R 0625

S6850 MADE IN INDIA




LOVE IT
OR IT'S ON US*

LOT:

EXP:

Varnish Omit Area



ALLERGY RELIEF

diphenhydramine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-596
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

Product Characteristics

Color	pink	Score	no score
Shape	CAPSULE	Size	11mm
Flavor		Imprint Code	T;061
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-596-20	1 in 1 CARTON	05/31/2023	
1		200 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:21130-596-01	1 in 1 CARTON	05/31/2023	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:21130-596-35	365 in 1 BOTTLE; Type 0: Not a Combination Product	07/27/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/31/2023	

Labeler - BETTER LIVING BRANDS LLC. (009137209)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

TIME CAP LABORATORIES, INC.		037052099	manufacture(21130-596)
-----------------------------	--	-----------	------------------------

Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		677604129	manufacture(21130-596)

Revised: 7/2025

BETTER LIVING BRANDS LLC.