

**COPPERTONE COMPLETE SUNSCREEN SPF 45- avobenzone 3%, homosalate 10%, octisalate 5%, octocrylene 10% lotion**  
Beierdorf Inc

-----  
**Complete Face Lotion SPF 45**

***Drug Facts***

***Active ingredients***

Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 10%

***Purpose***

Sunscreen

***Use***

■ helps prevent sunburn

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

■ apply liberally 15 minutes before sun exposure

■ reapply:

■ after 40 minutes of swimming or sweating

■ immediately after towel drying

■ at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

■ limit time in the sun, especially from 10 a.m. – 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

### ***Questions?***

1-866-288-3330

### ***Inactive ingredients***

water, alcohol denat., butyloctyl salicylate, silica, bis-octyldodecyl dimer dilinoleate/propanediol copolymer, glyceryl stearate, tapioca starch, behenyl alcohol, butylene glycol dicaprylate/dicaprate, C12-15 alkyl benzoate, cetearyl alcohol, copernicia cerifera (carnauba) wax, dibutyl adipate, tocopherol (Vitamin E), sodium ascorbyl phosphate, silica dimethyl silylate, sodium stearyl glutamate, glyceryl behenate, polyglyceryl-6 octastearate, diethylhexyl syringylidenemalonate, phenoxyethanol, xanthan gum, ethylhexylglycerin, hydroxyacetophenone, disodium EDTA, glycerin, sodium hyaluronate, cetyl alcohol

Coppertone® Sunscreen Lotion

Complete Face 45

Proven UVA/UVB Protection

+Hydrates

+Weightless & Oil Free

Free of Oxybenzone, Octinoxate, Dyes & PABA

Water Resistant (40 Minutes)

Broad Spectrum SPF 45

**Coppertone**  
SUNSCREEN LOTION



**COMPLETE  
FACE  
45**

**PROVEN UVA/UVB  
PROTECTION**

- + Hydrates
- + Weightless & Oil Free

Free of Oxybenzone,  
Octinoxate, PABA & Phthalates

Water Resistant (40 Minutes)  
Broad Spectrum SPF 45

2.5 FL OZ (74 mL)

Designed for face, this lightweight sunscreen for everyday use stops up to 98% of damaging UV rays. Blends in clear on all skin tones and dries quickly — good for the whole family.

**Drug Facts**

| Active ingredient  | Purpose   |
|--|-----------|
| Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 10%..... | Sunscreen |

**Use** ■ helps prevent sunburn

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ apply liberally 15 minutes before sun exposure  
 ■ reapply: ■ after 40 minutes of swimming or sweating  
 ■ immediately after towel drying ■ at least every 2 hours  
**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Other information** ■ protect this product from excessive heat and direct sun ■ may stain or damage some fabrics or surfaces

**Inactive ingredients** water, alcohol denat., butyloctyl salicylate, silica, bis-octyldodecyl dimer dilinoleate/propanediol copolymer, glyceryl stearate, tapioca starch, behenyl alcohol, butylene glycol dicaprylate/dicaprate, C12-15 alkyl benzoate, cetearyl alcohol, copernicia cerifera (carnauba) wax, dibutyl adipate, tocopherol (Vitamin E), sodium ascorbyl phosphate, silica dimethyl silylate, sodium stearoyl glutamate, glyceryl behenate, polyglyceryl-6 octastearate, diethylhexyl syringylidenemalonate, phenoxyethanol, xanthan gum, ethylhexylglycerin, hydroxyacetophenone, disodium EDTA, glycerin, sodium hyaluronate, cetyl alcohol

**Questions?** 1-866-288-3330

www.coppertone.com

**Beiersdorf**

Made in Mexico/Distributed by:  
Beiersdorf Inc. Stamford, CT 06901  
®=reg. TM. of Beiersdorf AG, Germany



**COPPERTONE COMPLETE SUNSCREEN SPF 45**

avobenzone 3%, homosalate 10%, octisalate 5%, octocrylene 10% lotion

**Product Information**

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:66800-8159 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

**Active Ingredient/Active Moiety**

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

|   |             |               |
|---|-------------|---------------|
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)   | HOMOSALATE  | 10 g in 100 g |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE  | 5 g in 100 g  |
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 10 g in 100 g |
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE  | 3 g in 100 g  |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)                    |          |
| <b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836S5G51DR)                                |          |
| <b>XANTHAN GUM</b> (UNII: TTV12P4NEE)  |          |
| <b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)                                      |          |
| <b>DISODIUM EDTA-COPPER</b> (UNII: 6V475AX06U)                                     |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)                                       |          |
| <b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)                                      |          |
| <b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)   |          |
| <b>DIBUTYL ADIPATE</b> (UNII: F4K100DXP3)  |          |
| <b>TOCOPHEROL</b> (UNII: R0ZB2556P8)   |          |
| <b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)                       |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>ALCOHOL</b> (UNII: 3K9958V90M)  |          |
| <b>BIS-OCTYLDODECYL DIMER DILINOLEATE/PROPANEDIOL COPOLYMER</b> (UNII: TY3J98ZR7R) |          |
| <b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)                                     |          |
| <b>STARCH, TAPIOCA</b> (UNII: 24SC3U704I)  |          |
| <b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)                                 |          |
| <b>WATER</b> (UNII: 059QF0K00R)  |          |
| <b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)                                    |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)   |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)  |          |
| <b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)                                  |          |
| <b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)  |          |
| <b>DOCOSANOL</b> (UNII: 9G1OE216XY)  |          |
| <b>POLYGLYCERYL-6 STEARATE</b> (UNII: ETY9Q81E2T)                                  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |          |
| <b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)                                       |          |
| <b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)                              |          |
| <b>ETHYLHEXYLGLYCERYL BEHENATE</b> (UNII: JRY34LRD7B)                              |          |

### Product Characteristics

|                 |                              |                     |  |
|-----------------|------------------------------|---------------------|--|
| <b>Color</b>    | white ((white to off-white)) | <b>Score</b>        |  |
| <b>Shape</b>    |                              | <b>Size</b>         |  |
| <b>Flavor</b>   |                              | <b>Imprint Code</b> |  |
| <b>Contains</b> |                              |                     |  |

### Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
|---|-----------|---------------------|----------------------|--------------------|

|          |                  |   |            |  |
|----------|------------------|---|------------|--|
| <b>1</b> | NDC:66800-8159-2 | 74 g in 1 TUBE; Type 0: Not a Combination Product | 01/01/2023 |  |
|----------|------------------|---|------------|--|

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 01/01/2023           |                    |

**Labeler** - Beierdorf Inc (001177906)

Revised: 12/2025

Beierdorf Inc