ASTRA-DENT TOPICAL ANESTHETIC GEL- benzocaine gel Zag Usa Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredients

Benzocaine 200mg (in each g)

Purpose

Oral Anesthetic

Use

For oral mucosal use only, as directed by dentist. For the temporary relief of pain due to minor dental procedures.

Warnings

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in the blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy Alert: Do not use on patients with a history of allergies to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

Do not use

- for more than 7 days unless directed by a physician. If sore mouth symptoms do not improve in 7 days; irritation, pain, or redness persists or worsens; or if swelling, rash or fever develops, see your physician promptly.
- for teething
- in children under 2 years of age

When using this product Avoid contact with eyes. If contact occurs, flush with water.

Do not exceed recommended dosage. If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center right away.

If pregnant or breast feeding, ask a physician before use.

Keep out of reach of children.

Directions

- Apply only amount needed to the oral mucosa to prevent or relieve pain.
- children under 2 years of age: do not use

Other Information

Store at 59°-86°F (15°-30°C). Protect from freezing.

Inactive Ingredients

flavoring, PEG 3350, PEG 400, sodium saccharin. May contain blue #1, green #3, green #5, red #3, red #28, red #40, yellow #5, (tartrazine), yellow #6, as a color additive.

Questions or comments?

1-877-832-6963 or www.omnidentalsupply.com

PEEL BACK to review drug facts

Distributed by: Omni Dental Supply Brooklyn, NY 11232 (877) 832-6963

www.omnidentalsupply.com

in children under 2 years of age

When using this product

99093651 Rev 08/2018



Topical Anesthetic Gel

Benzocaine 20%

Net Wt. 1 oz. (30 ml)



mouth symptoms do not improve directed by a physician. If sore

Benzocaine 200 mg (in each g)

Oral Anesthetic

Se Se

Purpose

Active ingredients

Drug Facts

if swelling, rash or fever develops, redness persists or worsens; or see your physician promptly. in 7 days; irritation, pain, or for teething

For oral mucosal use only, as

If pregnant or breast feeding, Do not exceed recommended Poison Control Center right away. contact occurs, flush with water. pain is accidentally swallowed, dosage. If more than used for get medical help or contact a Avoid contact with eyes. If

> may cause methemoglobinemia a serious condition that must be

warning: Use of this product

Methemoglobinemia

Warnings

Keep out of reach of children. Apply only amount needed to ask a physician before use. Directions

occur even if you have used this

product before. Stop use and carried in the blood. This can

seek immediate medical

reduces the amount of oxygen

treated promptly because it

the oral mucosa to prevent or relieve pain.

attention if you or a child in your

pale, gray or blue colored skin

care develops:

 children under 2 years of age: do not use

Store at 59° - 86° F (15 - 30°C). **Other information** Protect from freezing.

dizziness or lightheadedness

shortness of breath

rapid heart rate

headache

cyanosis)

blue #1, green #3, green #5, red sodium saccharin. May contain flavoring, PEG 3350, PEG 400, Inactive ingredients

(tartrazine), yellow #6, as a color #3, red #28, red #40, yellow #5,

Questions or comments? 877-832--6963 or www.omnidentalsupply.com

additive.

Allergy Alert: Do not use on for more than 7 days unless allergies to local anesthetics such as procaine, butacaine, benzocaine or other "caine' fatigue or lack of energy patients with a history of Do not use anesthetics.

ASTRA-DENT TOPICAL ANESTHETIC GEL

temporary relief of pain due

to minor dental procedures

directed by dentist. For the

benzocaine gel

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:71363-104 |
| Route of Administration | DENTAL | | |

| Active Ingredient/Active Moiety | | | |
|--|--------------------------|---------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5) | BENZOCAINE | 200 mg in 1 g | |

| Inactive Ingredients | | |
|---|----------|--|
| Ingredient Name | Strength | |
| POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) | | |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | | |

| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) FD&C RED NO. 3 (UNII: PN2ZH5LOQY) FD&C RED NO. 40 (UNII: WZB9127XOA) FD&C BLUE NO. 1 (UNII: H3R47K3TBD) FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S) D&C RED NO. 28 (UNII: 767IP0Y5NH) D&C GREEN NO. 5 (UNII: 8J6RDU8L9X) | FD&C YELLOW NO. 5 (UNII: I753WB2F1M) | |
|---|--|--|
| FD&C RED NO. 40 (UNII: WZB9127XOA) FD&C BLUE NO. 1 (UNII: H3R47K3TBD) FD&C GREEN NO. 3 (UNII: 3P3ONR601S) D&C RED NO. 28 (UNII: 767IP0Y5NH) | FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) FD&C GREEN NO. 3 (UNII: 3P3ONR601S) D&C RED NO. 28 (UNII: 767IP0Y5NH) | FD&C RED NO. 3 (UNII: PN2ZH5LOQY) | |
| FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S) D&C RED NO. 28 (UNII: 767IP0Y5NH) | FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| D&C RED NO. 28 (UNII: 767IP0Y5NH) | FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| | FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S) | |
| D&C GREEN NO. 5 (UNII: 8J6RDU8L9X) | D&C RED NO. 28 (UNII: 767IP0Y5NH) | |
| | D&C GREEN NO. 5 (UNII: 8J6RDU8L9X) | |

| Product Characteristics | | | |
|-------------------------|-------|--------------|--|
| Color | green | Score | |
| Shape | | Size | |
| Flavor | MINT | Imprint Code | |
| Contains | | | |

| l | Packaging | | | |
|---|------------------|--|-------------------------|-----------------------|
| | # Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | 1 NDC:71363-104- | 28 g in 1 JAR; Type 0: Not a Combination Product | 08/01/2018 | |

| Marketing Information | | | |
|-------------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph not final | part356 | 07/01/2016 | |
| | | | |

Labeler - Zag Usa Inc (079487975)

Revised: 1/2022 Zag Usa Inc