

**TETRACYTE TOPICAL- tetracycline hydrochloride spray**  
**WOUNDS PROS, LLC**

-----  
**Tetracyte Topical Spray**

***Drug Facts***

***Active Ingredient (in each gram)***

Tetracycline-HCL 30mg

***Purpose***

First Aid/Antibiotic

***Indications***

First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns.

***Warnings***

For external use only. May be harmful if swallowed.

Do not use if allergic to any ingredient listed on this label. **Allergy Alert**

**Do not use**

- in eyes
- over large areas of the body
- longer than 1 week unless directed by doctor

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious trauma

**Stop use and ask a doctor**

if condition persists or gets worse.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison control Center right away.

***Directions***

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily

- may be covered with a sterile bandage

**Stop use if product is misused**

- this product is an OTC antibiotic for human use
- contains no alcohol, no animal ingredients
- blended for typical skin color
- may stain cloth
- no claims regarding stem cell healing are implied for this product

***Other Information***

- For best results refrigerate or store in a cool dark place.

***Inactive Ingredients***

acetic acid, ascorbic acid, chlorhexidine gluconate, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, glucono delta lactone, glycerin, histidine, hydroxethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, stearic acid, water

**Package Labeling:**



**THE WOUND PROS**  
Wound Care Experts

**TETRACYTE**  
First Aid & Antibiotic

**Topical Spray**

Tetracycline  
Hydrochloride 3%  
(active ingredient)

---

**Drug Facts**

**Active Ingredient (in each gram) Purpose**  
Tetracycline-HCl 30mg. . . . . First Aid/Antibiotic

**Indications**  
First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns.

**Warnings**  
For external use only. May be harmful if swallowed.

**Allergy Alert**  
Do not use if allergic to any ingredient listed on this label.

**Do not use**

- in eyes ■ over large areas of the body
- longer than 1 week unless directed by doctor

**Ask a doctor before use if you have**

- deep or puncture wounds ■ animal bites
- serious trauma

**Stop use and ask a doctor if condition persists or gets worse.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison control Center right away.

**Directions**

- Clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

**Stop use if product is misused**

- this product is an OTC antibiotic for human use
- contains no alcohol, no animal ingredients
- blended for typical skin color
- may stain cloth
- no claims regarding stem cell healing are implied for this product

**Other Information**

- For best results refrigerate or store in a cool dark place.

**Inactive Ingredients** acetic acid, ascorbic acid, chlorhexidine gluconate, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, glucono delta lactone, glycerin, histidine, hydroxyethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, stearic acid, water

Keep this and all drugs away from children. In case of accidental ingestion, seek medical assistance or contact a poison control immediately. Side effect: same as other tetracycline products.

**THE WOUND PROS**  
Wound Care Experts

**TETRACYTE**  
First Aid & Antibiotic

**Topical Spray**

Tetracycline  
Hydrochloride 3%  
(active ingredient)



1.85 FL OZ (55ml)

**THE WOUND PROS**  
Wound Care Experts

**TETRACYTE**  
First Aid & Antibiotic

**Topical Spray**

Tetracycline  
Hydrochloride 3%  
(active ingredient)



1.85 FL OZ (55ml)

**THE WOUND PROS**  
Wound Care Experts

**TETRACYTE**  
First Aid & Antibiotic

**Topical Spray**


Tetracycline  
Hydrochloride 3%  
(active ingredient)



1.85 FL OZ (55ml)

WoundPros Distributed by: WoundPros, LLC  
Report any side effects to: WoundPros, LLC  
4640 Admiralty Way Suite 500 Marina Del Rey, Ca 90292  
Tel: (310) 496-5844 | www.thewoundpros.com

PATENT PENDING



8 65393 00041 5  
NDC# 71262-003-00

# TETRACYTE TOPICAL

tetracycline hydrochloride spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79790-001
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TETRACYCLINE HYDROCHLORIDE</b> (UNII: P6R62377KV) (TETRACYCLINE - UNII:F8VB5M810T)	TETRACYCLINE HYDROCHLORIDE	30 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ACETIC ACID</b> (UNII: Q40Q9N063P)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)	
<b>CHOLECALCIFEROL</b> (UNII: 1C6V77QF41)	
<b>DIMETHYL SULFOXIDE</b> (UNII: YOW8V9698H)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLUCONOLACTONE</b> (UNII: WQ29KQ9POT)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HISTIDINE</b> (UNII: 4QD397987E)	
<b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79790-001-00	1 in 1 BOX	07/01/2020	
1		55 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	07/01/2020	

