

**MAXIMUM STRENGTH ACID CONTROLLER- famotidine tablet  
BETTER LIVING BRANDS LLC.**

-----  
**720R Albertsons 21130-027 Famotidine 20 mg tablets**

***Drug Facts***

***Active ingredient (in each tablet)***

Famotidine USP 20 mg

***Purpose***

Acid reducer

***Uses***

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

***Warnings***

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

**Ask a doctor or pharmacist before use if you are** taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away

## ***Directions***

adults and children 12 years and over:

- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **10 to 60 minutes before** eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours

children under 12 years: ask a doctor

## ***Other information***

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture
  - The FDA approved dissolution methods differ from USP

***Inactive ingredients*** carnauba wax, colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, pregelatinized starch, talc, titanium dioxide

***Questions or comments?*** Call **1-877-290-4008**

**Drug Facts (continued)**

sweating; pain spreading to arms, neck or shoulders; or lightheadedness  
■ frequent chest pain ■ frequent wheezing, particularly with heartburn or vomiting ■ stomach pain ■ kidney disease

**Ask a doctor or pharmacist before use if you are taking a prescription drug.** Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if** ■ your heartburn continues or worsens ■ you need to take this product for more than 14 days

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions** ■ adults and children 12 years and over: ● to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew. ● to prevent symptoms, swallow 1 tablet with a glass of water at any time from 10 to 60 minutes before eating food or drinking beverages that cause heartburn ● do not use more than 2 tablets in 24 hours ■ children under 12 years: ask a doctor

**Questions or comments?**  
1-877-290-4008

DISTRIBUTED BY: BETTER LIVING BRANDS LLC  
P.O. BOX 99, PLEASANTON, CA 94566-0099  
1-888-723-3929  
Made in India  
7208 0323  
SS934  
RD 23067  
how2recycle.info  
PLASTIC BOTTLE  
LOVE IT  
OR IT'S ON US!

Adhesive Area

Inside

1/16" Margin

**Varnish Omit Area**

Lot No.:  
Exp. Date:  
**PEEL HERE**

**Drug Facts (continued under label)**

shoulder pain with shortness of breath;  
■ heartburn with **lightheadedness,** sweating, or dizziness ■ chest pain or

be a sign of a more serious condition.  
■ had heartburn over 3 months. This may  
be a sign of a more serious condition.

**Do not use** ■ if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor. ■ with other acid reducers

**Warnings**  
**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Uses** ■ relieves heartburn associated with acid indigestion and sour stomach ■ prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

**Purpose**  
**Active ingredient**  
**(in each tablet)**  
Famotidine USP 20 mg.....Acid reducer

**Drug Facts**

**READ AND KEEP CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION**

**TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING**

NDC 21130-027-05



**Maximum Strength**  
**Acid Controller**  
FAMOTIDINE TABLETS USP, 20 mg  
Acid Reducer

Just one tablet prevents & relieves heartburn due to acid indigestion

**50 TABLETS**



# MAXIMUM STRENGTH ACID CONTROLLER

famotidine tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:21130-027
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>FAMOTIDINE</b> (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	20 mg

## Inactive Ingredients

Ingredient Name	Strength
TALC (UNII: 7SEV7J4R1U)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

### Product Characteristics

Color	white	Score	no score
Shape	SEMI-CIRCLE (D-shaped)	Size	9mm
Flavor		Imprint Code	87
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-027-05	1 in 1 CARTON	06/23/2023	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA217543	06/23/2023	

**Labeler** - BETTER LIVING BRANDS LLC. (009137209)

**Registrant** - TIME CAP LABORATORIES, INC. (037052099)

### Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(21130-027)

Revised: 7/2023

BETTER LIVING BRANDS LLC.