

**STOOL SOFTENER- docusate sodium and sennosides tablet
BETTER LIVING BRANDS LLC.**

Albertsons Docusate Sodium 50 mg and Sennosides 8.6 mg Tablets

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg

Sennosides 8.6 mg

Purpose

Stool softener

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless told to do so by a doctor
- if you are presently taking mineral oil unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older: take 2-4 tablets daily

children 6 to under 12 years of age: take 1-2 tablets daily

children 2 to under 6 years of age: take up to 1 tablet daily

children under 2: ask a doctor

Other information

- **each tablet contains:** calcium 20 mg, sodium 6 mg (VERY LOW SODIUM)
- store at 25°C (77°F) excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium benzoate, stearic acid, titanium dioxide

Questions or comments?

Call **1-877-290-4008**

Adhesive Area

Drug Facts (continued)
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
 Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take upto 1 tablet daily
children under 2	ask a doctor

Other information
 Each tablet contains: calcium 20 mg, sodium 6 mg (VERY LOW SODIUM)
 Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients: carnauba wax, colloidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium benzoate, stearic acid, titanium dioxide

Questions or comments? 1-877-290-4008

Signature Care
 Quality Guaranteed

Compare to Colace[®] 2-IN-1 active ingredients*
 NDC 21130-902-20

Stool Softener
 Plus Stimulant Laxative
 DOCUSATE SODIUM 50 mg
 SENNOSIDES 8.6 mg

For overnight relief of occasional constipation

- Gentle
- Dependable

Relief in 6-12 hours

Actual Size
200 TABLETS

Drug Facts
 TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Active Ingredients (in each tablet)
 Docusate sodium 50mg.....Stool Softener
 Sennosides 8.6 mg.....Stimulant laxative

Purposes
 Relieves occasional constipation (irregularity) and generally produces bowel movement in 6 to 12 hours

Warnings
 Do not use
 ■ laxative products for longer than 1 week unless told to do so by a doctor
 ■ if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have
 ■ stomach pain
 ■ nausea
 ■ vomiting
 ■ noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued under label)

This product is not manufactured or distributed by Ampro Health L.P., owner of the registered trademark Colace[®] 2-in-1. DISTRIBUTED BY: BETTER LIVING BRANDS LLC
 P.O. BOX 98, PLEASANTON, CA 94566-0099
 1-888-723-3929

RD 23083
 how2recycleinfo
PLASTIC BOTTLE

LOT No.:
 EXP. DATE:

LOVE IT OR IT'S ON US!

Varnish Omit Area

9 6 1 1 2 3 0 1 7 7 8 8 1 9
 3

PREPARE HERE

STOOL SOFTENER

docusate sodium and sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-902
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg

Inactive Ingredients

Ingredient Name	Strength
SODIUM BENZOATE (UNII: OJ245FE5EU)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

CARNAUBA WAX (UNII: R12CBM0EIZ)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	TCL097
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-902-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	09/30/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	09/30/2024	

Labeler - BETTER LIVING BRANDS LLC. (009137209)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES, INC.		037052099	manufacture(21130-902)

Revised: 10/2024

BETTER LIVING BRANDS LLC.