# OXYGEN- oxygen gas Med-Systems, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

### Oxygen

### **Principal for Oxygen Product**

OXYGEN, COMPRESSED USP UN 1072

C.A.S No. 7782-44-7

WARNING: HIGH PRESSURE, OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure.

Use a back flow preventative device in the piping.

Close valve after each use and when empty. Cylinder temperatures should not exceed 52°C (125°F). Use in accordance with Material Safety Data Sheet (MSDS).

DO NOT REMOVE THIS PRODUCT LABEL.

#### WARNING:

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction

## OXYGEN, COMPRESSED USP

OXYGEN

**UN 1072** 

C.A.S. NO. 7782-44-7

Representative Labeling pursuant to 21 CFR 207.3 (10) Company name and contact information are printed in this box

A WARNING: HIGH PRESSURE, OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT.

Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure.

Use a back flow preventative device in the piping.
Close valve after each use and when empty. Cylinder temperature should not exceed 52°C (125°F).
Use in accordance with Material Safety Data Sheet (MSDS).
DO NOT REMOVE THIS PRODUCT LABEL.

▲ WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harm-ful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Size	Contents	 Size	Contents
"M6"	170 Liters	"E"	682 Liters
"C"	248 Liters	"H"	6910 Liters
"D"	415 Liters	Other	Liters

Representative Labeling pursuant to 21 CFR 207.3 (10)

## **OXYGEN**

oxygen gas

	Produ	ict In	forn	ation
--	-------	--------	------	-------

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:62890-001
--------------	-------------------------	--------------------	---------------

Route of Administration RESPIRATORY (INHALATION)

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065) Oxygen (Oxygen - UNII:S88TT14065)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62890-001-01	170 L in 1 CYLINDER		
2	NDC:62890-001-02	415 L in 1 CYLINDER		
3	NDC:62890-001-03	682 L in 1 CYLINDER		
4	NDC:62890-001-04	1738 L in 1 CYLINDER		
5	NDC:62890-001-05	8495 L in 1 CYLINDER		
6	NDC:62890-001-06	6910 L in 1 CYLINDER		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved medical gas		03/24/2014		

## Labeler - Med-Systems, Inc. (058209289)

## $\pmb{Registrant - } \texttt{Med-Systems, Inc. (058209289)}$

Establishment				
Name	Address	ID/FEI	Business Operations	
Med-Systems, Inc.		058209289	manufacture(62890-001)	

Revised: 3/2014 Med-Systems, Inc.