

**DR.FORHAIR FOLLIGEN- pyrithione zinc shampoo**  
**Humajor Co., Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**69244-0007\_Dr.FORHAIR FOLLIGEN**

zinc pyrithione 0.288%

Salicylic Acid 0.2%

Water, Disodium Laureth Sulfosuccinate, Lauryl hydroxy sultaine, Cocamide Methyl MEA, Styrene/Acrylates Copolymer, Glycerin, Sodium Cocoyl Isethionate, PEG-120 Methyl Glucose Dioleate, Propanediol, Fragrance, Sodium Lauroyl Methylaminopropionate, Alcohol, PEG-45 Palm Kernel Glycerides, Panthenol, C12-13 Alkyl Lactate, Polyquaternium-10, Cetrimonium Chloride, Menthol, Cocamidopropyl Betaine, Caprylyl Glycol, Trihydroxystearin, Disodium EDTA, Zinc Chloride, Sodium benzoate, Polyquaternium-7, PEG-6 Caprylic/Capric Glyceride , Ethylhexylglycerin, Sodium Chloride, Citric Acid, Camellia Japonica Seed Oil, Argania Spinosa Kernel Oil, Adenosine, Disodium Phosphate , Niacinamide, Moringa Oleifera Seed Oil, Tocopherol, Biotin, Ceramide NP, Lecithin, Caprylic/Capric Triglyceride, Polysorbate 80, Serenoa Serrulata Fruit Extract, Caffeic Acid, Rhodiola Rosea Root Extract, Dioscorea Japonica Root Extract, Paeonia Lactiflora Root Extract, Zingiber Officinale (Ginger) Root Extract, Sophora Flavescens Extract, 1,2-Hexanediol

Antidandruff

keep out or reach of the children

Helps prevent recurrence of flaking and itching associated with dandruff

For external use only.

When using this product, do not get into eyes. If contact occurs, rinse eyes thoroughly with water.

Stop use and ask a doctor if condition worsens or does not improve after regular use as directed.

Apply to wet hair. Work into a rich lather and gently massage into scalp and hair. Rinse thoroughly with lukewarm water.

라벨갈선

**BETTER SCALP,  
LOOKING GREAT!**

글로벌 두피관리센터의 두피과학

닥터포에어 폴리젠 샴푸

**Drug Facts**

Active Ingredients	Purposes
Pyrrhione Zinc 0.288% .....	Anti-dandruff
Salicylic Acid 0.2% .....	Anti-dandruff

**Uses**

Helps prevent recurrence of flaking and itching associated with dandruff

**Warnings**

For external use only

When using this product, do not get into eyes. If contact occurs, rinse eyes thoroughly with water.

Stop use and ask a doctor if condition worsens or does not improve after regular use as directed.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

Apply to wet hair. Work into a rich lather and gently massage into scalp and hair. Rinse thoroughly with lukewarm water.

**Inactive Ingredients**

Water, Disodium Laureth Sulfosuccinate, Lauryl Hydroxysulfate, Cocamide Methyl MEA, Styrene/Acrylates Copolymer, Glycerin, Sodium Cocoyl Isethionate, PEG-120 Methyl Glucose Dioleate, Propanediol, Fragrance, Sodium Lauryl Methylaminopropionate, Alcohol, PEG-45 Palm Kernel Glycolides, Panthenol, C12-13 Alkyl Lactate, Polyquaternium-10, Cetrimonium Chloride, Menthol, Cocamidopropyl Betaine, Caprylyl Glycol, Trihydroxystearin, Disodium EDTA, Zinc Chloride, Sodium Benzoate, Polyquaternium-7, PEG-6 Caprylyl/Capric Glycolides, Ethylhexylglycerin, Sodium Chloride, Citric Acid, Camellia Japonica Seed Oil, Argania Spinosa Kernel Oil, Adenosine, Disodium Phosphate, Niacinamide, Moringa Oleifera Seed Oil, Tocopherol, Biotin, Ceramide NP, Lecithin, Caprylyl/Capric Triglyceride, Polysorbate 80, Serenoa Semulata Fruit Extract, Caffeic Acid, Rhodiola Rosea Root Extract, Dioscorea Japonica Root Extract, Passerina Lactiflora Root Extract, Zingiber Officinale (Ginger) Root Extract, Sophora Flavescens Extract, 1,2-Hexanediol

**TIP** 습관성 탈모를 유발하는 잘못된 습관들

전체 탈모원자의 절반이 2030세대 생활 속 사소한 습관과 두피 건강을 위협할 수 있습니다. 습관성 탈모의 원인을 확인해 보세요.



“습관을 바꿀 수 없다면, 샴푸를 바꿔보세요!”



독일 피부과학연구소 디마테스트 최고 등급 EXCELLENT 획득



**NEW YORK  
BEIJING  
SEOUL**

글로벌 두피관리센터, 닥터포에어

뉴욕, 북경, 서울 등에 위치한 닥터포에어 스킵스 팀은 다양한 두피/모발 관리 프로그램을 통해 수많은 사람이 두피와 모발 건강을 되찾아 왔습니다. 닥터포에어 샴푸도 많은 이러한 두피 관리 프로그램과 임상 연구를 기반으로 두피 본연의 힘을 이끌어내고 두피의 열정을 유지하여 풍성하고 아름다운 머리카락을 만들어낼 수 있는 다양한 제품을 선보입니다.

shampoo  
**Folligen  
Original**

**Dr.FORHAIR**

HAIR LIKE YOU'VE EVER WANTED!  
Alleviate hairloss symptoms.

**Clinically proven for reducing sebum and dead skin cell by 78.4% and 37.6% and increasing scalp strength by 8.2%**

Dr. FORHAIR scalp and hair centre in New York, Beijing and Seoul have solved a variety of hair and scalp troubles through our unique care programs. What you are holding now is the essence of our clinical experience and technology in a bottle that will surely satisfy you.

Scalp-friendly formula for thinning hair  
500ml Net 16.91 fl. oz.



**닥터포에어 폴리젠 샴푸**

장성분 정제수, 디아소플라워레스센트(사비트), 라우릴하이드록시설페이트, 코카미드메틸에아, 스타이렌아크릴레이트-코폴리머, 글리세린, 소듐코코일이세티오네이트, 바이오틴, 세라마이드NP, 세발라피드, 사발랑알레추출물, 판테놀, 아데노신, 카세인, 나이아신아미드, 징크피리치오, 살리실릭애드, 비위올베헤루리추출물, 질마부리추출물, 작약부리추출물, 생강추출물, 고삼추출물, 폴리쿼터늄-7, 피이제-12, 메틸글루코시도실라이트, 프롤판디올, 소듐라우릴글루시드, 프루판디올, 에탄올, 피이제-45, 알킬벤질글루시드, C12-13알킬락테이트, 폴리쿼터늄-7, 세틸리놀, 폴리쿼터늄-10, 폴리쿼터늄-7, PEG-6, 카프릴/카프릭 글리콜리드, 에틸헥실글리세린, 나트륨 클로라이드, 시트릭애드, 캄멜리아자피드, 아르기니아, 디아소플라워레스센트, 트라이아미노프로판, 카프릴/카프릭 트라이올리드, 피이제-6, 카프릴/카프릭 트라이올리드, 에틸헥실글리세린, 징크클로라이드, 시트릭애드, 동백나무씨오일, 아르기니아, 디아소플라워레스센트, 프롤판디올, 프롤판디올, 카프릴/카프릭 트라이올리드, 폴리쿼터늄-10, 1,2-헥산디올, 향료

효능효과 및 사용기간: 발드프기 화장목적임대업자 (비대업자 사용) 사용기간: 3개월 이상 사용 시 또는 사용 후 3개월 안에 의뢰 사용후기가 없는 분당, 부피를 또는 가려움증 등의 이상 증상에나 피부에 있는 부위 건조의 증상일 것 2. 샴푸가 있는 부위에는 사용을 지체할 것 3. 보관 및 취급 시 주의사항 가 약제의 손이 닿지 않는 곳에 보관할 것 나) 직사광선을 피해서 보관할 것 4. 눈에 들어갔을 때는 즉시 씻어낼 것 5. 사용 후 바로 씻어서 보관하면 탈모는 탈색의 원인이 될 수 있으므로 주의할 것

제조번호 및 사용기간: 발드프기 화장목적임대업자 (비대업자 사용) 사용기간: 3개월 이상 사용 시 또는 사용 후 3개월 안에 의뢰 사용후기가 없는 분당, 부피를 또는 가려움증 등의 이상 증상에나 피부에 있는 부위 건조의 증상일 것 2. 샴푸가 있는 부위에는 사용을 지체할 것 3. 보관 및 취급 시 주의사항 가 약제의 손이 닿지 않는 곳에 보관할 것 나) 직사광선을 피해서 보관할 것 4. 눈에 들어갔을 때는 즉시 씻어낼 것 5. 사용 후 바로 씻어서 보관하면 탈모는 탈색의 원인이 될 수 있으므로 주의할 것

제조번호 및 사용기간: 발드프기 화장목적임대업자 (비대업자 사용) 사용기간: 3개월 이상 사용 시 또는 사용 후 3개월 안에 의뢰 사용후기가 없는 분당, 부피를 또는 가려움증 등의 이상 증상에나 피부에 있는 부위 건조의 증상일 것 2. 샴푸가 있는 부위에는 사용을 지체할 것 3. 보관 및 취급 시 주의사항 가 약제의 손이 닿지 않는 곳에 보관할 것 나) 직사광선을 피해서 보관할 것 4. 눈에 들어갔을 때는 즉시 씻어낼 것 5. 사용 후 바로 씻어서 보관하면 탈모는 탈색의 원인이 될 수 있으므로 주의할 것

**INGREDIENTS** Water, Disodium Laureth Sulfosuccinate, Lauryl Hydroxysulfate, Cocamide Methyl MEA, Styrene/Acrylates Copolymer, Glycerin, Sodium Cocoyl Isethionate, Biotin, Ceramide NP, Serenoa Semulata Fruit Extract, Panthenol, Adenosine, Caffeic Acid, Niacinamide, Zinc Pyrrhione, Salicylic Acid, Rhodiola Rosea Root Extract, Dioscorea Japonica Root Extract, Passerina Lactiflora Root Extract, Zingiber Officinale (Ginger) Root Extract, Sophora Flavescens Extract, Polyquaternium-7, PEG-120 Methyl Glucose Dioleate, Propanediol, Sodium Lauryl Methylaminopropionate, Alcohol, PEG-45 Palm Kernel Glycolides, C12-13 Alkyl Lactate, Polyquaternium-10, Cetrimonium Chloride, Menthol, Cocamidopropyl Betaine, Caprylyl Glycol, Sodium Chloride, Citric Acid, Camellia Japonica Seed Oil, Argania Spinosa Kernel Oil, Adenosine, Disodium Phosphate, Niacinamide, Moringa Oleifera Seed Oil, Tocopherol, Biotin, Ceramide NP, Lecithin, Caprylyl/Capric Triglyceride, Polysorbate 80, Serenoa Semulata Fruit Extract, Caffeic Acid, Rhodiola Rosea Root Extract, Dioscorea Japonica Root Extract, Passerina Lactiflora Root Extract, Zingiber Officinale (Ginger) Root Extract, Sophora Flavescens Extract, 1,2-Hexanediol, Fragrance

**DIRECTIONS** Apply to wet hair. Work into a rich lather and gently massage into scalp and hair. Rinse thoroughly with lukewarm water.

**CAUTIONS** For external use only. Do not use on damaged skin or wounds. Avoid direct contact with eyes. If product gets into the eyes, rinse well with warm water immediately. If swallowed, get medical help or consult a physician immediately. Keep out of reach of children.

**CUSTOMER SERVICE** (+82) 1670-5875

**DISTRIBUTOR** Humjeor Co., Ltd.  
58, Bongjeun-ro 19-gil, Gangnam-gu, Seoul, Korea  
Best stored in a cool place (10~30°C).  
Keep away from direct sunlight.  
MADE IN KOREA  
www.drforhair.co.kr



**DR.FORHAIR FOLLIGEN**  
pyrrhione zinc shampoo

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69244-0007
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PYRITHIONE ZINC (UNII: R953O2RHZ5) (PYRITHIONE ZINC - UNII:R953O2RHZ5)	PYRITHIONE ZINC	2.88 g in 100 mL
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	2 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DISODIUM LAURETH SULFO SUCCINATE (UNII: D6DH1DTN7E)	
LAURYL HYDROXYSULTAINE (UNII: 176KKP31OZ)	
CO COYL METHYL MONO ETHANO LAMINE (UNII: 79G1T427CF)	
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CO COYL ISETHIONATE (UNII: 518XTE8493)	
PEG-120 METHYL GLUCOSE DIOLEATE (UNII: YM0K64F20V)	
PROPANEDIOL (UNII: 5965N8W85T)	
SODIUM LAUROYL METHYLAMINOPROPIONATE (UNII: 99E3R68Y9B)	
ALCOHOL (UNII: 3K9958V90M)	
PEG-45 PALM KERNEL GLYCERIDES (UNII: UC117W498W)	
PANTHENOL (UNII: WV9CM0O67Z)	
C12-13 ALKYL LACTATE (UNII: 9GLX7JL13M)	
CETRIMONIUM CHLORIDE (UNII: UC9PE95IBP)	
POLYQUATERNIUM-10 (1000 MPAS AT 2%) (UNII: GMR4PEN8PK)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POLYQUATERNIUM-7 (70/30 ACRYLAMIDE/DADMAC; 1600000 MW) (UNII: 0L414VCS5Y)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69244-0007-2	1 in 1 CARTON	08/06/2019	
1	NDC:69244-0007-1	500 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358H	08/06/2019	

**Labeler** - Humajor Co., Ltd. (689061827)

**Registrant** - Humajor Co., Ltd. (689061827)

**Establishment**

Name	Address	ID/FEI	Business Operations
Cosmococ Co., Ltd		689387376	manufacture(69244-0007)

Revised: 8/2019

Humajor Co., Ltd.