

ALBOTHYL- policresulen solution liquid
Lydia Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Policresulen Solution

Oral debriding agent/oral wound cleanser for temporary use to cleanse canker sores and minor wounds or minor gum inflammation resulting from minor dental procedures, dentures, orthodontic appliances, accidental injury, or other irritations of the mouth and gums such as mouth burns, cheek bites and toothbrush abrasions. Cleans minor mouth wounds by removing foreign materials that can impede the healing process

Keep out of reach of children

Adults and children 2 years of age and older: rinse half of a capful around in the mouth over affected area for at least 1 minute, then spit out. Use up to 4 times daily after meals and at bedtime or as directed by a dentist or physician. Children under 12 years of age should be supervised in the use of the product. Children under 2 years of age: consult a dentist or physician. To open child safety cap, squeeze smooth sides while turning. Reclose tightly

Do not use this product for more than 7 days unless directed by a dentist or physician.

When using this product, do not swallow.

Stop use and ask a doctor if. Sore mouth symptoms do not improve within 7 days. Irritation, pain or redness persists or worsens. Swelling, rash or fever develops.

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Do not use if carton is opened. Do not use if printed band on bottle is broken or missing

Water; Sorbitol; Propylene Glycol; Poloxamer

for oral use

ALBOTHYL

Drug Facts

Active Ingredients

Policresulen Solution(50w/w%)
720mg/g

Purpose

Cicatrizant,Antiseptic agent,Hemostatic agent, local

Uses

Oral debriding agent/oral wound cleanser for temporary use to cleanse canker sores and minor wounds or minor gum inflammation resulting from minor dental procedures, dentures, orthodontic appliances, accidental injury, or other irritations of the mouth and gums such as mouth burns, cheek bites and toothbrush abrasions. Cleans minor mouth wounds by removing foreign materials that can impede the healing process. .

Warnings

"Do not use this product for more than 7 days unless directed by a dentist or physician.

When using this product, do not swallow.

Stop use and ask a doctor if. Sore mouth symptoms do not improve within 7 days. Irritation, pain or redness persists or worsens. Swelling, rash or fever develops.

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Do not use if carton is opened. Do not use if printed band on bottle is broken or missing."

Directions

"Adults and children 2 years of age and older: rinse half of a capful around in the mouth over affected area for at least 1 minute, then spit out. Use up to 4 times daily after meals and at bedtime or as directed by a dentist or physician. Children under 12 years of age should be supervised in the use of the product. Children under 2 years of age: consult a dentist or physician. To open child safety cap, squeeze smooth sides while turning. Reclose tightly.

Other Information

Store at controlled room temperature 20-25 degrees C (68-77 degrees F)."

Inactive Ingredient

Water; Sorbitol; Propylene Glycol; Poloxamer

Questions or comments ?

Call weekdays from 9 a.m to 5 p.m EST at 562-273-0692

Distributed By: Bio Mission Group, Inc

9925 Painter Ave Suite #O Whittier,CA90605 USA

Made in South Korea

NDC Number :

ALBOTHYL

policresulen solution liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72988-0035
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLICRESULEN (UNII: 6I19M5GB0G) (POLICRESULEN - UNII:6I19M5GB0G)	POLICRESULEN	720 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72988-0035-1	5 g in 1 BOTTLE; Type 0: Not a Combination Product	01/23/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/23/2023	

Labeler - Lydia Co., Ltd. (695735569)

Registrant - Lydia Co., Ltd. (695735569)

Establishment

Name	Address	ID/FEI	Business Operations
Lydia Co., Ltd.		695735569	manufacture(72988-0035)

Revised: 7/2023

Lydia Co., Ltd.