

PAIN RELIEF- acetaminophen tablet
BETTER LIVING BRANDS LLC.

341R_Albertsons_21130-431_ACETAMINOPHEN CAPLETS 500 mg

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

temporarily relieves minor aches and pains due to:

- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps

temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Do not take more than directed.

See overdose warning

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 6 hours while symptoms last• do not take more than 6 caplets in 24 hours, unless directed by a doctor• do not take for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- SODIUM FREE
- store between 20-25°C (68-77°F) excursions permitted between 15-30°C (59-86°F)
- use by expiration date on package

Inactive ingredients

hypromellose, mineral oil, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid, titanium dioxide

*may contain this ingredient

Questions or comments? 1-877-290-4008

COMPARE TO
Extra Strength Tylenol® Active Ingredient†

NDC 21130-431-50

Signature
SELECT™

PAIN RELIEF
EXTRA STRENGTH

ACETAMINOPHEN CAPLETS 500 mg
- Pain Reliever/Fever Reducer
• FOR ADULTS

Actual Size

500 CAPLETS

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Drug Facts

Active ingredient (in each caplet) Purpose
Acetaminophen 500 mg Pain reliever/
fever reducer

Uses ■ temporarily relieves minor aches and pains due to: ■ the common cold ■ headache
■ backache ■ minor pain of arthritis
■ toothache ■ muscular aches
■ premenstrual and menstrual cramps
■ temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product
Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:
■ skin reddening ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical help right away.
Do not use ■ with any other drug containing

Drug Facts (continued)

acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
■ If you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if
■ pain gets worse or lasts more than 10 days
■ fever gets worse or lasts more than 3 days
■ new symptoms occur
■ redness or swelling is present
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Directions Do not take more than directed. See overdose warning
adults and children 12 years and over
■ take 2 caplets every 6 hours while symptoms last
■ do not take more than 6 caplets in 24 hours, unless directed by a doctor
■ do not take for more than 10 days unless directed by a doctor
children under 12 years ask a doctor

Other information
■ SODIUM FREE ■ store between 20-25°C (68-77°F) excursions permitted between 15-30°C (59-86°F) ■ use by expiration date on package

Inactive ingredients
hypromellose, mineral oil, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid, titanium dioxide
*may contain this ingredient

Questions or comments? 1-877-290-4008

This product is not manufactured or distributed by Kenner Inc., owner of the registered trademark Tylenol®

smartlabel®
Scan here for more information

DISTRIBUTED BY:
BETTER LIVING BRANDS LLC
P.O. BOX 99
PLEASANTON, CA 94566-0099
(949) 225-3829
34th floor MADE IN INDIA

how2recycle.info
PLASTIC BOTTLE
ourupcycle.com

RD 25171

LOT: UNWASHED AREA
EXP: LOVE IT OR IT'S ON US +

05895
21130-77743-4

NDC 21130-431-25

Signature
SELECT™

PAIN RELIEF
EXTRA STRENGTH

ACETAMINOPHEN CAPLETS 500 mg
- Pain Reliever/Fever Reducer
• FOR ADULTS

250
CAPLETS

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

READ AND KEEP CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Drug Facts

Purpose
Active ingredient (in each caplet)
Acetaminophen 500 mg Pain reliever/fever reducer

Uses
■ temporarily relieves minor aches and pains due to:
■ the common cold ■ headache ■ minor pain of arthritis
■ backache ■ muscular aches ■ premenstrual and menstrual cramps
■ toothache ■ temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
■ more than 4,000 mg of acetaminophen in 24 hours
■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks every day while using this product
Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:
■ skin reddening ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions Do not take more than directed. See overdose warning
adults and children 12 years and over ■ take 2 caplets every 6 hours while symptoms last
■ do not take more than 6 caplets in 24 hours, unless directed by a doctor
■ do not take for more than 10 days unless directed by a doctor
children under 12 years ■ ask a doctor

Other information
■ SODIUM FREE ■ store between 20-25°C (68-77°F) excursions permitted between 15-30°C (59-86°F) ■ use by expiration date on package
Questions or comments? 1-877-290-4008

DISTRIBUTED BY: BETTER LIVING BRANDS LLC
P.O. BOX 99, PLEASANTON, CA 94566-0099
1-888-723-3829

341R 0625 S860 MADE IN INDIA

RD 25171

PLASTIC BOTTLE
ourupcycle.com

LOT: Varnish Omit Area
EXP: LOVE IT OR IT'S ON US +

Varnish Omit

LOT:
EXP:



NO 25171 58550

RESTRICTED BY: PETER LIVING BRANDS LLC
P.O. BOX 99
PLEASANTON, CA 94666-0099
©2015
3419 9655 MADE IN INDIA
Scan here for more information

Varnish Omit

READ AND KEEP CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION
TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Drug Facts

Active ingredient (in each caplet) **Purpose**
acetaminophen 500 mg. Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

- Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take
 - more than 4,000 mg of acetaminophen in 24 hours
 - with other drugs containing acetaminophen
 - 3 or more alcoholic drinks every day while using this product
- Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:
 - skin redness
 - hives
 - itch
 If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Drug Facts (continued)

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

 These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions Do not take more than directed. See overdose warning

adults and children 12 years and over	<ul style="list-style-type: none"> take 2 caplets every 6 hours while symptoms last do not take more than 6 caplets in 24 hours, unless directed by a doctor do not take for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- SODIUM FREE**
- store between 20-25°C (68-77°F) excursions permitted between 15-30°C (59-86°F)
- use by expiration date on package

Inactive ingredients

hydroxypropylcellulose, mineral oil, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide *may contain this ingredient

Questions or comments? 1-877-290-4008

This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark, Tylenol®

COMPARE TO Extra Strength Tylenol® Active Ingredient† NDC 211301-431-25

PAIN RELIEF
EXTRA STRENGTH



ACETAMINOPHEN CAPLETS 500 mg

- Pain Reliever/Fever Reducer
- FOR ADULTS

Actual Size
250 CAPLETS

COMPARE TO Extra Strength Tylenol® Active Ingredient† NDC 211301-431-25

PAIN RELIEF
EXTRA STRENGTH



ACETAMINOPHEN CAPLETS 500 mg

- Pain Reliever/Fever Reducer
- FOR ADULTS

Actual Size
250 CAPLETS

C601 1 CR2

Varnish/Print Omit Area

Varnish Omit



Adhesive Area

Questions or comments? 1-877-290-4008

Inactive ingredients: hypromellose, mineral oil, polydrene, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide
* may contain this ingredient

use by expiration date on package

score between 20-25°C (68-77°F) excursions permitted between 15-30°C (59-86°F)

SODIUM FREE

Other information

children under 12 years

ask a doctor

do not take for more than 10 days unless directed by a doctor

24 hours, unless directed by a doctor

do not take more than 6 caplets in while symptoms last

children 12 years and over

take 2 caplets every 6 hours

See overdose warning

Do not take more than directed.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

These could be signs of a serious condition.

redness or swelling is present

fever gets worse or lasts more than 3 days

new symptoms occur

if pregnant or breast-feeding, ask a health professional before use.

Stop use and ask a doctor if

pain gets worse or lasts more than 10 days

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are allergic to acetaminophen or any of the inactive ingredients in this product

Do not use

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Drug Facts (continued)

COMPARE TO Extra Strength Tylenol® Active Ingredient†
NDC 21130-431-15



ACETAMINOPHEN CAPLETS 500 mg
- Pain Reliever/Fever Reducer
• FOR ADULTS



TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING.

Drug Facts

Active ingredient (in each caplet) Purpose
Acetaminophen 500 mg Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - minor pain of arthritis
 - backache
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
 - temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours or 3 or more alcoholic drinks every day while using this product with other drugs containing acetaminophen. Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

 If a skin reaction occurs, stop use and seek medical help right away.

Drug Facts (continued under label)

This product is not manufactured or distributed by Kenue Inc., owner of the registered trademark Tylenol®

how2recycle.info
 PLASTIC BOTTLE
 smartlabel®
 Scan here for more information
 LOVE IT OR IT'S ON US!
 RD 25171
 341R 0625 MADE IN INDIA

LOT: EXP:
 Varnish Omit Area
 150 CAPLETS

NDC 21130-431-01



ACETAMINOPHEN CAPLETS 500 mg
- Pain Reliever/Fever Reducer
• FOR ADULTS

100 CAPLETS

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING.

READ AND KEEP CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Drug Facts

Active ingredient (in each caplet) Purpose
Acetaminophen 500 mg Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to: the common cold, headache, backache, minor pain of arthritis, toothache, muscular aches, premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours or 3 or more alcoholic drinks every day while using this product. Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash

 If a skin reaction occurs, stop use and seek medical help right away! If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions Do not take more than directed.

See overdose warning

adults and children 12 years and over: take 2 caplets every 6 hours while symptoms last do not take more than 6 caplets in 24 hours, unless directed by a doctor do not take for more than 10 days unless directed by a doctor

children under 12 years: ask a doctor

Other information: SODIUM FREE store between 20-25°C (68-77°F) excursions permitted between 15-30°C (59-86°F) use by expiration date on package

Questions or comments? 1-877-290-4008

DISTRIBUTED BY: BETTER LIVING BRANDS LLC P.O. BOX 99 PLEASANTON, CA 94566-0099 1-888-723-3829

LOT: EXP:
 Varnish Omit Area

how2recycle.info
 PLASTIC BOTTLE
 smartlabel®
 Scan here for more information
 LOVE IT OR IT'S ON US!
 RD 25171
 341R 0625 MADE IN INDIA

Varnish Omit

LOT:
EXP.:



READ AND KEEP CAPTION FOR ADULTS AND CHILDREN

WARNING: SEVERE SKIN RASHES (SERIOUS SKIN REACTIONS) HAVE BEEN REPORTED WITH SOME OVER-THE-COUNTER PAIN RELIEVERS. STOP USING THE PRODUCT IF YOU DEVELOP A SKIN RASH.

Drug Facts

Active ingredient (in each caplet) Purpose
Acetaminophen 500 mg — Pain reliever/fever reducer

Uses

- Temporarily relieves minor aches and pains due to:
 - backache
 - minor pain of arthritis
 - muscle aches
 - premenstrual and menstrual cramps
 - temporarily reduces fever

Warnings

Liver warning: The product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours or with other drugs containing acetaminophen.

- 3 or more alcoholic drinks every day while using this product.

Identify alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- blistering
- itching
- skin peeling

If a skin reaction occurs, stop use and seek medical help right away.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Drug Facts (continued)

- If you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - itchiness or swelling is present
- These could be signs of a serious condition.

Prevent or breast-feeding: ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (*1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Do not take more than directed.
See overdose warning.

adults and children 12 years and over

- take 2 caplets every 6 hours with symptoms but do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor

children under 12 years

- ask a doctor

Drug Facts (continued)

Other information

- SODIUM FREE
- store between 20-25°C (68-77°F); excursions permitted between 15-30°C (59-86°F)
- use by expiration date on package

Inactive ingredients: hypromellose, mineral oil, polydioxane, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

*may contain this ingredient.

Questions or comments? 1-877-299-0404

This product is not manufactured or distributed by Kenive Inc., owner of the registered trademark Tylenol®

DISTRIBUTED BY:
BETTER LIVING BRANDS LLC
P.O. BOX 99
PLEASANTON, CA 94566-0099
1-888-273-3029
341R 0625 MADE IN INDIA

COMPARE TO
Extra Strength Tylenol® Active Ingredient


NDC 21130-431-05



PAIN RELIEF

EXTRA STRENGTH

Actual Size



50 CAPLETS

ACETAMINOPHEN CAPLETS 500 mg
- Pain Reliever/Fever Reducer
• FOR ADULTS

Varnish/Print Omit Area

E827R

Varnish Omit

Varnish Omit



NDC 21130-431-42

Signature
SELECT

PAIN RELIEF
EXTRA STRENGTH

ACETAMINOPHEN CAPLETS 500 mg
- Pain Reliever/Fever Reducer
• FOR ADULTS

24
CAPLETS

1/16"
Margin

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

READ AND KEEP CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg.....Pain reliever/fever reducer

Purpose

Uses ■ temporarily relieves minor aches and pains due to: the common cold, headache, backache, minor pain of arthritis, toothache, muscular aches, premenstrual and menstrual cramps

■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product **Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued under label)

LOT:
PUSH HERE
EXP:

Varnish Omit Area

Drug Facts (continued)

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away

(1-800-222-1222). Quick medical

attention is critical for adults as well as for children even if you do not notice any

signs or symptoms.

Directions Do not take more than directed. See overdose warning

adults and children 12 years and over:

■ take 2 caplets every 6 hours while symptoms last ■ do not take more than 6

caplets in 24 hours, unless directed by a doctor ■ do not take for more than 10

days unless directed by a doctor

children under 12 years: ■ ask a doctor

Other information ■ SODIUM FREE

■ store between 20-25°C (68-77°F) excursions permitted between 15-30°C

(59-86°F) ■ use by expiration date on package

Questions or comments?

1-877-290-4008

DISTRIBUTED BY:

BETTER LIVING BRANDS LLC

P.O. BOX 99

PLEASANTON, CA 94566-0099

41-888-723-3929

RD 25171

58850 MADE IN INDIA

341R 0625



OR IT'S ON US!

Adhesive Area

Inside



PAIN RELIEF			
acetaminophen tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-431
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	500 mg
Inactive Ingredients			
Ingredient Name			Strength

POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
STARCH, CORN (UNII: O8232NY3SJ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MINERAL OIL (UNII: T5L8T28FGP)	

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE (Capsule shaped tablet)	Size	18mm
Flavor		Imprint Code	TCL341
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-431-42	1 in 1 CARTON	06/01/2023	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:21130-431-50	500 in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2023	
3	NDC:21130-431-15	150 in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2023	
4	NDC:21130-431-25	1 in 1 CARTON	06/01/2023	
4		250 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:21130-431-05	1 in 1 CARTON	06/22/2023	
5		50 in 1 BOTTLE; Type 0: Not a Combination Product		
6	NDC:21130-431-01	1 in 1 CARTON	06/22/2023	
6		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/01/2023	

Labeler - BETTER LIVING BRANDS LLC. (009137209)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES, INC.		037052099	manufacture(21130-431)

Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		677604129	manufacture(21130-431)

Revised: 7/2025

BETTER LIVING BRANDS LLC.