

**ASPIRIN 81MG- aspirin tablet, delayed release  
BETTER LIVING BRANDS LLC.**

-----  
**482R\_Albertson\_21130-428\_Aspirin Delayed -Release Tablets USP, 81mg EC**

***Drug Facts***

***Active ingredient (in each tablet)***

Aspirin 81 mg (NSAID)\*

\*nonsteroidal anti-inflammatory drug

***Purpose***

Pain reliever

***Uses***

- temporarily relieves minor aches and pain
- ask your doctor about other uses for enteric coated 81 mg Aspirin.

***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include: •hives • facial swelling • asthma (wheezing) • shock

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problem
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

**Do not use** if you are allergic to aspirin or any other pain reliever/fever reducer

**Ask a doctor before use if**

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

**Ask a doctor or pharmacist before use if you are** taking a prescription drug for gout, diabetes or arthritis

**Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- ringing in the ears or a loss of hearing occurs
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- drink a full glass of water with each dose
- adults and children 12 years of age and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years of age: do not use unless directed by a doctor

**Other information**

- store at 20-25°C (68-77°F)
- close cap tightly after use

**Inactive ingredients** anhydrous lactose, carnauba wax, colloidal silicon dioxide, croscarmellose sodium, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, iron oxide yellow, methacrylic acid and ethyl acrylate copolymer, microcrystalline cellulose, polysorbate 80, simethicone, sodium hydroxide, sodium lauryl sulfate, starch, talc, triethyl citrate

**Questions or comments? 1-877-290-4008**



NDC 21130-428-12

Quality Guaranteed

# Low Dose Aspirin 81 mg Pain reliever (NSAID)

- Enteric coated
- Aspirin regimen\*\*

120 TABLETS

\*\*Talk to your doctor or other healthcare provider before using this product for your heart.

**READ AND KEEP CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION**

**TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING**

### Drug Facts

#### Active ingredient (in each tablet)

Aspirin 81 mg (NSAID)\*  
\*nonsteroidal anti-inflammatory drug

**Purpose** ■ Pain reliever

**Uses** ■ temporarily relieves minor aches and pain ■ ask your doctor about other uses for enteric-coated 81 mg aspirin.

#### Warnings

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product.

When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness. **Always a alert**

Aspirin may cause a severe allergic reaction which may include:

■ hives ■ facial swelling ■ asthma (wheezing) ■ shock

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

■ are age 60 or older ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Directions** ■ drink a full glass of water with each dose ■ adults and children 12 years of age and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor ■ children under 12 years of age: do not use unless directed by a doctor

**Questions or comments?** 1-877-290-4008

**how2recycle.info**

**LOT NO. OR IT'S ON US!**

**LOVE IT**

**OR IT'S ON US!**

**PLASTIC BOTTLE**

**how2recycle.info**

**LOT NO. OR IT'S ON US!**

**LOVE IT**

**OR IT'S ON US!**

**PLASTIC BOTTLE**

**how2recycle.info**

**LOT NO. OR IT'S ON US!**

**LOVE IT**

**OR IT'S ON US!**

**PLASTIC BOTTLE**

**how2recycle.info**

**LOT NO. OR IT'S ON US!**

**LOVE IT**

**OR IT'S ON US!**

**PLASTIC BOTTLE**

**how2recycle.info**

**LOT NO. OR IT'S ON US!**

**LOVE IT**

**OR IT'S ON US!**

**PLASTIC BOTTLE**

**how2recycle.info**

**LOT NO. OR IT'S ON US!**

Varnish Omit Area

Side of Package

Coating/Print Omit Area

Lot No.:  
Exp. Date:

RD 23199  
S6964

4828 0823  
H-888-723-3829  
P.O. BOX 99, PLEASANTON, CA 94566-0099  
FO. BOX 99  
DIST. BY: FOUNDTION CONSUMER HEALTHCARE LLC  
Scan here for more information

Coating Omit

### READ AND KEEP CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

**TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING**

#### Drug Facts

**Active ingredient (in each tablet)** ■ Aspirin 81 mg (NSAID)\*  
\*nonsteroidal anti-inflammatory drug

**Purpose** ■ Pain reliever

**Uses** ■ temporarily relieves minor aches and pain ■ ask your doctor about other uses for enteric-coated 81 mg Aspirin.

**Warnings**  
**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.  
**Allergy alert:** Aspirin may cause a severe allergic reaction which may include: ■ hives ■ facial swelling ■ asthma (wheezing) ■ shock  
**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you ■ are age 60 or older have had stomach ulcers or bleeding problems

#### Drug Facts (continued)

■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed

**Do not use** if you are allergic to aspirin or any other pain reliever/fever reducer

**Ask a doctor before use if** ■ stomach bleeding warning applies to you ■ you have a history of stomach problems, such as heartburn ■ you have high blood pressure, heart disease, liver cirrhosis, or kidney disease ■ you are taking a diuretic ■ you have asthma

**Ask a doctor or pharmacist before use if you are taking a prescription drug** for gout, diabetes or arthritis

**Stop use and ask a doctor if** ■ an allergic reaction occurs. Seek medical help right away. ■ you experience any of the following signs of stomach bleeding: ● feel faint ● vomit blood ● have bloody or black stools ● have stomach pain that does not get better ■ pain gets worse or lasts more than 10 days ■ ringing in the ears or a loss of hearing occurs ■ redness or swelling is present ■ new symptoms occur  
These could be signs of a serious condition

#### Drug Facts (continued)

**If pregnant or breast-feeding,** ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions** ■ drink a full glass of water with each dose ■ adults and children 12 years of age and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor ■ children under 12 years of age: do not use unless directed by a doctor

**Other information** ■ store at 20-25°C (68-77°F) ■ close cap tightly after use

**Inactive ingredients** anhydrous lactose, carnauba wax, colloidal silicon dioxide, croscarmellose sodium, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, iron oxide yellow, methacrylic acid and ethyl acrylate copolymer, microcrystalline cellulose, polysorbate 80, simethicone, sodium hydroxide, sodium lauryl sulfate, starch, talc, triethyl citrate

**Questions or comments?** 1-877-290-4008

\*This product is not manufactured or distributed by Foundation Consumer Healthcare LLC, owner of the registered trademark St. Joseph® Low Dose 81 mg Aspirin.

Compare to St. Joseph® Low Dose 81 mg Aspirin containing enteric coating

NDC 21130-428-12

Actual Size



120 TABLETS

## Low Dose Aspirin 81 mg Pain reliever (NSAID)

• Enteric coated

• Aspirin regimen\*\*



Quality Guaranteed



Coating Omit

Coating/Print Omit Area

\*\*Talk to your doctor or other healthcare provider before using this product for your heart.



how2recycle.info



# ASPIRIN 81MG

aspirin tablet, delayed release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-428

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TALC (UNII: 7SEV7J4R1U)	
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
METHACRYLIC ACID AND ETHYL ACRYLATE COPOLYMER (UNII: NX76LV5T8J)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

### Product Characteristics

Color	pink (Peach Colored tablets)	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-428-12	1 in 1 CARTON	08/08/2023	
1		120 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:21130-428-20	1 in 1 CARTON	08/08/2023	
2		200 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/08/2023	

**Labeler** - BETTER LIVING BRANDS LLC. (009137209)

**Registrant** - TIME CAP LABORATORIES, INC. (037052099)

**Establishment**

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES, INC.		037052099	manufacture(21130-428)

Revised: 2/2025

BETTER LIVING BRANDS LLC.