

**WAL-DRAM 2 QUICK-DISSOLVING- meclizine hydrochloride tablet, orally disintegrating**  
**Walgreen Co.**

-----

**Wal-Dram 2 Quick Dissolving**

***Active ingredient (in each tablet)***

Meclizine hydrochloride 25mg

***Purpose***

Meclizine hydrochloride    Antiemetic

***Uses***

• **for the prevention and treatment of the nausea, vomiting, or dizziness associated with motion sickness**

***Warnings***

**Do not use** in children under 12 years of age unless directed by a physician

**Ask a doctor before use if you have**

- glaucoma    ■ a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

**Ask a physician or pharmacist before use if you are**

- taking sedatives or tranquilizers

**When using this product**

- you may get drowsy    ■ avoid alcoholic beverages
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase the drowsiness effect

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

to prevent motion sickness take it at least one hour before traveling

adults and children 12 years of age and over: take 1 to 2 (25 to 50 mg) tablets once daily, or as directed by a physician.

***Other information***

- store at 20-30°C (68-86°F)

***Inactive ingredients***

acesulfame potassium, erythritol, hydroxypropyl cellulose, colloidal silicon dioxide, mannitol, menthol, sodium stearyl fumarate, yellow ferric oxide.

**Carton Image -01**

Walgreens

# Wal-Dram<sup>®</sup> 2

MECLIZINE HCl TABLETS, 25 mg / ANTIEMETIC

Walgreens

# Wal-Dram<sup>®</sup> 2

MECLIZINE HCl TABLETS, 25 mg / ANTIEMETIC

Compare to Dramamine<sup>®</sup> All Day  
Less Drowsy active ingredient!

NDC 0363-1407-01

**MELTS IN YOUR MOUTH; DISSOLVES WITHOUT WATER**

**QUICK-DISSOLVING TABLETS** **ALL-DAY RELIEF**

**LESS DROWSY FORMULA**

• Helps prevent nausea & dizziness due to motion sickness

**12** QUICK-DISSOLVING TABLETS



ACTUAL SIZE

PHARMACIST  
**Walgreens**  
RECOMMENDED  
Health expertise  
you rely on,  
quality you trust.

Questions or comments? 1-310-787-1877

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
**100% SATISFACTION GUARANTEED**  
walgreens.com ©2017 Walgreen Co.  
**MADE IN JAPAN**

ITEM 934334 W00000-0000-0



ORG1117-F-R01

US-C

Walgreens Pharmacist Survey  
This product is not manufactured or distributed by  
Prestige Brands, Inc., owner of the registered  
trademark Dramamine<sup>®</sup> Less Drowsy formula.

**Drug Facts (continued)**

**Directions**

- To prevent motion sickness, take it at least one hour before traveling.
- Adults and children 12 years of age and over: take 1 to 2 (25 to 50 mg) tablets once daily, or as directed by a physician.

**Other information**

- Store at 20-30°C (68-86°F).

**Inactive ingredients**

acetaminophen, potassium coloidal silicon dioxide, erythritol, hydroxypropyl cellulose, menthyl, mentho, sodium stearoyl fumarate, yellow ferric oxide.

**Drug Facts**

**Active ingredient (in each tablet): Purpose**

Meclizine hydrochloride 25mg.....Antiemetic

**Uses**

- For the prevention and treatment of the nausea, vomiting, or dizziness associated with motion sickness.

**Warnings**

- Do not use in children under 12 years of age unless directed by a physician.
- Ask a doctor before use if you have:
  - glucose
  - a breathing problem such as emphysema or chronic bronchitis
  - difficulty in urination due to enlargement of the prostate gland
- Ask a physician or pharmacist before use if you are:
  - taking sedatives or tranquilizers
  - taking alcohol, sedatives, and tranquilizers may increase the drowsiness effect.
- When using this product:
  - you may get drowsy
  - avoid alcoholic beverages
  - be careful when driving a motor vehicle or operating machinery

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

## WAL-DRAM 2 QUICK-DISSOLVING

meclizine hydrochloride tablet, orally disintegrating

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-1407
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

**Inactive Ingredients**

Ingredient Name	Strength
ERYTHRITOL (UNII: RA96B954X6)	
MANNITOL (UNII: 3OWL53L36A)	
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LEVOMENTHOL (UNII: BZ1R15MTK7)	

**Product Characteristics**

Color	yellow	Score	no score
Shape	ROUND	Size	13mm
Flavor		Imprint Code	SJ
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1407-01	2 in 1 CARTON	03/01/2016	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-1407-02	3 in 1 CARTON	10/23/2018	
2		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	03/01/2016	

**Labeler** - Walgreen Co. (008965063)**Registrant** - Sato Pharmaceutical Co., Ltd. (690575642)

