

**MEIJER PAIN RELIEF- lidocaine hcl 4% gel**  
**Meijer**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Meijer Pain Relief Roll-on, Lidocaine HCl 4%**

Lidocaine HCl 4%

Topical Analgesic

For the temporary relief of pain.

**For external use only. Flammable--**Do not use while smoking or near heat or flame. **When using this product** avoid contact with eyes, do not apply to wounds or damaged skin, and do not bandage tightly. **Stop use and ask a doctor if** condition worsens, if symptoms persist for more than 7 days or clear up and occur again within a few days, redness or irritation develops.

If swallowed, get medical help or contact a Poison Control Center right away.

Clean affected area before applying product. Adults and children 12 years of age and older, apply to the affected area not more than 3 to 4 times daily. Children under 12 years old ask a doctor.

Acrylates/C10-30 alkyl acrylate crosspolymer, alcohol denat., aloe barbadensis leaf extract, aminomethyl propanol, C30-45 alkyl cetearyl dimehticone crosspolymer, carpylyl methicone, cetearyl alcohol, ceteth-20 phosphate, dicetyl phosphate, dimethicone, disodium EDTA, ethylhexylglycerin, glyceryl stearate, methylparaben, steareth-21, water.

**Drug Facts**

Active ingredient	Purpose
Lidocaine HCl 4%	Topical Analgesic

**Use** For the temporary relief of pain.

**Warnings**  
**Flammable** - Keep away from fire or flame.  
**For external use only.**  
**Do not use** in large quantities, particularly over raw surfaces or blistered areas.  
**When using this product** • keep out of eyes • do not apply to wounds or damaged skin • do not bandage tightly.  
**Stop use and ask a doctor if** • condition worsens • symptoms last more than 7 days or clear up and occur again within a few days • redness or irritation develops.  
**Keep out of the reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • clean affected area before applying product • adults and children 12 years and older, apply to affected area not more than 3 to 4 times daily • children under 12 years old, ask a doctor.


**Other information** • store at 15°C - 30°C

**Inactive ingredients** acrylates/C10-30 alkyl acrylate copolymer, alcohol denat., aloe barbadensis leaf extract, aminomethyl propanol, C30-45 alkyl cetearyl dimethicone copolymer, caprylyl methicone, cetearyl alcohol, ceteth-20 phosphate, dicetyl phosphate, dimethicone, disodium EDTA, ethylhexylglycerin, glyceryl stearate, methylparaben, steareth-21, water

**Questions?**  
1-844-987-2727

\*This product is not manufactured or distributed by Chattem, Inc., owner of the registered trademark Aspercreme® PID# 4331519





7 60236 43109 1

DISTRIBUTED BY: MEIJER DISTRIBUTION INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com

**Fast-Acting Pain Relief**



Back, Neck, & Shoulder



Elbow & Knee



Hand & Wrist



Leg, Foot, & Ankle



\* Compare to Aspercreme® active ingredient  
NDC# 79481-1087-2

pain relief roll-on

LIDOCAINE HCl 4%

Max Strength

NUMBS AWAY PAIN

Non Greasy  
Fragrance Free

Net Wt. 2.5 oz (71 g)



Actual Size

## MEIJER PAIN RELIEF

lidocaine hcl 4% gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-1087
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z 41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE 200</b> (UNII: RGS4T2AS00)	
<b>CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: 809Y72KV36)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>AMINOMETHYLPROPANOL</b> (UNII: LU49E6626Q)	
<b>C30-45 ALKYL CETEARYL DIMETHICONE CROSSPOLYMER</b> (UNII: 4ZK9VP326R)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CETETH-20 PHOSPHATE</b> (UNII: 921FTA1500)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>DIHEXADECYL PHOSPHATE</b> (UNII: 2V6E5WN99N)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>STEARETH-21</b> (UNII: 53J3F32P58)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-1087-2	71 g in 1 BOTTLE; Type 0: Not a Combination Product	08/31/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	08/31/2021	

**Labeler** - Meijer (006959555)

**Registrant** - Derma Care Research Labs, LLC (116817470)

## Establishment

Name	Address	ID/FEI	Business Operations
Derma Care Research Labs, LLC		116817470	manufacture(79481-1087)

Revised: 1/2023

Meijer