

**WEGMANS KIDS AND SPORT BROAD SPECTRUM SPF 50 SUNSCREEN-  
avobenzone, homosalate, octisalate, octocrylene lotion  
WEGMANS FOOD MARKETS INC**

-----  
**Wegmans Kids and Sport Broad Spectrum SPF 50 Sunscreen Lotion**

**Active ingredients**

Avobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 5.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Do not use**

- on damaged or broken skin.

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

### **Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### **Inactive ingredients**

water, tridecyl salicylate, propylene glycol, styrene/acrylates copolymer, polyamide-8, neopentyl glycol diheptanoate, oleth-3, acrylates/C10-30 alkyl acrylate crosspolymer, triethanolamine, tocopherol, disodium EDTA, chlorphenesin, benzyl alcohol, fragrance

### **Label**



GLUTEN FREE

Free From:

- ✓ Retinyl Palmitate
- ✓ Artificial Colors
- ✓ Animal Testing
- ✓ Mineral Oil
- ✓ Phthalates
- ✓ Parabens\*

**Drug Facts**

**Active Ingredients**

Avo benzene 3.0%  
Homosalate 15.0%  
Octisalate 5.0%  
Octocrylene 5.0%

**Purpose**

Sunscreen

**Uses** • helps prevent sunburn • If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• apply liberally 15 minutes before sun exposure

• reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• children under 6 months of age: ask a doctor

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

**Other information**

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

**Inactive ingredients**

Water, Tridecyl Salicylate, Propylene Glycol, Styrene/Acrylates Copolymer, Polyamide-8, Neopentyl Glycol Diheptanoate, Oleyl-3, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Tocopherol, Disodium EDTA, Chlorphenesin, Benzyl Alcohol, Fragrance.

**Distributed By:**

Wegmans Food Markets, Inc.  
Rochester, NY 14603

We guarantee it!

*The Wegmans Family*

**Questions?**

1-800-Wegmans (934-6267) Ext 5920

9am - 4pm EST weekdays

Visit us at [wegmans.com](http://wegmans.com)

\*Formula is compliant with Hawaii SB2571. \*No parabens separately added to preserve this product



Wegmans



SPORT

BROAD SPECTRUM  
SPF 50

SUNSCREEN LOTION

WATER RESISTANT (80 MINUTES)

DERMATOLOGIST TESTED

REEF CONSCIOUS<sup>†</sup>:  
OCTINOXATE & OXYBENZONE FREE

50

8 FL OZ  
(237 mL)



# Wegmans



# KIDS

## BROAD SPECTRUM SPF 50

### SUNSCREEN LOTION

WATER RESISTANT (80 MINUTES)

DERMATOLOGIST TESTED

REEF CONSCIOUS<sup>†</sup>:  
OCTINOXATE & OXYBENZONE FREE

3 FL OZ  
(89 mL)

# 50



GLUTEN  
FREE

✓ Retinyl Palmitate  
✓ Artificial Colors  
✓ Animal Testing

Free From:

✓ Mineral Oil  
✓ Phthalates  
✓ Parabens\*

### Drug Facts

#### Active ingredients

Avobenzone 3.0%  
Homosalate 15.0%  
Octisalate 5.0%  
Octocrylene 5.0%

#### Purpose

Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

• apply liberally 15 minutes before sun exposure

• reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• children under 6 months of age: ask a doctor

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

#### Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

#### Inactive ingredients

Water, Tridecyl Salicylate, Propylene Glycol, Styrene/acrylates Copolymer, Polyamide-8, Neopentyl Glycol Diheptanoate, Oleth-3, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Tocopherol, Disodium EDTA, Chlorphenesin, Benzyl Alcohol, Fragrance

#### Distributed By:

Wegmans Food Markets, Inc.  
Rochester, NY 14603

We guarantee it!

*The Wegmans Family*

#### Questions?

1-800-Wegmans (934-6267) Ext 5920

9am - 4pm EST weekdays

Visit us at [wegmans.com](http://wegmans.com)

<sup>†</sup>Formula is compliant with Hawaii SB2571.

\*No parabens separately added to preserve this product



3

# Wegmans



# SPORT

## BROAD SPECTRUM SPF 50

### SUNSCREEN LOTION

WATER RESISTANT (80 MINUTES)  
DERMATOLOGIST TESTED  
REEF CONSCIOUS:  
OCTINOXATE & OXYBENZONE FREE

3 FL OZ  
(89 mL)

# 50



GLUTEN  
FREE

✓ Retinyl Palmitate  
✓ Artificial Colors  
✓ Animal Testing

Free From:

✓ Mineral Oil  
✓ Phthalates  
✓ Parabens\*

### Drug Facts

#### Active ingredients

Avobenzone 3.0%  
Homosalate 15.0%  
Octisalate 5.0%  
Octocrylene 5.0%

#### Purpose

Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

• apply liberally 15 minutes before sun exposure

• reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• children under 6 months of age: ask a doctor

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

#### Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

#### Inactive ingredients

Water, Tridecyl Salicylate, Propylene Glycol, Styrene/Acrylates Copolymer, Polyamide-8, Neopentyl Glycol Diheptanoate, Octyl-3, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Tocopherol, Disodium EDTA, Chlorphenesin, Benzyl Alcohol, Fragrance

Distributed By:  
Wegmans Food Markets, Inc.  
Rochester, NY 14603

We guarantee it!

*The Wegmans Family*

Questions?  
1-800-Wegmans (934-6267) Ext 5920  
9am - 4pm EST weekdays  
Visit us at [wegmans.com](http://wegmans.com)



\*Formula is compliant  
with Hawaii SB2571.

\*No parabens separately added  
to preserve this product





GLUTEN FREE

Free From:

- ✓ Retinyl Palmitate
- ✓ Artificial Colors
- ✓ Animal Testing
- ✓ Mineral Oil
- ✓ Phthalates
- ✓ Parabens\*

**Drug Facts**

Active ingredients	Purpose
Avobenzone 3.0% Homosalate 15.0% Octisalate 5.0% Octocrylene 5.0%	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• apply liberally 15 minutes before sun exposure

• reapply:

• after 80 minutes of swimming or sweating

• immediately after towel drying

• at least every 2 hours

• children under 6 months of age: ask a doctor

• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

• limit time in the sun, especially from 10 a.m. - 2 p.m.

• wear long-sleeve shirts, pants, hats, and sunglasses

**Other information**

• protect this product from excessive heat and direct sun

• may stain or damage some fabrics, materials or surfaces

**Inactive ingredients**

Water, Triethyl Salicylate, Propylene Glycol, Styrene/Acrylates Copolymer, Polyamide-6, Neopentyl Glycol Diheptanoate, Octyl-3, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Tocopherol, Disodium EDTA, Chlorophanesin, Benzyl Alcohol, Fragrance.

Distributed By: Wegmans Food Markets, Inc.  
Rochester, NY 14603

We guarantee it!

*The Wegmans Family*

**Questions?**

1-800-Wegmans (934-6267) Ext 5920

9am - 4pm EST weekdays

Visit us at [wegmans.com](http://wegmans.com)

\*Formula is compliant with Hawaii SB2571.

\*No parabens separately added to preserve this product



*Wegmans*



**KIDS**  
**BROAD SPECTRUM**  
**SPF 50**

**SUNSCREEN LOTION**

**WATER RESISTANT (80 MINUTES)**

**DERMATOLOGIST TESTED**

**REEF CONSCIOUS:**

**OCTINOXATE & OXYBENZONE FREE**

**50**

**8 FL OZ**  
**(237 mL)**

# Wegmans



# SPORT

## BROAD SPECTRUM SPF 50

### SUNSCREEN LOTION

WATER RESISTANT (80 MINUTES)

DERMATOLOGIST TESTED

REEF CONSCIOUS<sup>†</sup>

OCTINOXATE & OXYBENZONE FREE

16 FL OZ  
(473 mL)

# 50



GLUTEN  
FREE

✓ Retinyl Palmitate  
✓ Artificial Colors  
✓ Animal Testing

Free From:

✓ Mineral Oil  
✓ Phthalates  
✓ Parabens\*

### Drug Facts

#### Active Ingredients

Avobenzone 3.0%  
Homosalate 15.0%  
Octisalate 5.0%  
Octocrylene 5.0%

#### Purpose

Sunscreen

**Uses** • helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

##### For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

• apply liberally 15 minutes before sun exposure

• reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• children under 6 months of age: ask a doctor

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

#### Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

#### Inactive Ingredients

Water, Tricetyl Salicylate, Propylene Glycol, Styrene/Acrylates Copolymer, Polyamide-6, Neopentyl Glycol Diheptanoate, Oleyl-3, Acrylates/C10-30 Alkyl Acrylate Copolymer, Triethanolamine, Tocopherol, Disodium EDTA, Chlorphenesin, Benzyl Alcohol, Fragrance.

#### Distributed By:

Wegmans Food Markets, Inc.  
Rochester, NY 14603

We guarantee it!

*The Wegmans Family*

#### Questions?

1-800-Wegmans (934-6267) Ext 5920

9am - 4pm EST weekdays

Visit us at [wegmans.com](http://wegmans.com)

<sup>†</sup>Formula is compliant with Hawaii SB2571.

\*No parabens separately added to preserve this product



6

Wegmans



KIDS

BROAD SPECTRUM  
SPF 50

SUNSCREEN LOTION

WATER RESISTANT (80 MINUTES)  
DERMATOLOGIST TESTED  
REEF CONSCIOUS<sup>1</sup>:  
OCTINOXATE & OXYBENZONE FREE

16 FL OZ  
(473 mL)

50



GLUTEN  
FREE

Free From:

- ✓ Retinyl Palmitate
- ✓ Artificial Colors
- ✓ Animal Testing

- ✓ Mineral Oil
- ✓ Phthalates
- ✓ Parabens\*

**Drug Facts**

Active ingredients	Purpose
Avobenzone 3.0% Homosalate 15.0% Octisalate 5.0% Octocrylene 5.0%	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

**Other information**

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

**Inactive ingredients**

Water, Tridecyl Salicylate, Propylene Glycol, Styrene/Acrylates Copolymer, Polyamide-8, Neopentyl Glycol Diheptanoate, Oleyl-3, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Tocopherol, Disodium EDTA, Chlorphenesin, Benzyl Alcohol, Fragrance.

Distributed By:  
Wegmans Food Markets, Inc.  
Rochester, NY 14603

We guarantee it!

*The Wegmans Family*

Questions?  
1-800-Wegmans (934-6267) Ext 5920  
9am - 4pm EST weekdays  
Visit us at [wegmans.com](http://wegmans.com)



<sup>1</sup>Formula is compliant with Hawaii SB2571.

\*No parabens separately added to preserve this product



**WEGMANS KIDS AND SPORT BROAD SPECTRUM SPF 50 SUNSCREEN**

avobenzone, homosalate, octisalate, octocrylene lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47124-125
<b>Route of Administration</b>	TOPICAL		



## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKWBC543X)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)	
<b>OLETH-3</b> (UNII: BQZ26235UC)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>TRIDECYL SALICYLATE</b> (UNII: AZQ08K38Z1)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>POLYAMIDE-8 (4500 MW)</b> (UNII: 77723GV81A)	
<b>CARBOMER COPOLYMER TYPE A</b> (UNII: 71DD5V995L)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47124-125-11	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/16/2019	
2	NDC:47124-125-09	89 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/16/2019	
3	NDC:47124-125-14	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/16/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/16/2019	

**Labeler** - WEGMANS FOOD MARKETS INC (059650069)