

COUGH RELIEF ADULT- dextromethorphan hbr liquid

Freds Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each 5 mL)

Dextromethorphan HBr 15 mg

Purpose

Cough suppressant

Uses

- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- chronic cough that lasts as occurs with smoking, asthma, or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, cough comes back, or is occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

When using this product,

do not use more than directed

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take recommended dosage or as directed by a doctor

- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- shake well before using
- mL=milliliter

age	dose
adults and children 12 years and over	10 mL every 6-8 hours not to exceed 4 doses in 24 hours,
children 6 to 11 years of age	5 mL every 6-8 hours not to exceed 4 doses in 24 hours
children under 6 years of age	do not use

Other information

- **each 5 mL contains:** sodium 3 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, disodium EDTA, FD&C yellow #6, flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sucralose, sucrose, xanthan gum

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Cough DM

Dextromethorphan HBr 15 mg

Cough suppressant

Relieves:

- Cough
- Minor Throat Irritation

Contains No Fever Reducer or Pain Reliever

Alcohol-Free

FL OZ (mL)

Orange flavor

Dosing Cup Included

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY; fred's Inc.

4300 NEW GETWELL RD, MEMPHIS , TN 38118

www.fredsinc.com

Package Label

Drug Facts									
Active ingredient (in each 5 mL)	Purpose								
Dextromethorphan HBr 15 mg	Cough suppressant								
Uses									
<ul style="list-style-type: none"> temporarily relieves <ul style="list-style-type: none"> cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants the impulse to cough to help you get to sleep 									
Warnings									
<p>Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> chronic cough that lasts as occurs with smoking, asthma, or emphysema cough that occurs with too much phlegm (mucus) <p>Stop use and ask a doctor if cough lasts more than 7 days, cough comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.</p> <p>When using this product, do not use more than directed.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p>									
Directions									
<ul style="list-style-type: none"> take recommended dosage or as directed by a doctor measure only with dosing cup provided. Do not use any other dosing device. keep dosing cup with product shake well before using mL = milliliter <table border="1"> <thead> <tr> <th>age</th> <th>dose</th> </tr> </thead> <tbody> <tr> <td>adults and children 12 years and over</td> <td>10 mL every 6-8 hours not to exceed 4 doses in 24 hours</td> </tr> <tr> <td>children 6 to 11 years of age</td> <td>5 mL every 6-8 hours not to exceed 4 doses in 24 hours</td> </tr> <tr> <td>children under 6 years of age</td> <td>do not use</td> </tr> </tbody> </table>		age	dose	adults and children 12 years and over	10 mL every 6-8 hours not to exceed 4 doses in 24 hours	children 6 to 11 years of age	5 mL every 6-8 hours not to exceed 4 doses in 24 hours	children under 6 years of age	do not use
age	dose								
adults and children 12 years and over	10 mL every 6-8 hours not to exceed 4 doses in 24 hours								
children 6 to 11 years of age	5 mL every 6-8 hours not to exceed 4 doses in 24 hours								
children under 6 years of age	do not use								

Drug Facts (continued)
Other information
<ul style="list-style-type: none"> each 5 mL contains: sodium 3 mg store between 20-25°C (68-77°F). Do not refrigerate.
Inactive ingredients citric acid, disodium EDTA, FD&C yellow #6, flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sucralose, sucrose, xanthan gum
Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org



Dosing Cup Included

DISTRIBUTED BY: fred's, Inc.
4300 NEW GETWELL RD,
MEMPHIS, TN 38118
www.fredsinc.com

100% satisfaction guaranteed

Questions or comments:
1-855-331-FRED (3733)

NDC 55315-309-04

fred's
Pharmacy

Cough DM

Dextromethorphan HBr 15 mg Cough Suppressant

Relieves:

- Cough
- Minor Throat Irritation

Contains No Fever Reducer or Pain Reliever

Alcohol-Free

4 FL OZ (118 mL)

Orange Flavor




Lot No.:

Exp. Date:

FRED'S PHARMACY Cough DM Orange Flavor

COUGH RELIEF ADULT

dextromethorphan hbr liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55315-309
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 5 mL
---	--	------------------

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
HYDROXYETHYL CELLULOSE (1500 MPAS AT 1%) (UNII: L605B5892V)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	ORANGE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55315-309-04	1 in 1 BOX	07/31/2015	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	07/31/2015	

Labeler - Freds Inc (005866116)