

SALICYLIC ACID- wart remover gel pen gel
Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens Wart Remover Gel Pen

Active Ingredient

Salicylic acid 17%w/w

Purpose

Wart remover

Use

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface
- plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern

Warnings

For external use only.

Flammable

- keep away from fire or flame

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes
- on irritated, infected or reddened skin
- on genital warts and warts on the face

Ask doctor before use if you have:

- diabetes
- poor blood circulation

When using this product

- avoid contact with eyes
- if product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and consult a doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area
- may soak wart in for 5 minutes
- dry area thoroughly
- remove cap from pen
- remove insert pin from the tip
- twist and click pen until wart remover gel is dispense onto the tip of the applicator. Initial use will require several rotations for the gel to load
- apply a small amount at a time with applicator to sufficiently cover each wart
- let dry
- repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks
- for storage ensure applicator is free of excess gel before placing the insert pin back into the tip

Other information

- store between 59°F to 86°F (15°C to 30°C)
- if gel hardens at tip of applicator, dispense product and remove blockage

Inactive ingredients

camphor, castro oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropyl alcohol, nitrocellulose, polysorbate 80, SDA 3C ethyl alcohol

Questions?

Call 1-866-964-0939

Principal Display Panel

Well at Walgreens

NEW

MAXIMUM STRENGTH


Wart Remover Gel Pen

Salicylic Acid

- Safely removes common & plantar warts
- Prefilled applicator pen
- Convenient & easy to use
- No-drip, gel formula

1 PREFILLED PEN

NET WT 0.04 OZ (1.25g)



PRINT SIDE GLUE

DO NOT USE IF SEAL ON PEN IS BROKEN, TORN OR MISSING

Drug Facts

Active ingredient Purpose
Salicylic acid 17% w/w.....Wart remover

Uses ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance on the surface
■ the plantar wart is recognized by its location on the bottom of the foot, its tenderness, and the interruption of the footprint pattern

Warnings

For external use only.

Flammable ■ keep away from fire or flame

Do not use ■ if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
■ on moles, birthmarks and warts with hair growing from them
■ on mucous membranes
■ on irritated, infected or reddened skin
■ on genital warts and warts on the face

Ask doctor before use if you have:
■ diabetes ■ poor blood circulation

When using this product

■ avoid contact with eyes
■ if product gets into the eye, flush with water for 15 minutes
■ avoid inhaling vapors

Stop use and consult a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

■ wash affected area
■ may soak wart in warm water for 5 minutes
■ dry area thoroughly
■ remove cap from pen
■ remove the insert pin from the tip
■ twist and click pen until wart remover gel is dispensed onto the tip of the applicator. Initial use will require several rotations for the gel to load.
■ apply a small amount at a time with applicator to sufficiently cover each wart ■ let dry
■ repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks
■ for storage, ensure applicator is free of excess gel before placing the insert pin back into the tip

Drug Facts (continued)

Other information

■ store between 59-86°F (15-30°C)
■ if gel hardens at tip of applicator, dispense product and remove blockage

Inactive ingredients

camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropyl alcohol, nitrocellulose, polysorbate 80, SDA 3C ethyl alcohol

Questions? Call 1-866-964-0939

†Walgreens Pharmacist Survey Study, November 2012.

‡This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Compound W®.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2014 Walgreen Co.
MADE IN U.S.A.

ITEM 337133



ORG0114-F2_R01
BWRPW

WALGREENS PHARMACIST RECOMMENDED*

MAXIMUM STRENGTH

Wart Remover Gel Pen



WALGREENS PHARMACIST RECOMMENDED*

NEW

MAXIMUM STRENGTH

Wart Remover Gel Pen

Salicylic Acid

- Safely removes common & plantar warts
- Prefilled applicator pen
- Convenient & easy to use
- No-drip, gel formula

1 PREFILLED PEN
NET WT 0.04 OZ (1.25 g)


Compare to Compound W® active ingredient††



Actual Size

NO VARNISH AREA

CINT



SALICYLIC ACID

wart remover gel pen gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-4663
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
ALCOHOL (UNII: 3K9958V90M)	
ETHYL ACETATE (UNII: 7684508NMZ)	
HYPOPHOSPHOROUS ACID (UNII: 8B1RL9B4ZJ)	
HYDROXYPROPYL CELLULOSE (UNII: RFW2ET671P)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PYROXYLIN (UNII: KYR8BR2X6O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-4663-04	1.25 g in 1 TUBE, WITH APPLICATOR; Type 0: Not a Combination Product	03/15/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358B	03/15/2014	

Labeler - Walgreen Company (008965063)

Revised: 11/2019

Walgreen Company