

**TOPCARE COLD REMEDY- zincum aceticum, zincum gluconicum tablet, orally disintegrating
Topco Associates LLC**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Topco Associates LLC. Cold Remedy Drug Facts

Active ingredients (in each tablet)

Zincum aceticum 2x

Zincum gluconicum 1x

Purpose

Reduces duration and may reduce severity of the common cold

Uses

- reduces duration of the common cold
- may reduce the severity of cold symptoms:
- sore throat
- stuffy nose
- sneezing
- coughing
- nasal congestion

This product was formulated to shorten the duration of the common cold and was not formulated to be effective for flu or allergies.

Warnings

Ask a doctor before use if you have

a sensitivity to zinc or are allergic to zinc

Stop use and ask a doctor if

symptoms persist or are accompanied by a fever or new symptoms occur

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for best results, use at the first sign of a cold and continue to use until symptoms completely subside
- adults and children 12 years of age and older:
- take 1 tablet at the onset of symptoms
- dissolve entire tablet in mouth. Do not chew. Do not swallow whole.
- repeat every 3 hours until symptoms are gone
- to avoid minor stomach upset, do not take on an empty stomach
- do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
- children under 12 years of age: ask a doctor before use

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

crospovidone, dextrates, flavors, magnesium stearate, polyethylene glycol, sodium lauryl sulfate, sodium starch glycolate, sucralose

Questions or comments?

1-888-423-0139

Principal Display Panel

COMPARE TO ZICAM® COLD REMEDY ACTIVE INGREDIENTS

Cold Remedy

ZINCUM ACETICUM

ZINCUM GLUCONICUM

OUR PHARMACISTS RECOMMEND

HOMEOPATHIC

Reduces the Duration of a Cold

Take at the First Sign of a Cold

Melteez®

Cherry Flavor

actual size

25 QUICK DISSOLVE TABLETS



TOPCARE COLD REMEDY

zincum aceticum, zincum gluconicum tablet, orally disintegrating

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-807
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)	ZINC ACETATE	2 [hp_X]
ZINC GLUCONATE (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	1 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
CROSPROVIDONE (15 MPAS AT 5%) (UNII: 68401960MK)	
DEXTRATES (UNII: G263MI44RU)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	16mm
Flavor	CHERRY	Imprint Code	C2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-807-01	1 in 1 CARTON	09/04/2008	
1		25 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		09/04/2008	

Labeler - Topco Associates LLC (006935977)

Revised: 12/2019

Topco Associates LLC